
Catalog 2026 English Metric Europe

# CAMBRO 75




TRUSTED DURABILITY

www.cambro.com

# TABLE of CONTENTS

## EQUIPMENT




**INSULATED TRANSPORT** 8

Multi-Functional Box 10
Cam GoBoxes® 12
Insulated Food Servers (Non-Electric) 35
Camchiller®, Thermobarrier® & Camwarmer® 37
Temperature Maintenance 38
Transporter Capacity Guide 39
Insulated Front Loaders 40
Ultra Camcarts® 43
Camcarts® 45
Insulated Food Servers (Electric) 47
Insulated Beverage Containers 59
Beverage Service Cart 61
Handwashing Stations and Accessories 62





**MERCHANDISING** 65

CVC75 Mobile Food Vending Cart 65
Versa Food Service System 68
Food Bar Accessories 71
Table Top Food Bars 72
CamKiosk® System 73
Hand Sink Cart 75
Camcruiser® Vending Carts 76
Flex Station 78
Versa Organizers 81
Portable CamBars® 82
Ice Caddies 87

**PERSONALIZATION**
CVC75 66
CamKiosks® 74
Camcruisers® 76





**WAREWASHING** 88

Camrack® 4-in-1 System 88
Sizing & Reference Guide 94
Camdollies® 103
Tray & Dish/Silver Cart 106
R-Series Adjustable Dish Caddies 107
S-Series Adjustable Dish Caddies 108
Cambox® Bus Boxes 113
Service Cart Pro 114
KD Service Cart & KD Utility Cart 116

**PERSONALIZATION**
Camracks 101





**CAMSHELVING®** 117

Key Features 118
Buyers Guide 120
Free Design Service 121
Overall Length — Quick Reference Guide 122
Camshelving Premium® Series 124
Premium Series Weight Bearing Chart 125
Premium Series Configurations 128
Premium Series Accessories 130
High Density Storage System 131
Camshelving Elements® XTRA Series 136
Elements XTRA Series Weight Bearing Chart 137
Elements XTRA Series Configurations 139
Elements XTRA Series Accessories 141
Camshelving Basics® Plus Series 144
Basics Plus Series Weight Bearing Chart 145
Basics Plus Series Configurations 147
Basics Plus Series Accessories 151





**SHELVING UTILITY** 154

Camshelving® Wine Rack 154
Universal Storage Rack 156
Camshelving Ultimate #10 Can Rack System 157
The Ultimate Sheet Pan Rack 160
GN Food Pan Trolley 162
Pan Stops 164
Full Size Covers 164
Premium Series Full-Wrap Security Cage 165
Drying and Storage Rack 165
Elements Series 2-Shelf Vented Undercounter Units 167
Wall Shelves and Shelf Extenders 168
Dunnage Racks 169
Camlink® 169

# SUPPLIES

# HEALTHCARE



## STORAGE 170


Food Storage Square Containers 170
Food Storage Round Containers 179
Food Storage Boxes & Lids 190
StoreSafe® Labels 194
Camwear® Food Pans & Lids 195
H-Pans™ High Heat Pans 199
High Heat H-Pan™ with Handle(s) 203
Translucent Food Pans 204
ColdFest® 207
Pizza Dough Boxes 208
Ingredient Bins & Scoops 209
Soak and Brine Tank & Camcrisper® 210
High Heat Measuring Cups & Camwear® Measuring Cups 211


### PERSONALIZATION


CamSquare 185




## TABLE SERVICE 212


Dinnerware 212
Camcovers® 214
Pitchers 216
Lido® Tumblers 217
Camwear® Tumblers 217
Huntington® and Newport Tumblers 218
Laguna® and Del Mar® Tumblers 219
Colorware Tumblers 220
Dessert Glass 220
Camliter® 221
Beverage Dispenser, Pail With Bail & Swirl Bowls® 222
Wine Buckets and Bud Vase 223


### PERSONALIZATION


Dessert Glass, Tumblers, Camliters, Pitchers, and Wine Buckets 215




## DISPLAY 224


Deli Crocks & Platter 224
Showfest® Display Bowls 225
Camwear® Bowls 226
Display Covers & Trays 229
Crocks & Ladles 230
Serving Spoons, Camtensils® & Turners 231
Lugano® Tongs 232
Shakers/Dredges & Condiment Jars 233


### PERSONALIZATION


Shakers 233




## TRAYS 234


Choose the right tray 234
Tray Product Guide 237
Century™ Trays 242
Polyester Versa Trays 244
Versa Lite Trays 247
Camtrays® 251
EpicTread™ Trays 255
Dietary & Camlite® Trays 256
Camwear® Trays 257
Camtread® Trays 258
Treadlite™ & Polytread Trays® 260
Wood Trays 262
Corfu, Capri, Mykonos, & Madeira Trays 262
Fast Food Trays 267
Compartment Trays 268
Market Trays & Pans 272


### PERSONALIZATION


Camtray 235
Camtread Trays 236
Fast Food Trays 267




## HEALTHCARE 273


Camduction® Complete Heat System 273
Meal Delivery Ware 276
Reusable CamLids® for Meal Delivery Systems 279
Camrack® Wash and Store Rack 279
Camshelving® Hygienic Drying Racks 280
Tablotherm 282
Versa Trays 286
Non-Slip Versa Trays 287
Camtrays® with Handles & Camwear Non-Slip Tray 290
Meal Delivery Carts 291
Roto Color Chart 297



**The Trademarks of Cambro and product images are the property of Cambro and are subject to the control and ownership of Cambro. Any use thereof is only granted for the promotion and sales of Cambro products and subject to the control of Cambro Manufacturing Company.**

# New Product Introduction



The Pro Cart Ultra Pan Carriers

CamGoBox®




Camshelving® Universal Storage Rack



Pro Cart Ultra Stainless Steel GN Pan Carrier



Camshelving Elements XTRA Series



## Camshelving® Wine Rack



## FreshPro CamRounds™



## Camshelving GN Food Pan Trolleys



## Pan Stop





## CamSquares® FreshPro

## Translucent CamSquares® 0,47 and 0,95L



## Service Cart Pro



## Camliter® with Flip Lid



## Meal Delivery Cart





# the Cambro® story

When William and Argyle Campbell first opened the doors at Cambro Manufacturing in 1951, their goal was to make the highest quality hospital meal tray possible. Named the Camtray, it demonstrated that they were as committed to excellence in the foodservice industry as they were with their own products. As 2026, marked the company's 75th year of leadership in quality, innovation and customer service, today Cambro serves the world with the industry's most complete selection of products for widely diverse segments of the foodservice business. The future is certain to bring great changes to our industry. Yet one thing that will remain a constant is Cambro's tradition of continually developing new products that help foodservice operators save time and money, increase sales, reduce labor and improve service. In the years ahead, guided by the commitment of its founders to innovation, quality, and value, Cambro Manufacturing will still be the leader in serving the foodservice industry and you, our valued customer.

# ICON DIRECTORY

**Throughout the Cambro catalog, please use the following easy-to-identify icons to help explain Cambro product features or services.**

## Food Safety Matters

For 70 years, Cambro foodservice equipment and supplies have earned the trust and loyalty of customers and public health professionals alike because our products are designed with Food Safety in mind. At Cambro, every product design is based upon the core principle of food safety.

Look for the Cambro StoreSafe mark throughout the Cambro catalog to identify Cambro storage and transportation products that support safe food handling.

You can learn more about Cambro's Food Safety initiatives at **www.cambro.com/storesafe**

Many Cambro products may be recycled. For further information, please contact your Cambro representative.

Listed by NSF International, an independent, not-for-profit organization which certifies products that meet their criteria for sanitation and cleanability.

Cambro "Storage Select" BPA-Free (Bisphenol-A Free) products are available for customers who are interested in products deemed BPA-Free. Please contact your sales representative for more information.

Certifies products by Technischer Überwachungs-Verein. (Technical Inspection Association)

Fit for Food Products

New Product

Personalization Available Non-Food Contact Areas Only.

Dishwasher Safe

Stackable

Foam Insulation

Pro-Rated Warranty

Not For Use In Heated Carts

One carton of product is within the weight and cube requirements to be shipped by parcel carrier.

## www.cambro.com

Visit www.cambro.com for a wide variety of information about our products, including new product updates, an interactive Camrack Glass to Rack Guide, consultant cut sheets and CAD drawings, care and maintenance product guides and more.

©Cambro Manufacturing Company. Printed in the U.S.A.






# Ready to Deliver

Cambro offers the widest variety of delivery equipment options in the industry. We'll help you design the optimal system to grow your delivery business while maintaining the food safety, flavors and textures that built your loyal following.

## Food Safety and Quality

From the time the food is prepped to the moment it reaches the customer's doorstep, every second counts. Keep food safely hot or cold every step of the way.

- At-counter holding for pick-up or takeout.
- Curbside pick-up.
- Delivery.

## Employee Safety

High-tech materials and ergonomic design reduce the load for employees.

- Lightweight options.
- Secure carrying straps.
- Dollies for large catering orders.

## Icon Directory

Lightweight – Made of EPP (Expanded Polypropylene) an eco friendly high performance insulation material.

Chemically Inert – unaffected by oil, grease and most chemicals.

Excellent Energy Absorption – can withstand substantial impact without damage.

Great Structural Strength – capable of handling significant loads while maintaining its shape and form.

Dishwasher safe.

Safe for food contact.

100% Recyclable.

# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS





Made of Expanded Polypropylene (EPP), an eco-friendly, high performance insulation material, Cam GoBoxes are incredibly lightweight, making delivery easy.

- Hold safe temperatures over four hours.
- Great for holding for pick-up.
- Good for multiple stops or large events.
- Stackable.
- Most economical option.





CAMBRO® GOBOX®

# Multi-Functional Box

## ONE SYSTEM

Endless Possibilities

**4+ HOURS**
of Temperature Retention




Take your business to new heights with 10 cm or 20 cm extenders.




Flip over lid and extender for easy loading with larger or heavier items like wedding cakes.

MORE INFO

Store Safe

# CAMBRO® GOBOX® MULTI-FUNCTIONAL BOX

## One System, Endless Possibilities!





**EPPMFB**

| | |
|---|---|
| **LID** | 1 EA |
| **BASE** | 1 EA |
| **EXTENDER 10 cm** | — |
| **EXTENDER 20 cm** | — |



**EPPMFBE1**

| | |
|---|---|
| **LID** | 1 EA |
| **BASE** | 1 EA |
| **EXTENDER 10 cm** | 1 EA |
| **EXTENDER 20 cm** | — |



**EPPMFBE2**

| | |
|---|---|
| **LID** | 1 EA |
| **BASE** | 1 EA |
| **EXTENDER 10 cm** | — |
| **EXTENDER 20 cm** | 1 EA |



**EPPMFBE12**

| | |
|---|---|
| **LID** | 1 EA |
| **BASE** | 1 EA |
| **EXTENDER 10 cm** | 1 EA |
| **EXTENDER 20 cm** | 1 EA |



**EPPMFBE22**

| | |
|---|---|
| **LID** | 1 EA |
| **BASE** | 1 EA |
| **EXTENDER 10 cm** | — |
| **EXTENDER 20 cm** | 2 EA |



**EPPMFBE122**

| | |
|---|---|
| **LID** | 1 EA |
| **BASE** | 1 EA |
| **EXTENDER 10 cm** | 1 EA |
| **EXTENDER 20 cm** | 2 EA |

| CODE | INT. DIMENSIONS W x L x H | EXT. DIMENSIONS W x L x H |
|---|---|---|
| **EPP Multi-Functional Box** | | |
| EPPMFB | 52 x 52 x 12,5 cm | 64,1 x 64,1 x 25,4 cm |
| EPPMFBE1 | 52 x 52 x 25,2 cm | 64,1 x 64,1 x 35,4 cm |
| EPPMFBE2 | 52 x 52 x 35,2 cm | 64,1 x 64,1 x 45,4 cm |
| EPPMFBE12 | 52 x 52 x 45,2 cm | 64,1 x 64,1 x 55,4 cm |
| EPPMFBE22 | 52 x 52 x 65,2 cm | 64,1 x 64,1 x 65,4 cm |
| EPPMFBE122 | 52 x 52 x 75,2 cm | 64,1 x 64,1 x 75,4 cm |
| **Accessories** | | |
| EPPMFE1 | 10 cm Extender | 64,1 x 64,1 x 10 cm |
| EPPMFE2 | 20 cm Extender | 64,1 x 64,1 x 20 cm |
| EPPID5 | Plastic ID Labels | — |
| CP2632 | 1/2 size Camchiller® | 26,5 x 32,5 x 3 cm |
| HP2632 | 1/2 size Camwarmer® | 26,5 x 32,5 x 3 cm |
| FR258 | Full Flatware Rack | Inside height: 6,7 cm<br>Outside height: 10,1 cm |
| **EPP Adapter Only** | | |
| EPPMFBA | — | 69,80 x 62,21 x 7,04 cm |
| CD4060 Dolly + EPP Adapter | | |
| EPPMFBAPKG | — | — |

**Multi-Functional Box Case Pack:** 1 **EPPMFBAPKG Dolly + Adapter Case Pack:** Ships in 2 boxes
**Lid and Base Color:** Black (110). **Extender Color:** Gray (107). **Camchiller Color:** Glacier Blue (443).
**Camwarmer Color:** Fire Red (444). **Flatware Rack Color:** Soft Gray (151).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL CAM GOBOXES**

MORE INFO

# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS

## GN Top Loaders

**A BUILT-IN LABEL AREA**
Keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.



**CAM GOBOXES**
Inter-stack and also stack with major competitive brands.

**LINE YOUR CAM GOBOX**
With a Cambro GN Food Pan and Seal Cover for the ultimate food safety solution. Cambro GN pans protect food and carrier to support HACCP compliance.





**CAM GOHEAT™**
Warms to 75˚C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.

**TEMPERATURE RETENTION**
**4+ hours**

## GN Top Loader – Large Handles

**OPTIONAL INSERT KIT**
For an additional cold boost, use with optional Camchiller® Insert Kit EPPCTLPKG. Built-in cut-outs support cold transfer while protecting food from condensation.



**ERGONOMIC HANDLES**
Comfortable handles allow easy and safe lifting of the EPP180LH GoBox.

**EASY LOADING AND UNLOADING**
Interior wall recesses make loading and unloading easy for both GN 1/1 as well as GN 1/2 Food Pans. Straight interior walls allow room for stacking pans inside carrier.



# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS– GN TOP LOADERS

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**
**ALL CAM GOBOXES**

## For Half-Size (GN 1/2) Food Pans



**EPP260**
Holds 1 each 15 cm deep food pan*
**EXTERIOR: L** 39 x **W** 33 x **H** 25,7 cm
**INTERIOR: L** 33 x **W** 27 x **H** 19,3 cm
**UNIT WEIGHT:** 0,62 kg
**VOLUME:** 16,9 L
**Case Pack:** 1 **Color:** Black (110).



**EPP280** without Strap
Holds 1 each 20 cm deep food pan*
**EXTERIOR: L** 39 x **W** 33 x **H** 31,6 cm
**INTERIOR: L** 33 x **W** 27 x **H** 25,3 cm
**UNIT WEIGHT:** 0,7 kg / 0,8 kg with strap
**VOLUME:** 22,3 L
**Case Pack:** 1 **Color:** Black (110).



**EPP280BKST** with Black Strap
**EPP280RDST** with Red Strap
Holds 1 each 20 cm deep food pan*
**EXTERIOR: L** 39 x **W** 33 x **H** 31,6 cm
**INTERIOR: L** 33 x **W** 27 x **H** 25,3 cm
**UNIT WEIGHT:** 0,7 kg / 0,8 kg with strap
**VOLUME:** 22,3 L
**Case Pack:** 1 **Color:** Black (110).

## For Full-Size (GN 1/1) or Half-Size (GN 1/2) Food Pans



**EPP140**
Holds 1 each 10 cm deep food pan*
**EXTERIOR: L** 60 x **W** 40 x **H** 20,7 cm
**INTERIOR: L** 53,8 x **W** 33,8 x **H** 14,5 cm
**UNIT WEIGHT:** 0,91 kg
**VOLUME:** 26 L
**Case Pack:** 1 **Color:** Black (110).



**EPP160 / EPP160CL** with Color Lid
Holds 1 each 15 cm deep food pan*
**EXTERIOR: L** 60 x **W** 40 x **H** 25,7 cm
**INTERIOR: L** 53,8 x **W** 33,8 x **H** 19,5 cm
**UNIT WEIGHT:** 1,07 kg
**VOLUME:** 35,5 L
**Case Pack:** 1 **EPP160 Lid Color:** Black (110).
**EPP160CL Lid Colors:** Red (365), Orange (363), Yellow (361), Green (360), Blue (362).

**EPP180 / EPP180CL** with Color Lid
Holds 1 each 20 cm deep food pan*
**EXTERIOR: L** 60 x **W** 40 x **H** 31,6 cm
**INTERIOR: L** 53,8 x **W** 33,8 x **H** 25,4 cm
**UNIT WEIGHT:** 1,2 kg
**VOLUME:** 46 L
**Case Pack:** 1 **EPP180 Lid Color:** Black (110).
**EPP180CL Lid Colors:** Red (365), Blue (362).



**EPP180S**
Holds 1 each 20 cm deep food pan*
**EXTERIOR: L** 60 x **W** 40 x **H** 31,6 cm
**INTERIOR: L** 53,8 x **W** 33,8 x **H** 25,4 cm
**UNIT WEIGHT:** 1,13 kg
**VOLUME:** 43 L
**Case Pack:** 1 **Color:** Black (110).



**EPP180XLT**
Holds 1 each 20 cm deep food pan*
**EXTERIOR: L** 61 x **W** 43,1 x **H** 39,1 cm
**INTERIOR: L** 54,8 x **W** 36,8 x **H** 32 cm
**UNIT WEIGHT:** 1,45 kg
**VOLUME:** 64,5 L
**Case Pack:** 1 **Color:** Black (110).



**EPP180LH**
Holds 1 each 20 cm deep food pan*
**EXTERIOR: L** 68 x **W** 40 x **H** 32,1 cm
**INTERIOR: L** 53,8 x **W** 35,5 x **H** 25,5 cm
**UNIT WEIGHT:** 1,2 kg
**VOLUME:** 46 L
**Case Pack:** 1 **Color:** Black (110).

*Or equivalent

# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS– GN FRONT LOADERS






**4-SIDED HANDLING**
Thoughtfully designed built-in handles along the top of front loading models allow them to be easily carried from all four sides.

**A BUILT-IN LABEL AREA**
Keeps plastic menu tags (included with EPP300 and EPP400) in place for easy content identification or routing. StoreSafe® labels can also be used with Cam GoBoxes.

**DRIP-RESISTANT**
Built-in condensation barrier helps front loaders to remain drip-resistant.

**GENTLE OPEN AND CLOSE**
Beveled door edges ensure door can be easily closed and latched. Durable latches for long term use.





**STACKABILITY**
Cam GoBoxes inter-stack.

**FULL 270˚ ACCESS**
Durable hinges and latches allow the door to open 270˚ and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.

**TEMPERATURE MAINTENANCE TOOLS**
Cam GoBox front loading carriers are designed with enough room to hold GN 1/1 Food Pans along with a Camwarmer® or Camchiller®, if desired.

**TEMPERATURE RETENTION**
**4+ hours**

**Note:** Best results will be achieved by loading food pans between 82˚ to 88˚C. Loading metal food pans over 120˚C will result in damage to the carrier.

# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS

## GN FRONT LOADERS

### For Full-Size (GN 1/1) Food Pans



**EPP300**

Holds 3 each 10 cm deep food pan*

**EXTERIOR: L** 64 x **W** 44 x **H** 47,5 cm

**INTERIOR: L** 53,5 x **W** 33 x **H** 37 cm

**UNIT WEIGHT:** 3,2 kg

**VOLUME:** 60 L

**Case Pack:** 1 **Color:** Black (110).



**EPP400**

Holds 4 each 10 cm deep food pan*

**EXTERIOR: L** 64 x **W** 44 x **H** 62,5 cm

**INTERIOR: L** 53,5 x **W** 33 x **H** 52,5 cm

**UNIT WEIGHT:** 3,9 kg

**VOLUME:** 86 L

**Case Pack:** 1 **Color:** Black (110).


*Or equivalent

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**


**ALL CAM GOBOXES**


## CAM GOBOX® CAPACITY GUIDE


### EPP140 (GN 1/1)





### EPP160 (GN 1/1) & EPP260 (GN 1/2)


















### EPP180 (GN 1/1) & EPP280 (GN 1/2)













### EPP180S









Unique design allows inter-stacking, saving 30% storage space.









### EPP300 (GN 1/1)

















### EPP400 (GN 1/1)



# CAM GOBOX® GN ACCESSORIES

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL CAM GOBOX GN ACCESSORIES**

## Camchillers®

Camchillers (Cold plates) are designed to extend the cold holding time of your food. Simply freeze flat overnight and place at the top of your carrier.



**CP3253**

Camchiller GN 1/1 for EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180LH, EPP300, EPP400

**L** 53 x **W** 32,5 x **H** 3 cm

**UNIT WEIGHT:** 3,9 kg

**Case Pack:** 1 **Color:** Glacier Blue (443).



**CP2632**

Camchiller GN 1/2 for EPP260, EPP280, EPP280BKST, EPP280RDST

**L** 32,5 x **W** 26,5 x **H** 3 cm

**UNIT WEIGHT:** 1,75 kg

**Case Pack:** 1 **Color:** Glacier Blue (443).

## Camwarmers®

Camwarmers (Hot plates) are designed to extend the hot holding time of your food. Place in a hot water bath for 40 minutes and place at the bottom of your carrier.



**HP3253**

Camwarmer GN 1/1 for EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180LH, EPP300, EPP400

**L** 53 x **W** 32,5 x **H** 3 cm

**UNIT WEIGHT:** 3,9 kg

**Case Pack:** 1 **Color:** Fire Red (444).



**HP2632**

Camwarmer GN 1/2 for EPP260, EPP280, EPP280BKST, EPP280RDST

**L** 32,5 x **W** 26,5 x **H** 3 cm

**UNIT WEIGHT:** 1,75 kg

**Case Pack:** 1 **Color:** Fire Red (444).

## Camchiller Inserts

Built-in cut-outs support cold transfer while protecting food from condensation.



**EPPCTS**

Camchiller Insert for Standard EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180LH, EPP300, EPP400

**EXTERIOR: L** 60 x **W** 40 x **H** 8,7 cm

**INTERIOR: L** 53,7 x **W** 33,7 x **H** 3,4 cm

**UNIT WEIGHT:** 0,37 kg

**Case Pack:** 1 **Color:** Black (110).



**EPPCTL**

Camchiller Insert for EPP180LH

**EXTERIOR: L** 68 x **W** 40 x **H** 8,7 cm

**INTERIOR: L** 53,7 x **W** 33,7 x **H** 3,4 cm

**UNIT WEIGHT:** 0,37 kg

**Case Pack:** 1 **Color:** Black (110).

## Cam GoHeat™

Warms to 75˚C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.



**CGH100WUK** 100W, 230V* UK
**CGH200WUK** 200W, 230V* UK
**CGH100WEU** 100W, 230V* EU
**CGH200WEU** 200W, 230V* EU
**CGH1W12VCAR** 100W, 12V - 14,2V Auto

**L** 49,5 x **W** 28,5 x **H** 1,2 cm

**UNIT WEIGHT:** 1,1 kg

**Case Pack:** 1 **Color:** Silver (486).
*220-240 volt alternating current.

## Camchiller Insert Kits



**EPPCTSPKG110**

Standard top loader Camchiller and Insert all in one package, available for EPP180 and EPP160.



**EPPCTLPKG110**

Large handle Camchiller and Insert all in one package, available for EPP180LH.

## ThermoBarrier®

Designed to keep hot or cold air concentrated within your front-loading carrier. As food pans are being removed, use the Thermobarrier to close up any open space created.



**EPP3253DIV**

ThermoBarrier fits EPP300 and EPP400


**L** 53 x **W** 32,7 x **H** 3,7 cm

**UNIT WEIGHT:** 0,37 kg

**Case Pack:** 1 **Color:** Black (110).

# CAM GOBOX® GN ACCESSORIES

## Cam GoBox Rail Board and Divider



(2)EPP180RB +
(1)EPP180RBD



**EPP180RB**
Rail Board for EPP180
**L** 53,8 x **W** 25,4 x **H** 32,8 cm
**UNIT WEIGHT:** 3,9 kg
**Case Pack:** 1 **Color:** Black (110).

**EPP180RBD**
Divider for EPP180
**L** 30,6 x **W** 26,5 x **H** 1,9 cm
**UNIT WEIGHT:** 1,75 kg
**Case Pack:** 1 **Color:** Black (110).

## Color Lids

Use lids to color code for quick content identification or routing.



**EPP3253LID**
Color lid for EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180S
**L** 60 x **W** 40 x **H** 3,4 cm
**UNIT WEIGHT:** 0,28 kg
**Case Pack:** 1 **Colors:** Cambro Red (365), Cold Blue (362), Black (110).

## Cam GoBox GN Extender





**EPPEXT**
10 cm extender fits all GN 1/1 Top Loaders
**EXTERIOR: L** 59,4 x **W** 39,9 x **H** 9,9 cm
**INTERIOR: L** 53,8 x **W** 33,8 cm
**UNIT WEIGHT:** 0,24 kg
**Case Pack:** 1 **Color:** Black (110).

Add 10 cm to your top loader GoBox to fit oversized items.

## Camdolly®



**CD3253EPP**
Camdolly fits GN 1/1 Cam GoBoxes 4 swivel casters, 2 with brake
**EXTERIOR: L** 69,2 x **W** 42,6 x **H** 16,7 cm
**INTERIOR: L** 61,8 x **W** 41 cm
**UNIT WEIGHT:** 4,5 kg
**LOAD CAPACITY:** 250 kg
**OPTIONAL TRANSPORTING STRAP:** 400STP, 381 cm long strap
**Case Pack:** 1 **Camdolly Color:** Hot Red (158).
**400STP Color:** Beige (000).

## Flip Lid

The Flip Lid offers easy access while reducing points of cross-contamination.



**EPPFLID**
Flip Lid fits EPP140, EPP160/160CL, EPP180/180CL/180LH/180S
**EXTERIOR: L** 60 x **W** 40 x **H** 31,6 cm
**INTERIOR: L** 53,8 x **W** 33,8 x **H** 25,4 cm
**UNIT WEIGHT:** 1,2 kg
**Case Pack:** 1 **Color:** Black (110).

## Plastic ID Labels



**EPPID5**
Plastic ID labels fits all Cam GoBoxes
**Case Pack:** 1 **Color:** (000).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**
**ALL CAM GOBOX ACCESSORIES**

# CAM GOBOX® 4060 PROFESSIONAL GRADE INSULATED CARRIERS–
## MULTI-PURPOSE FRONT LOADER – 60 X 40 CM

**STACKABILITY**
Cam GoBoxes inter-stack and also stack with major competitive brands.

**EASY IDENTIFICATION**
A built-in label area keeps plastic menu tags in place for easy content identification or routing. Dissolvable StoreSafe® Labels can also be used with Cam GoBoxes.

**FULL 270˚ ACCESS**
Durable hinges and latches allow the door to open 270˚ and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.



**4-SIDED HANDLING**
Thoughtfully designed, built-in handles along the top of the front loader units allow them to be easily carried from all four sides.

**UNIQUE DESIGN**
Compartment for cold chiller plate or hot plate is located on the inner back wall to prevent overhead condensation drips and to evenly distribute temperature throughout the carrier.

**GENTLE OPEN AND CLOSE**
Beveled door edges ensure door can be easily closed and latched. Durable latches for long term use.

**DRIP-RESISTANT**
Built-in condensation barrier helps front loaders to remain drip-resistant.



## Front Loaders With Built-In Rails

Front-loading carriers with built-in rails are designed to hold 60 x 40 cm pans, sheet pans and trays securely in place during transport.



**EPP4060F6R**
Carrier with 6 Built-in Rails
**EXTERIOR: L** 77 x **W** 54 x **H** 68,7 cm
**INTERIOR: L** 61,5 x **W** 41 x **H** 58,5 cm
**RAIL SPACING:** 6 cm
**UNIT WEIGHT:** 6,34 kg
**VOLUME:** 126 L
**Case Pack:** 1 **Color:** Black (110).



**EPP4060F9R**
Carrier with 9 Built-in Rails
**EXTERIOR: L** 77 x **W** 54 x **H** 68,7 cm
**INTERIOR: L** 61,5 x **W** 41 x **H** 58,5 cm
**RAIL SPACING:** 3,5 cm
**UNIT WEIGHT:** 6,6 kg
**VOLUME:** 126 L
**Case Pack:** 1 **Color:** Black (110).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**
**ALL CAM GOBOXES**

**TEMPERATURE RETENTION**
**4+ hours**

**Note:** Best results will be achieved by loading pans between 82˚ to 88˚C. Loading metal pans over 120˚C will result in damage to the carrier.

# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–
## FRONT LOADER – 60 X 40 CM

### Front Loader without Rails

Multi-purpose carrier with no molded-in rails is designed for transporting 60 x 40 cm crates filled with wrapped, prepackaged foods. This carrier can also be modified for versatility to include optional, stainless steel adjustable rails, EPP4060FPR1*, for transporting a combination of 60 x 40 cm crates, baking pans and trays all in the same carrier.



**EPP4060FNR**

**EXTERIOR: L** 77 x **W** 54 x **H** 68,7 cm

**INTERIOR: L** 61,5 x **W** 41 x **H** 58,5 cm

**UNIT WEIGHT:** 6,1 kg

**VOLUME:** 155 L

**Case Pack:** 1 **Color:** Black (110).
*Additional rails can be purchased separately. See accessories page.

### Front Loader with Adjustable Rails

The multi-purpose carrier with adjustable rails is designed with 2 sets of stainless steel adjustable rails.* This exclusive design provides the operator with maximum flexibility to transport a combination of 60 x 40 cm crates, baking pans and trays all in the same carrier.



**EPP4060FADJR**

**EXTERIOR: L** 77 x **W** 54 x **H** 68,7 cm

**INTERIOR: L** 61,5 x **W** 41 x **H** 58,5 cm

**UNIT WEIGHT:** 8,17 kg

**VOLUME:** 155 L

**Case Pack:** 1 **Color:** Black (110).
*Additional rails can be purchased separately. See accessories page.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL CAM GOBOXES**



# CAM GOBOX® 4060 PROFESSIONAL GRADE INSULATED CARRIERS–

## TOP LOADERS FOR 60 X 40 CM CRATES

Top loading 60 x 40 cm carriers are lightweight and designed to keep hot or cold food out of the danger zone for 4+ hours. Designed to transport bakery crates and more, 60 x 40 GoBoxes even have room for a cold plate Camchiller® or hot plate Camwarmer® to enhance temperature retention. Ergonomic, recessed handles for convenient carrying and transporting.



Cam GoBoxes inter-stack and also stack with major competitive brands.

Recessed handles ease carrying and storage.

A built-in label area keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.





**EPP4060T200**

20 cm Deep Top Loader

**EXTERIOR: L** 69 x **W** 49 x **H** 27 cm

**INTERIOR: L** 62,5 x **W** 42,5 x **H** 20,5 cm

**UNIT WEIGHT:** 1,4 kg

**VOLUME:** 53 L

**Case Pack:** 1 **Color:** Black (110).



**EPP4060T300**

30 cm Deep Top Loader

**EXTERIOR: L** 69 x **W** 49 x **H** 37 cm

**INTERIOR: L** 62,5 x **W** 42,5 x **H** 30,5 cm

**UNIT WEIGHT:** 1,7 kg

**VOLUME:** 80 L

**Case Pack:** 1 **Color:** Black (110).

**TEMPERATURE RETENTION**

**4+ hours**

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL CAM GOBOXES**


5 EPP

# CAM GOBOX® 4060 ACCESSORIES

## Camchiller®

Camchiller (Cold plate) is designed to extend the cold holding time of your food. Simply freeze flat overnight and place at the top of your top-loading carrier or at the back of your front-loading carrier.

**CP3253**
Camchiller GN 1/1 fits all Cam GoBoxes 4060
**L** 53 x **W** 32,5 x **H** 3 cm
**UNIT WEIGHT:** 3,9 kg
**Case Pack:** 1 **Color:** Glacier Blue (443).



## Camwarmer®

Camwarmer (Hot plate) is designed to extend the hot holding time of your food. Place in a hot water bath for 40 minutes and place at the bottom of your top-loading carrier or at the back of your front-loading carrier.

**HP3253**
Camwarmer GN 1/1 fits all Cam GoBoxes 4060
**L** 53 x **W** 32,5 x **H** 3 cm
**UNIT WEIGHT:** 3,25 kg
**Case Pack:** 1 **Color:** Fire Red (444).



## Cam GoBox 60x40 Extender

Add 10 cm to your top loader GoBox to fit oversize items.

**EPP4060EXT**
10 cm Extender fits EPP4060T200, EPP4060T300
**L** 68,7 x **W** 48,7 x **H** 10,1 cm
**UNIT WEIGHT:** 0,30 kg
**Case Pack:** 1 **Color:** Black (110).



## Cam GoHeat™

Warms to 75°C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.

**CGH100WUK** 100W, 230V* UK
**CGH200WUK** 200W, 230V* UK
**CGH100WEU** 100W, 230V* EU
**CGH200WEU** 200W, 230V* EU
**CGH1W12VCAR** 100W, 12V - 14,2V Auto
**L** 49,5 x **W** 28,5 x **H** 1,2 cm
**UNIT WEIGHT:** 1,1 kg
**Case Pack:** 1 **Color:** Silver (486)
*220-240 volt alternating current.



## Kit of Rails for EPP4060FPR1

Kit of 2 adjustable stainless steel rails can be purchased separately to transport more items within the same carrier.

**EPP4060FAR**
Kit of 2 adjustable stainless steel rails
**L** 60 x **W** 3 x **H** 3 cm
**UNIT WEIGHT:** 0,42 kg
**Case Pack:** 1 **Color:** Silver (000).



## Adjustable Rail Kit for EPP4060FNR

Stainless Steel frames and 2 sets of rails are designed to offer the operator the flexibility to adjust and create custom spaces as needed in-between the rails.

**EPP4060FPR1**
Stainless Steel frames and 2 sets of rails
**L** 60 x **W** 1 x **H** 58 cm
**UNIT WEIGHT:** 2,07 kg
**Case Pack:** 1 **Color:** Silver (000).



## Camdolly® for Cam GoBoxes 4060

**CD4060EPP**
Camdolly fits Cam GoBoxes 4060
4 swivel casters, 2 with brake
**EXTERIOR: L** 71 x **W** 51 x **H** 16,7 cm
**INTERIOR: L** 70 x **W** 50 cm
**UNIT WEIGHT:** 5,27 kg
**LOAD CAPACITY:** 250 kg
**Case Pack:** 1 **Color:** Hot Red (158).



## Plastic ID Labels

**EPPID5**
Plastic ID labels fits all Cam GoBoxes
**Case Pack:** 1 **Color:** (000).



**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**
**ALL CAM GOBOX ACCESSORIES**

# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–

## TOP-LOADING PIZZA CARRIER



Vent releases steam to keep crust crispy.

Holds 33 x 33 cm pizza boxes.

Available in four different heights that hold from two to eight pizzas.





**EPPZ35100** without Strap

Cam GoBox Pizza Top Loading Carrier 10 cm Tall

**EXTERIOR: L** 41 x **W** 41 x **H** 17,4 cm

**INTERIOR: L** 35 x **W** 35 x **H** 10 cm

**UNIT WEIGHT:** 0,68 kg

**CAPACITY*:** 2 pizzas

**Case Pack:** 1 **Color:** Black (110).



**EPPZ35175** without Strap
**EPPZ35175BST** with Black Strap
**EPPZ35175RST** with Red Strap

Cam GoBox Pizza Top Loading Carrier 17,5 cm Tall

**EXTERIOR: L** 41 x **W** 41 x **H** 24,9 cm

**INTERIOR: L** 35 x **W** 35 x **H** 17,5 cm

**UNIT WEIGHT:** 0,82 kg / 0,89 kg with Strap

**CAPACITY*:** 4 pizzas

**Case Pack:** 1 **Carrier Color:** Black (110).



**EPPZ35265** without Strap
**EPPZ35265BST** with Black Strap
**EPPZ35265RST** with Red Strap

Cam GoBox Pizza Top Loading Carrier 26,5 cm Tall

**EXTERIOR: L** 41 x **W** 41 x **H** 33,9 cm

**INTERIOR: L** 35 x **W** 35 x **H** 26,5 cm

**UNIT WEIGHT:** 1 kg / 1,07 kg with Strap

**CAPACITY*:** 6 pizzas

**Case Pack:** 1 **Carrier Color:** Black (110).



**EPPZ35330** without Strap
**EPPZ35330BST** with Black Strap
**EPPZ35330RST** with Red Strap

Cam GoBox Pizza Top Loading Carrier 33 cm Tall

**EXTERIOR: L** 41 x **W** 41 x **H** 40,4 cm

**INTERIOR: L** 35 x **W** 35 x **H** 33 cm

**UNIT WEIGHT:** 1,23 kg / 1,3 kg with Strap

**CAPACITY*:** 8 pizzas

**Case Pack:** 1 **Carrier Color:** Black (110).

**TEMPERATURE RETENTION**

# 4+ hours

*With 33 x 33 x 4 cm Pizza Box.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL CAM GOBOXES**

# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–

## BEVERAGE CARRIER, CUP HOLDER AND EPP280 WITH STRAP



Designed to hold 12-750 mL. tall items such as wine bottles or 12-1,5 liter plastic bottles.

EPPBEVBKST

EPPBEVRDST



Comes with convenient, plastic carrying strap.

EPP280RDST

### Beverage Carrier



**EPPBEVBKST** with Black Strap
**EPPBEVRDST** with Red Strap

**EXTERIOR: L** 42 x **W** 33,5 x **H** 42 cm

**INTERIOR: L** 35,8 x **W** 27,3 x **H** 36,7 cm

**UNIT WEIGHT:** 1,02 kg

**CAPACITY:** 35 L

**Case Pack:** 1 **Carrier Color:** Black (110).

### EPP280 with Strap



**EPP280BKST** with Black Strap
**EPP280RDST** with Red Strap

**EXTERIOR: L** 39 x **W** 33 x **H** 31,6 cm

**INTERIOR: L** 33 x **W** 27 x **H** 25,3 cm

**UNIT WEIGHT:** 0,8 kg

**CAPACITY:** 22,3 L

**Case Pack:** 1 **Carrier Color:** Black (110).

### Beverage Cup Holder

Modular beverage holder for transporting hot or cold drinks with ease. Interlocking units connect to hold up to 15 drinks in an EPP180. Holds 350 to 750 mL hot or cold cups.

| CODE | DESCRIPTION | DRINK CAPACITY |
|---|---|---|
| EPPBEVH1 | single holder | 3 |
| EPPBEVH2 | set of 2 holders | 6 |
| EPPBEVH5 | set of 5 holders | 15 |

**Exterior Dim.: L** 11,4 x **W** 32,5 x **H** 12,5 cm
**Case Pack:** 1 **Color:** Black (110).

Compartments are tapered to fit multiple cup sizes: 7,1 cm at bottom graduates to 8,9 cm at the top.







| GOBOX CODE | NUMBER OF DRINKS | NUMBER OF HOLDERS |
|---|---|---|
| EPP180 | 15 (single layer*)<br>30 (double layer**) | 5 (single)<br>10 (double) |
| EPP160 | 15 | 5 |
| EPP140 | 15 | 5 |
| EPP280 | 6 | 2 |
| EPP260 | 6 | 2 |

*Single layer only recommended for hot cups. Use with Beverage Plugs to prevent spilling during transport.
**Double layer possible only with 350 mL or smaller cups.

**TEMPERATURE RETENTION**
**4+ hours**

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**
**ALL CAM GOBOXES**

# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–

## MULTIPURPOSE TOP LOADER





Designed to hold disposable dishware or 5 liter Gelato pans.

**EASY LOADING AND UNLOADING**
Interior wall recesses make loading and unloading easy for both GN 1/1 as well as GN 1/2 Food Pans. Straight interior walls allow room for stacking pans inside carrier.

A built-in label area keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.

Cam GoBoxes inter-stack and also stack with major competitive brands.

Recessed handles ease carrying and storage.



**EPP180X**

For Disposable Sealed Dishes and Gelato Pans 20,5 cm deep

**EXTERIOR: L** 61 x **W** 43 x **H** 27 cm

**INTERIOR: L** 54,8 x **W** 36,8 x **H** 20 cm

**UNIT WEIGHT:** 1,18 kg

**VOLUME:** 41 L

**Case Pack:** 1 **Color:** Black (110).



**EPP180XL**

For Disposable Sealed Dishes and Gelato Pans 25 cm deep

**EXTERIOR: L** 61 x **W** 43 x **H** 32 cm

**INTERIOR: L** 54,8 x **W** 36,8 x **H** 25 cm

**UNIT WEIGHT:** 1,33 kg

**VOLUME:** 50,5 L

**Case Pack:** 1 **Color:** Black (110).



**EPP180XLT**

For Disposable Sealed Dishes and Gelato Pans 32 cm deep

**EXTERIOR: L** 61 x **W** 43 x **H** 39 cm

**INTERIOR: L** 54,8 x **W** 36,8 x **H** 32 cm

**UNIT WEIGHT:** 1,45 kg

**VOLUME:** 64,5 L

**Case Pack:** 1 **Color:** Black (110).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL CAM GOBOXES**

**TEMPERATURE RETENTION**

**4+ hours**

Gelato holds for 1 hour.

## Disposable Dishes Holding Capacity



| CAM GOBOXES | 18 x 18 x 3 CM | 19 x 20 x 6 CM | GN 1/1 FOOD PAN 10 CM DEEP |
|---|---|---|---|
| EPP180X | 24 | 24 | 2 |
| EPP180XL | 30 | 42 | 3 |
| EPP180XLT | 42 | 48 | 4 |

# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS

## Four-Compartment Meal Delivery Box

Designed to accommodate two complete meals (including hot item, cold item, bread or fruit, drink and cutlery), the 4-Compartment Cam GoBox is ideal for senior feeding, schools, hospitals and catering.


## Two-Compartment Meal Delivery Box


This 2-compartment box is ideal for delivering a single meal. Each compartment has its own lid to protect temperatures, whether hot or cold.




Excellent insulation keeps hot foods hot and cold foods cold.




**EPPMD4835**

**EXTERIOR: L** 48 x **W** 35 x **H** 16,7 cm

**INTERIOR: L** 40 x **W** 29 x **H** 11 cm

**UNIT WEIGHT:** 400 g

**Case Pack:** 1 **Color:** Blue (159).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**EPPMD4835, EPPMD4428: (159)**

**EPPMDB4428**

**EXTERIOR:L** 43,7 x **W** 27,6 x **H** 17,5 cm

**INTERIOR: L** 18,3 x **W** 22,6 x **H** 10,9 cm Each Compartment

**UNIT WEIGHT:** 275 g

**Case Pack:** 1 **Color:** Blue (159).

## Disposable Dishes Holding Capacity





| CAM GOBOXES | 18 x 18 x 3 CM | 19 x 20 x 6 CM |
|---|---|---|
| EPPMD4835 | 4 | 2 |
| EPPMDB4428 | **3** | **2** |

**TEMPERATURE RETENTION**

**2+ hours**

# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–

## THE TABLOTHERM CAM GOBOX MEAL DELIVERY SYSTEM



Excellent insulation and temperature retention.

Made of expanded polypropylene.

Maintains hot and cold foods safe in one unit for up to 60 minutes.

Stackable, lightweight individual meal delivery system for easy transportation and storage.



**122 401 118**

Rectangular porcelain plate 11 x 18 cm



**122 701 118**

Transparent rectangular plate cover

BPA FREE



**122 400 021**

Round porcelain plate ø 21 cm



**122 400 023**

Two-Compartment round porcelain plate ø 23 cm



**122 700 021**
**122 700 023**

Transparent plate covers ø 21,5 cm ø 23,5 cm

BPA FREE



**122 500 014**

Round porcelain bowl 500 mL



**122 700 014**

Rubber hermetic system bowl cover ø 14,5 cm



**MDSB16 (480)**

Shoreline insulated bowl 500 mL



**CLRSB16T (490)**

Polypropylene bowl cover ø 14,5 cm

**TEMPERATURE RETENTION**

# 1 hour



# CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–

## THE TABLOTHERM CAM GOBOX MEAL DELIVERY SYSTEM

### Tablotherm Cam GoBox Only



**ITENEPP**

**EXTERIOR: L** 37 x **W** 53 x **H** 11,8 cm

**Case Pack:** 1 **Color:** Grey (107).



**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL TABLOTHERM CAM GOBOX**

### Tablotherm Cam GoBox with Accessories



**ITENEPP1118**

**INCLUDED:** 2 rectangular plates with covers, 2 round bowls with covers

**EXTERIOR: L** 37 x **W** 53 x **H** 11,8 cm

**Case Pack:** 1 **Color:** Grey (107).



**ITENEPP21**

**INCLUDED:** 1 round plate with cover, 2 round bowls with covers

**EXTERIOR: L** 37 x **W** 53 x **H** 11,8 cm

**Case Pack:** 1 **Color:** Grey (107).



**ITENEPP23**

**INCLUDED:** 1 two compartment plate with cover, 2 round bowls with covers

**EXTERIOR: L** 37 x **W** 53 x **H** 11,8 cm

**Case Pack:** 1 **Color:** Grey (107).



**ITENEPP1118H**

**INCLUDED:** 2 rectangular plates with covers, 2 round insulated bowls with covers

**EXTERIOR: L** 37 x **W** 53 x **H** 11,8 cm

**Case Pack:** 1 **Color:** Grey (107).



**ITENEPP21H**

**INCLUDED:** 1 round plate with cover, 2 round insulated bowls with covers

**EXTERIOR: L** 37 x **W** 53 x **H** 11,8 cm

**Case Pack:** 1 **Color:** Grey (107).



**ITENEPP23H**

**INCLUDED:** 1 two-compartment round plate with cover, 2 round insulated bowls with covers

**EXTERIOR: L** 37 x **W** 53 x **H** 11,8 cm

**Case Pack:** 1 **Color:** Grey (107).


TAKE
OUT/LUNCH
TAKE
OUT
LUNCH












CAMBRO




Bon Appetit


CAMBRO
CAMBRO





# INSULATED TOP LOADING CAMCARRIERS® TO TRANSPORT GASTRONORM FOOD PANS

- Top-loading food pan carriers hold, transport and serve a single full-size pan of hot or cold food.
- Sturdy and durable, seamless polyethylene or polypropylene with thick foam insulation.
- Molded-in handles on all four sides for easy carrying and handling.
- Use with divider bars to hold multiple fractional pans.
- Pans are easy to remove using finger notches.
- Carriers interlock and stack for transporting and storing.

**UPCS Colors:** Dark Brown (131), Coffee Beige (157), Speckled Grey (480), Black (110).

**MPC and MPCHL Colors:** Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158).

**UPC Colors:** Slate Blue (401), Dark Brown (131), Black (110), Granite Grey (191), Granite Green (192).

**Camdolly® Colors:** Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Grey (180).

**Divider Bar Colors:** White (148), Clear (135).

See Food Pan Section for pricing and ordering information.

**Note:** Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity.

**Note:** Best results will be achieved by loading food pans between 82˚ to 88˚C. Loading metal food pans over 121˚C may result in damage to the carrier.

UPC & MPC Models




## Hot

| | | | | | |
|---|---|---|---|---|---|
| **UPC160** | 87˚C | 85˚C | 83˚C | 81˚C | 79˚C |
| **UPCS160** | 87˚C | 85˚C | 83˚C | 81˚C | 79˚C |
| **UPCSS160** | 87˚C | 85˚C | 83˚C | 81˚C | 79˚C |
| | Starting Temperature | 1 hr. | 2 hrs. | 3 hrs. | 4 hrs. |

## Cold

| | | | | | |
|---|---|---|---|---|---|
| **UPC160** | 0˚C | 1˚C | 2˚C | 2˚C | 2,5˚C |
| **UPCS160** | 0˚C | 1˚C | 2˚C | 2˚C | 2,5˚C |
| **UPCSS160** | 0˚C | 1˚C | 2˚C | 2˚C | 2,5˚C |
| | Starting Temperature | 1 hr. | 2 hrs. | 3 hrs. | 4 hrs. |

UPC140



No divider bars available for UPC100.

UPC160

Shown with dividers and fractional sized food pans.

## Camcarrier®

One-piece, seamless polyethylene construction, airtight removable gasket and sturdy plastic latches.



| **CODE** | **240MPC** |
|---|---|
| **COMPARTMENT CAPACITY** | 1 GN 1/2 – 10 cm deep pan |
| **EXTERIOR DIMENSIONS** W x D x H | 42 x 35 x 19 cm |

**Case Pack:** 1 240MPC No Divider Bar.

## S-Series

Durable polypropylene construction, built in seal and wide, nylon latches.
Contemporary appearance and superior holding performance at an economical price.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**UPCS180:** (480)





| CODE | UPCS140 | UPCS160* | UPCS180 |
|---|---|---|---|
| **COMPARTMENT CAPACITY** | 1 GN 1/1 – 10 cm deep pan | 1 GN 1/1 – 15 cm deep pan | 1 GN 1/1 – 20 cm deep pan |
| **EXTERIOR DIM.** W x D x H | 64 x 43,5 x 22 cm | 64 x 43,5 x 26 cm | 64 x 43,5 x 30,5 cm |
| **FITS CAMDOLLY®** | CD160 | CD160 | CD160 |

**Case Pack:** 1 *UPCS160 Cannot be used with Camchiller.

## Ultra Pan

One-piece, seamless polyethylene construction, airtight removable gasket and wide, nylon latches.





| CODE | UPC140 | UPC160 | UPC180 |
|---|---|---|---|
| **COMPARTMENT CAPACITY** | 1 GN 1/1 – 10 cm deep pan | 1 GN 1/1 – 15 cm deep pan | 1 GN 1/1 – 20 cm deep pan |
| **EXTERIOR DIM.** W x D x H | 63 x 44 x 21 cm | 63 x 44 x 26 cm | 63 x 44 x 30,5 cm |
| **FITS CAMDOLLY** | CD100H, CD1826HB, CD160 | CD100H, CD1826HB, CD160 | CD100H, CD1826HB, CD160 |

**Case Pack:** 1

## 100 Series

Store and stack food pans or place food directly in compartment. The 100MPCHL model has a hinged serving lid.





| CODE | 100MPC | 100MPCHL | UPC100 |
|---|---|---|---|
| **COMPARTMENT CAPACITY** | 3 GN 1/1 – 6,5 cm deep pan or<br>2 GN 1/1 – 10 cm deep pans or<br>1 GN 1/1 – 15 or 20 cm deep pan | 1 GN 1/1 – 20 cm deep pan | 3 GN 1/1 – 6,5 cm deep pans or<br>2 GN 1/1 – 10 cm deep pans or<br>1 GN 1/1 – 15 cm or 20 cm deep pan |
| **EXTERIOR DIM.**<br>**INTERIOR DIM.** W x D x H | 68 x 45 x 38 cm<br>55 x 35 x 20,5 cm | 68 x 45 x 39,5 cm<br>55 x 35 x 20,5 cm | 68 x 46 x 40 cm<br>56,5 x 33 x 20,5 cm |
| **BULK CAPACITY*** | 38 L | 38 L | 38 L |
| **FITS CAMDOLLY** | CD100H, CD1826MTC, CD100HB, CD1826MTCHB, CD100, CD2028 | CD100, CD100H, CD100HB | CD100H, CD1826MTC, CD100HB, CD1826MTCHB, CD100, CD2028 |

**Case Pack:** 1 *Without using food pans. 100MPC, 100MPCHL and UPC100 No Divider Bar.

## Accessories

| CODE | DIMENSIONS | CASE PACK |
|---|---|---|
| **Divider Bars for Food Pans** | | |
| DIV12 | 32,38 cm length | 3 |
| DIV20 | 53,02 | 3 |

*Not for use in UPCSS1600.






# CAMCHILLER®, THERMOBARRIER® AND CAMWARMER®

## Camchiller

- An easy-to-use, cold food holding temperature tool.
- Extend cold holding time or enhance safe holding below 5˚C when frequent access is required.
- Freeze first then use to pre-chill cabinet before loading.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CP3253, CP2632:** (443)










| CODE | CP3253 (GN FULL SIZE) | CP2632 (GN HALF SIZE) | CP814 (20 x 36 CAMCHILLER) |
|---|---|---|---|
| FITS INTO | UPCSS160, UPC300, 300MPC, 1318CC, 1318MTC, UPC400, UPC400SP, UPCS400, UPC600, UPC800, UPC800SP, UPC1200, UPC1600, CVC72, CVC724, all Combo Cart® Plus and CamKiosk®* | UPC300, 300MPC, 1318CC, 1318MTC, UPC400, UPCS400, UPC400SP, UPC600, UPC800, UPC800SP, UPCS140, UPCS160, UPCS180, CVC724*, CVC72* and all CamKiosks* | 12186CW, 12186P, 12189CW, 12189P, CVC724, CVC72, CVC55, and all CamKiosks* |
| DIMENSIONS L x W x H | 53 x 32,5 x 3 cm | 32,5 x 26,5 x 3 cm | 35,56 x 20,32 x 3,8 cm |
| COLOR | Glacier Blue (443) | Glacier Blue (443) | Cold Blue (159) |
| QUANTITY PER CAVITY | 1 (*2 per cavity) | 1 (*2 per top wells) | 1 |


**Case Pack:** 1

## ThermoBarrier


- Use to minimize empty space and food temperature loss within a partially loaded compartment.


**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**400DIV:** (180)











| CODE | UPC300DIV | 300DIV | 400DIV | 1200DIV | 1600DIV |
|---|---|---|---|---|---|
| FITS INTO | UPC300, 1318CC | 300MPC, 1318MTC, UPC600 | UPC400, UPC800, UPC400SP, UPCS400, UPC800SP | UPC1200, CVC72, CVC724 | UPC1600, CamKiosk UPC1600SP |
| DIMENSIONS L x W x H | 53 x 33 x 2,5 cm | 53 x 33 x 2,5 cm | 54 x 33 x 3,8 cm | 53 x 33,5 x 3,5 cm | 53 x 33,5 x 3,8 cm |
| COLOR | Charcoal Gray (615) | Coffee Beige (157) | Grey (180) | Dark Brown (131) | Slate Blue (401) |
| CASE PACK | 1 | 1 | 1 | 2 | 2 |

## Camwarmer

- Use for added insurance to keep hot foods hot during holding and transporting.
- Keep in cabinet with hot foods to extend holding time or enhance safe holding above 65˚C when frequent access is required.







**UPC400 with Camwarmer.**
Two Camwarmers recommended per cavity.

| CODE | 1210PW | HP2632 |
|---|---|---|
| FITS INTO | UPC300, 300MPC, 1318CC, 1318MTC,UPC400, UPCS400, UPC600, UPC800 | UPC300, 300MPC, 1318CC, 1318MTC, UPC400, UPCS400, UPC400SP, UPC600, UPC800, UPC800SP, UPCS140, UPCS160, UPCS180, CVC724, CVC72 and all CamKiosks |
| DIMENSIONS L x W x H | 34 x 27,5 x 4 cm | 32,5 x 26,5 x 3 cm |
| COLOR | Granite Grey (191) | Fire Red (444) |

**Case Pack:** 1

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**


**HP2632:** (444)

# TEMPERATURE MAINTENANCE – OPTIMIZE FOOD HOLDING PERFORMANCE

## Camchiller® – GN 1/1 Size and GN 1/2 Size

- Use to:
  - Pre-chill cabinet cavity.
  - Hold package food in food pan wells. (Half Size Only)
  - Maximize cold food holding.
  - Minimize open cavity space.
- Easy to use:
  1. Freeze 8 hours.
  2. Slide one or two on top rails and pre-chill cavity 15-20 minutes.
  3. Load in pans of pre-chilled food below Camchiller. (A)
  4. Move pans and Camchiller down as food is removed. (B)

### COLD HOLDING





(A) (B)

## ThermoBarrier® – GN 1/1 Size

- Use to:
  - Hold hot and cold food in same cabinet cavity.
  - Minimize open cavity space.
- Easy to use:
  1. Slide between hot food on top and cold food on bottom. (A)
  2. Slide under hot food loaded in upper cavity space. (B)
  3. Slide above cold food loaded into lower cavity space. (C)

### HOT AND COLD HOLDING





(A) (B) (C)

## Camwarmer® – GN 1/2 Size

- Use to:
  - Pre-heat cabinet cavity.
  - Maximize hot food holding.
  - Minimize open cavity space.
- Easy to use:
  1. Heat in 180˚C oven for 45 minutes.
  2. Slide two Camwarmers on bottom rails and pre-heat cavity 15-20 minutes. (or place on high heat food pan lid or sheet pan)
  3. Load in pans of pre-heated food above Camwarmers. (A)
  4. Move pans and Camwarmers up as food is removed. (B)

### HOT HOLDING






(A) (B)

# TRANSPORTER CAPACITY GUIDE


## Loading Examples for Cambro® Insulated Transporters

**TOP LOADERS**
UPC140-UPC180
UPCS140-UPCS180
UPCSS160




For a 3-course meal:
2 x GN 1/4
1 x GN 1/2
1 DIV12 divider bar
(approx. 14 meals)




For a 4-course meal:
2 x GN 1/6
2 x GN 1/3
2 DIV12 divider bars
(approx. 14 meals)

---

**TOP LOADERS**
100 series
100MPC
UPC100



3 x 6,5 cm



2 x 10 cm




1 x 15 cm
or 1 x 20 cm




100MPCHL
or 1 x 20 cm

---


**FRONT LOADERS**
UPC300
1318CC
UPC600 (x2)
UPC1200 (x4)




4 x 6,5 cm



3 x 10 cm




2 x 15 cm




1 x 20 cm
and 1 x 6,5 cm

---


**FRONT LOADERS**
UPC400
UPCS400
UPCH400(2)
UPC800 (x2)
UPCH800(2) (x2)
UPC1600 (x4)
UPCH1600(2) (x4)




6 x 6,5 cm



4 x 10 cm




3 x 15 cm




2 x 20 cm

---


**CAMCARRIERS® AND CAMCARTS® FOR SHEET PANS**




1318CC
1/2 size (x8)
sheet pans




1826MTC
full-size (x6)
sheet pans
1826DTC (x4)



1826LTC3
full-size (x7)
sheet pans




Camtherm Low
full-size (x11)
sheet pans
Camtherm Tall (x2)




1826LTC
full-size (x13)
sheet pans

---

**SUMMARY OF GN CONTAINER SIZES**



# INSULATED FRONT LOADING UPC300 TO TRANSPORT GASTRONORM FOOD PANS

- Holds GN 1/1, GN 1/2 and GN 1/3 pans.
- One-piece seamless construction for great durability.
- Thick polyurethane insulation safely keeps cold food below 4˚C, hot food above 64˚C for 4+ hours.
- Fully removable, door.
- Labeling area on door for adhering ID or routing labels.
- Light weight.

**Colors:** Black (110), Dark Brown (131), Hot Red (158), Navy Blue (186), Slate Blue (401), Charcoal Gray (615).

UPC300 is covered by US Patent D786,607 S.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**UPC300:** (401), (110)
**CP3253:** (443), **HP3253:** (444)
**CD300:** (401) **CP3253:** (443)
**HP3253:** (444)








Recommended labeling with:
23SLINB250
5 x 7,6 cm
StoreSafe® Labels.


| CODE | UPC300 |
|---|---|
| **EXTERIOR DIM.** W x D x H | 43,2 x 65,4 x 56,8 cm |
| **INTERIOR DIM.** W* x D x H | 33,7 x 53,3 x 35,5 cm |
| **UNIT WEIGHT** | 10,5 kg |

**Case Pack:** 1 *Rail to Rail.




## Optional Accessories







| CODE | 1210PW | HP3253 | UPC300DIV | CP3253 | CD300* |
|---|---|---|---|---|---|
| **DESCRIPTION** | Camwarmer® | Camwarmer | ThermoBarrier® | Camchiller® | Camdolly® |
| **EXTERIOR DIM.** (CM) | 34,9 x 27,6 x 4 | 53 x 32,5 x 3 | 53 x 33 x 2,5 | 53 x 32,5 x 3 | 49 x 65 x 26,5 |
| **INTERIOR DIM.** (CM) | — | — | — | — | 43 x 59 |
| **COLOR** | Granite Grey (191) | Fire Red (444) | Charcoal Gray (615) | Glacier Blue (443) | ▲ |

**Case Pack:** 1 *Also available CD300H and CD300HB. See Camdolly section. ▲**Camdolly Colors:** Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110).

# INSULATED FRONT LOADING UPC400 TO TRANSPORT GASTRONORM FOOD PANS

- Durable and dependable front-loading food pan carriers.
- Hold multiple pans of hot or cold food at safe temperatures for hours.
- Seamless polyethylene with thick foam insulation.
- Airtight removable gasket provides a secure seal.

**Colors:** Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110), Granite Grey (191), Granite Green (192), Granite Sand (194).

**Note:** Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity. Please use specified food pan sizes.

See Food Pan section for pricing and ordering information.

**Note:** Best results will be achieved by loading food pans between 82˚ to 88˚C. Loading metal food pans over 121˚C may result in damage to the carrier or cart.

UPC400 is covered by US Patent D 392,158.
Venting plug is covered by US Patent D 553,717 S.

**HOLDING CAPACITY:**

| Pan Depth | Number of GN 1/1 pans |
|---|---|
| 6,5 cm | 6 |
| 10 | 4 |
| 15 | 3 |
| 20 | 2 |

Also holds GN 1/2 and 1/3 size pans.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**UPC400, CD400:** (401), (110)
**400DIV:** (180)
**CP3253:** (443)
**HP3253:** (444)


**ERGONOMIC DESIGN**
Unbreakable, ergonomic, molded-in handles for comfortable two-person carrying.



**PRESSURE AND HUMIDITY CONTROL**
Pop-up vent.

**REMOVABLE GASKET**
Provides an airtight seal.






**TEMPERATURE RETENTION**
Polyurethane insulation keeps hot food hot and cold food cold.



**QUICK ACCESS**
Single, 23 cm nylon latch for quick and secure opening and closing.





| CODE | UPC400 (UPC400SP**) |
|---|---|
| EXTERIOR DIM. W x D x H | 42,5 x 62 x 62 cm |
| INTERIOR DIM. W* x D x H | 34 x 53,5 x 49 cm |
| UNIT WEIGHT | 14,3 kg (16,33 kg) |

**Case Pack:** 1 *Rail to Rail. **Security Package (SP) Model.

## Optional Accessories





| CODE | 1210PW | HP3253 | 400DIV | CP3253 | CD400 | 400STP |
|---|---|---|---|---|---|---|
| DESCRIPTION | Camwarmer® | Camwarmer | ThermoBarrier® | Camchiller® | Camdolly® | Strap |
| EXTERIOR DIM. (CM) | 34,9 x 27,6 x 4 | 53 x 32,5 x 3 | 54 x 33 x 3,8 | 53 x 32,5 x 3 | 71 x 53 x 23 | 381 cm long |
| INTERIOR DIM. (CM) | — | — | — | — | 63,5 x 46 | — |
| COLOR | Granite Grey (191) | Fire Red (444) | Grey (180) | Glacier Blue (443) | ▲ | Beige (000) |

**Case Pack:** 1 ▲**CD400 Colors:** Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).

# UPCS400 ULTRA PAN CARRIER® S-SERIES TO TRANSPORT GASTRONORM FOOD PANS

- Ultra dependable, ultra durable front-loading pan carrier.
- Holds multiple pans of hot or cold food for hours.
- Durable polyethylene shell and thick, polyurethane foam insulation.

**Colors:** Slate Blue (401), Speckled Grey (480), Dark Brown (131).

**Note:** Best results will be achieved by loading food pans between 82˚ to 88˚C. Loading metal food pans over 121˚C may result in damage to the carrier or cart.

**HOLDING CAPACITY:**

| Pan Depth | Number of GN 1/1 pans |
|---|---|
| 6,5 cm | 6 |
| 10 | 4 |
| 15 | 3 |
| 20 | 2 |

Also holds GN 1/2 and 1/3 size pans.



Stacks with both UPCS400. Fits on CD400 Camdolly, or optional casters may be added for smooth ground transport.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**UPCS400:** (480), (401), **CD400:** (401), (110)
**400DIV:** (180), **CP3253:** (443), **HP3253:** (444)



**CONVENIENT**
Integrated pan-staging area eases service (not for use during transport).

**EASY TO CLEAN**
Door removes for easy cleaning.



**TEMPERATURE RETENTION**
Polyurethane insulation keeps hot food hot and cold food cold.

**EASY CONTENT AND ROUTING LABELING**
Menu clip reduces need to open door.





**ERGONOMIC DESIGN**
Unbreakable, ergonomic, molded-in handles for comfortable two-person carrying.

**QUICK ACCESS**
Single, 23 cm nylon latch for quick and secure opening and closing.



**BUILT-IN SEAL**
Built-in seal eliminates need for removable gasket.

**PRESSURE CONTROL**
Built-in vent equalizes pressure and releases steam.






| CODE | UPCS400 |
|---|---|
| **EXTERIOR DIM.** W x D x H | 63,5 x 46 x 63 cm |
| **INTERIOR DIM.** W x D x H | 53,5 x 33,5 x 48,6 cm |
| **UNIT WEIGHT** | 21,1 kg |

**Case Pack:** 1

## Optional Accessories





| CODE | UPCS400CK | 1210PW | HP3253 | 400DIV | CP3253 | CD400 | 400STP |
|---|---|---|---|---|---|---|---|
| **DESCRIPTION** | Caster Kit* | Camwarmer® | Camwarmer | ThermoBarrier® | Camchiller® | Camdolly® | Strap |
| **EXTERIOR DIM.** (CM) | ø 12,7 | 34,9 x 27,6 x 4 | 53 x 32,5 x 3 | 54 x 33 x 3,8 | 53 x 32,5 x 3 | 71 x 53 x 23 | 381 cm long |
| **INTERIOR DIM.** (CM) | — | — | — | — | — | 63,5 x 46 | — |
| **COLOR** | — | Granite Grey (191) | Fire Red (444) | Grey (180) | Glacier Blue (443) | ▲ | Beige (000) |

**Case Pack:** 1 ***Optional Caster Kit for UPCS400:** 2 fixed, 2 swivel, 1 w/ brake. **▲CD400 Colors:** Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).

# ULTRA CAMCARTS® TO TRANSPORT GASTRONORM FOOD PANS

- Double-compartment, high-capacity carts hold and transport hot or cold food.
- Tough, polyethylene shell and thick foam insulation throughout cabinet and between compartments.
- Airtight removable gaskets maintain safe food temperatures for hours.
- Easy to maintain and won't dent, crack, rust, chip or break.
- Durable nylon door latches open easily and close securely.
- Full-swing doors open to the side of the cart for easy loading and unloading.
- Molded-in handles ensure easy maneuvering.
- Molded-in bumpers minimize damage to walls, furniture and other equipment.

**Colors:** Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158), Granite Grey (191), Granite Green (192), Granite Sand (194).

**Note:** Place food pans on rails. Pans should not be placed on the floor of a Camcart cavity. Please use specified food pan sizes.

**Note:** Best results will be achieved by loading food pans between 82˚ to 88˚C. Loading metal food pans over 121˚C may result in damage to the carrier or cart.

Venting plug is covered by US Patent D 553,717 S.



Polyurethane insulation keeps hot food hot and cold food cold.





Shown with optional HD casters.

## Security Package (SP)

Specially designed for operations where safety and security are a top priority.

- Tamper resistant fasteners.
- Non-removable doors.
- Lockable hasp on each door (padlocks not included).
- Heavy duty (HD) casters with chassis plates mounted with tamper resistant bolts.

**Marine rail is designed for use during service, not transport.**




| TOTAL CART HOLDING CAPACITY | UPC600 | UPC800 | UPC1200 | UPC1600 |
|---|---|---|---|---|
| **Full Size Food Pans** | | | | |
| 6,5 cm deep | 8 pans | 12 pans | 16 pans | 24 pans |
| 10 cm deep | 6 pans | 8 pans | 12 pans | 16 pans |
| 15 cm deep | 4 pans | 6 pans | 8 pans | 12 pans |
| 20 cm deep | 2 pans + 2 each 10 cm pans | 4 pans | 4 pans | 8 pans |
| **Camtray®*** | | | | |
| 3253 | 12 trays | 24 trays | 24 trays | 48 trays |
| 2632 | 24 trays | 48 trays | — | — |
| 2025 | — | — | 12 trays | 24 trays |

See Food Pan and Camtray Section for ordering information.
*Based on 3,8 cm spacing between trays.

## Hot

| | Starting Temperature | 1 hr. | 2 hrs. | 3 hrs. | 4 hrs. |
|---|---|---|---|---|---|
| **UPC600** | 86,8˚C | 84,3˚C | 82,5˚C | 80,8˚C | 79,3˚C |
| **UPC800** | 87,7˚C | 85,5˚C | 84,2˚C | 82,9˚C | 81,7˚C |
| **UPC1200** | 85,6˚C | 82,1˚C | 80,1˚C | 78,3˚C | 77,2˚C |
| **UPC1600** | 87,1˚C | 85,9˚C | 85,1˚C | 84,3˚C | 83,7˚C |

## Cold

| | Starting Temperature | 1 hr. | 2 hrs. | 3 hrs. | 4 hrs. |
|---|---|---|---|---|---|
| **UPC600** | 0,6˚C | 1,1˚C | 1,4˚C | 1,8˚C | 2,1˚C |
| **UPC800** | 0,3˚C | 0,8˚C | 0,9˚C | 1,2˚C | 1,4˚C |
| **UPC1200** | 0,5˚C | 0,9˚C | 1,1˚C | 1,3˚C | 1,4˚C |
| **UPC1600** | 0,6˚C | 1,0˚C | 1,2˚C | 1,5˚C | 1,5˚C |



## UPC600

| CODE | UPC600 |
|---|---|
| DESCRIPTION | Base model |
| EXTERIOR DIM. W x D x H | 52 x 69 x 114,5 cm |
| COMPARTMENT DIM. | 34 x 54 x 35,5 cm |

**Case Pack:** 1 **Casters:** 12,7 cm, 2 fixed, 2 swivel, 1 with brake.



## UPC800

| CODE | UPC800 | UPC800SP |
|---|---|---|
| DESCRIPTION | Base model | Security package |
| EXTERIOR DIM. W x D x H | 52 x 69 x 137 cm | 52 x 69 x 137 cm |
| COMPARTMENT DIM. | 33 x 54,5 x 48,5 cm | 33 x 54,5 x 48,5 cm |

**Case Pack:** 1 **Casters:** 15,2 cm, 2 fixed, 2 swivel, 1 with brake.
**Heavy Duty (HD) Casters:** 15,2 x 3,8 cm, 2 fixed, 2 swivel with brake casters.



## UPC1200

| CODE | UPC1200 |
|---|---|
| DESCRIPTION | Base model |
| EXTERIOR DIM. W x D x H | 72,5 x 82 x 116 cm |
| COMPARTMENT DIM. | 54 x 66,5 x 34,5 cm |

**Case Pack:** 1 **Casters:** 15,2 cm, 2 fixed, 2 swivel, 1 with brake.



**STOCK PRODUCTS & COLORS**
**AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**UPC800:** (401), (192), (194), (110), **UPC1200:** (401)
**UPC1600:** (401), (194), (110), **400DIV:** (180), **CP3253:** (443), **HP3253:** (444)




## UPC1600

| CODE | UPC1600 | UPC1600HD | UPC1600SP* | UPCGL1600SP* |
|---|---|---|---|---|
| DESCRIPTION | Base model | Base model with HD casters | Security package | Security package, gasketless |
| EXTERIOR DIM. W x D x H | 71,5 x 82 x 135 cm | 73 x 84,7 x 138,4 cm | 71,5 x 82 x 135 cm | 71,5 x 82 x 135 cm |
| COMPARTMENT DIM. | 53,5 x 66,5 x 53,5 cm | 53,5 x 66,5 x 53,5 cm | 53,5 x 66,5 x 53,5 cm | 53,5 x 66,5 x 53,5 cm |

**Case Pack:** 1 **Casters:** 15,2 cm, 2 fixed, 2 swivel, 1 with brake. **Heavy Duty (HD) Casters:** 15,2 x 5,08 cm 2 fixed, 2 swivel with brake casters.
*Security Package (SP) have lock-in hinge pins and latches and wheels are attached with tamper resistant screws.

## Optional Accessories



| CODE | 300DIV | 400DIV | 1200DIV | 1600DIV | CP3253 | HP3253 | 1210PW |
|---|---|---|---|---|---|---|---|
| DESCRIPTION | ThermoBarrier® | ThermoBarrier | ThermoBarrier | ThermoBarrier | Camchiller® | Camwarmer® | Camwarmer |
| DIMENSIONS (CM) | 53 x 33 x 2,5 | 54 x 33 x 2,5 | 53 x 33,5 x 3,5 | 53 x 33,5 x 3,8 | 53 x 32,5 x 3 | 53 x 32,5 x 3 | 34 x 27,5 x 4 |
| FITS | UPC600 | UPC800, UPC800SP | UPC1200 | UPC1600 | UPC600, UPC800, UPC800SP, UPC1200, UPC1600, UPC1600SP | UPC600, UPC800 UPC800SP | UPC600, UPC800 UPC800SP |
| COLOR | Coffee Beige (157) | Grey (180) | Dark Brown (131) | Slate Blue (401) | Glacier Blue (443) | Fire Red (444) | Granite Grey (191) |

**Case Pack:** 1 **1200DIV / 1600DIV Case Pack:** 2

INSULATED FOOD SERVERS

# CAMCARTS®

## *Reimagined*

For Trays and Sheet Pans



**1826DTC**
**L** 54,6 x **W** 84,5 x **H** 162 cm

For Food Boxes



**1826DBC**
**L** 54,6 x **W** 84,5 x **H** 162 cm



**IMPROVED ERGONOMICS**
with two molded-in vertical handles for easy maneuvering

**ROBUST**
Stainless Steel Hinges

MORE INFO

# CAMCARRIERS® & CAMCARTS®

## Camcarriers

- Holds 32,5 x 53 cm trays, sheet pans and GN food pans.
- One piece seamless construction with molded-in handles.

**Colors:** Black (110), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Navy Blue (186), Charcoal Gray (615). 1318CC also available in Hot Red (158).

**Note:** Cool metal sheet pans to 121˚C before placing onto tray supports.

Venting plug is covered by U.S. Patent D 553,717S.



### Combo Carrier

**1318CC**

Holds half-size sheet pans, trays and a variety of food pan sizes. Safely keeps cold food below 4˚C, hot food above 63˚C for 4+ hours. Interstacks with UPC300, 300MPC, 1318MTC

**EXTERNAL DIM.** W x D x H*:
43,2 x 65,4 x 56,8 cm

**INTERIOR DIM.** W x D x H:
33,7 x 53,3 x 35,5 cm

**FITS CAMDOLLY:**
CD300, CD300H, CD300HB

**Case Pack:** 1 *With Handle.



### Camcarrier

**1826MTC**

Holds up to 6 each 46 x 66 cm sheet pans. Six tray supports on 5,4 cm centers

**EXTERNAL DIM.** W x D x H*:
55 x 74,5 x 57 cm

**INTERIOR DIM.** W x D x H:
46,7 x 66,4 x 35,9 cm

**FITS CAMDOLLY:**
CD1826MTC, CD1826MTCHB

**Case Pack:** 1 *With Handle.



**1826HAR**

Lifting harness

**DIMENSION:** 360,68 cm long

**Color:** Beige (000).

## Camcarts

- Holds 46 x 66 cm trays, sheet pans and food boxes.
- Includes removable cutting board on top.
- Security Package (SP)* features tamper-resistant hardware to protect both cart and contents. Includes chassis plates with 15,2 x 3,8 cm HD Casters.

**Colors:** Slate Blue (401), Coffee Beige (157), Dark Brown (131), Navy Blue (186), Charcoal Gray (615).

**Standard Casters:** 15,2 x 3,2 cm, 2 fixed, 2 swivel, 1 with brake.
**Heavy Duty (HD) Casters:** 15,2 x 5 cm, 2 fixed, 2 swivel, no brake.

**Note:** Cool metal sheet pans to 121˚C before placing onto tray supports.

Venting plug is covered by U.S. Patent D 553,717S.



### Camcart for Food Storage Boxes

**1826LBC / 1826LBCSP***

Holds 46 x 66 cm Food Storage Boxes. Capacity: 13 supports on 4,45 cm centers

**EXTERNAL DIM.** W x D x H:
55 x 81,5 x 95,5 cm

**INTERIOR DIM.** W x D x H:
46 x 66,4 x 65,7 cm

**Case Pack:** 1



### Camcart for Trays and Sheet Pans

**1826LTC / 1826LTCSP***

Holds up to 13 each 46 x 66 cm trays or sheet pans. Thirteen tray supports on 4,45 cm centers

**EXTERNAL DIM.** W x D x H:
55 x 81,5 x 95,5 cm

**INTERIOR DIM.** W x D x H:
46 x 66,4 x 65,7 cm

**Case Pack:** 1



### Camcart for Trays and Sheet Pans

**1826LTC3**

Holds up to 7 each 46 x 66 cm trays or sheet pans. Seven tray supports on 9,5 cm centers for 7,62 cm clearance between trays

**EXTERNAL DIM.** W x D x H:
55 x 81,5 x 95,5 cm

**INTERIOR DIM.** W x D x H:
46 x 66,4 x 65,7 cm

**Case Pack:** 1

# ULTRA PAN CARRIER® AND ULTRA CAMCART® H-SERIES

- Designed for both electric hot holding and non-electric transport.
- Gentle, 65˚ to 74˚C non-radiant heat will not cook food and maintains food moisture.
- Holds a wide variety of foods such as pasta, bone-in fried chicken, and double-crusted pies.
- One hour preheat time from room temperature and three minute recovery.
- Energy consumption is substantially less than comparable metal cabinets.
- Will not rust or dent like metal cabinets, is more economical, and is easy to maneuver.
- All UPCH models have been tested to maintain safe, hot food temperatures, for up to 4 hours when unplugged.
- Models with only the top heated door offer unique versatility with an electric hot holding cabinet on top and passive hot or cold food holding on the bottom.
- Heated door kits also sold separately to retrofit UPC400, UPC800 and UPC1600.

**Colors:** Granite Gray (191), Black (110), Granite Green (192), Slate Blue (401), Dark Brown (131).

**Casters:** 15,2 cm 2 fixed, 2 swivel, 1 with brake.






## Power On and Heat On Indicators

Communicate the Power and Heating status of the UPCH1600 unit. Know instantly when the compartment has reached target temperature.




## Vents

Consistent heating throughout the compartment is generated by vents that constantly circulate heat from front to back.



## Tough Exterior

All UPCH units are made of tough, polyethylene with polyurethane foam insulation to keep heat in while keeping the exterior cool to the touch. Will not crack, dent, chip, rust or break.



## Insulation

Foamed-in place polyurethane foam insulation will hold temperature above 64˚C for up to 4 hours when used unplugged.

# ULTRA PAN CARRIER® AND ULTRA CAMCART® H-SERIES

**Marine rail is designed for use during service, not transport.**








| MODEL | UPCH4002 | UPCH8002 | UPCH16002 |
|---|---|---|---|
| **Electrical Specifications** | | | |
| **REQUIRED VOLTAGE** | 200 – 230 VAC | 200 – 230 VAC | 200 – 230 VAC |
| **MAXIMUM AMP.** | 1,2a | 1,2a | 2,3a |
| **WATTS** | 265w | 265w | 506w |
| **HERTZ** | 50/60 | 50/60 | 50/60 |
| **PLUG TYPE** | Euro plug, CEE7 | Euro plug, CEE7 | CEE7/7 to C15RA |
| **POWER CORD LENGTH** | 2,7 m | 2,7 m | 2,7 m |

**Hot Holding When Unplugged**





| | |
|---|---|
| **HOT HOLDING** | 65°– 74°C |
| **WARM UP TIME** (from ambient to temperature) | 1 hour |
| **RECOVERY TIME*** (time to recover to temperature after door is held open for 30 seconds) | 3 minutes |
| **TRANSPORT TIME*** (after reaching temperature, amount of time unit can be held passively/ unplugged until contents reach 65°C.) | 4 hours+ |

*Based on test with 6 each, 15,24 cm deep H-pans with GripLids® filled with approx 14,2 L of 87,7°C water. (Temperatures are of the water not the air in the cart).

## Capacity Guide

UPCH4002
UPCH8002 (x2)
UPCH16002 (x4)




## Food Pan Portion Guide

| GN 1/1 Food Pan | | | | |
|---|---|---|---|---|
| **DEPTH** | 20 cm | 15 cm | 10 cm | 6,5 cm |
| **SERVING PORTIONS PER PAN** (1 CUP) | 80 | 60 | 40 | 30 |

# ULTRA PAN CARRIER® AND ULTRA CAMCARTS® H-SERIES

- Enables HACCP compliance by maintaining safe, hot food temperatures.
- UPCH400(2) models stack for storage or transporting on a Camdolly® with securing strap.

**Colors:** Granite Grey (191), Granite Green (192), Slate Blue (401), Black (110), Dark Brown (131).

**CD400 Colors:** Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Grey (180).

**Casters:** 15,2 cm 2 fixed, 2 swivel, 1 with brake.

**Note:** If using metal food pans, cool to 120˚C before placing onto rails.

**Note:** Place food pans on rails. Pans should not be placed on the floor of a Camcart cavity. Please use specified food pan sizes.

Vent Cap Patent Pending.




## Security Package (SP)

Specially designed for operations where safety and security are a top priority.

- Tamper-resistant fasteners.
- Non-removable doors.
- Lockable hasp on each door (padlocks not included).
- Heavy duty (HD) casters with chassis plates mounted with tamper-resistant bolts.

| CODE | DESCRIPTION | EXTERIOR DIMENSIONS W x D x H | COMPARTMENT DIMENSIONS W x D x H |
|---|---|---|---|
| UPCH1600SP | 110V, Both doors heated | 73 x 84,7 x 138,4 cm | 53,5 x 66,5 x 53,5 cm |
| UPCH16002SP | 220V, Both doors heated | 73 x 84,7 x 138,4 | 53,5 x 66,5 x 53,5 |

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**UPCH4002UK, UPCH8002UK:** (401)
**UPCH4002, UPCH8002, UPCHT8002, UPCH16002, UPCH16002UK, CD400:** (401), (110)

| CODE | DESCRIPTION | EXTERIOR DIMENSIONS W x D x H | COMPARTMENT DIMENSIONS W x D x H |
|---|---|---|---|
| **1-Compartment Ultra Pan Carriers 110V** | | | |
| UPCH400 | No casters | 46 x 67 x 63 cm | 33,5 x 53,3 x 48,6 cm |
| UPCHW400 | With casters | 46 x 67 x 79,4 | 33,5 x 53,3 x 48,6 |
| **220V** | | | |
| UPCH4002 | No casters | 46 x 67 x 63 | 33,5 x 53,3 x 48,6 |
| UPCH4002UK | UK plug, no casters | 46 x 67 x 63 | 33,5 x 53,3 x 48,6 |
| UPCHW4002 | With casters | 46 x 67 x 79,4 | 33,5 x 53,3 x 48,6 |
| **2-Compartment Ultra Camcarts 110V** | | | |
| UPCH800 | Both doors heated | 52 x 69 x 137,2 | 33 x 54,5 x 48,5 |
| UPCHT800 | Top door heated only | 52 x 69 x 137,2 | 33 x 54,5 x 48,5 |
| UPCH1600 | Both doors heated | 73 x 84,7 x 137,5 | 53,5 x 66,5 x 53,5 |
| UPCH1600HD | Both doors heated, HD casters | 73 x 84,7 x 138,4 | 53,5 x 66,5 x 53,5 |
| UPCHT1600 | Top door heated only | 73 x 84,7 x 137,5 | 53,5 x 66,5 x 53,5 |
| UPCHT1600HD | Top door heated only, HD casters | 73 x 84,7 x 138,4 | 53,5 x 66,5 x 53,5 |
| **220V** | | | |
| UPCH8002 | Both doors heated | 52 x 69 x 137,2 | 33 x 54,5 x 48,5 |
| UPCH8002UK | UK plug, both doors heated | 52 x 69 x 137,2 | 33 x 54,5 x 48,5 |
| UPCHT8002 | Top door heated only | 52 x 69 x 137,2 | 33 x 54,5 x 48,5 |
| UPCH16002 | Both doors heated | 73 x 84,7 x 137,5 | 53,5 x 66,5 x 53,5 |
| UPCH16002UK | UK plug, both doors heated | 73 x 84,7 x 137,5 | 53,5 x 66,5 x 53,5 |
| UPCH16002HD | Both doors heated, HD casters | 73 x 84,7 x 138,4 | 53,5 x 66,5 x 53,5 |
| UPCHT16002 | Top door heated only | 73 x 84,7 x 137,5 | 53,5 x 66,5 x 53,5 |
| UPCHT16002HD | Top door heated only, HD casters | 73 x 84,7 x 138,4 | 53,5 x 66,5 x 53,5 |
| **Accessories** | | | |
| CD400 | Camdolly® | 53 x 70 x 23 | — |
| 400STP | Strap, 4 m long | — | — |

**UPCH Case Pack:** 1 **Also Available:** Top and Bottom Replacement/Retrofit Doors for 110V and 220V (non-interchangeable).
**Standard Casters:** 15,2 x 3,2 cm – 2 fixed, 2 swivel, 1 with brake. **Heavy Duty (HD) Casters:** 15,2 x 5 cm – 2 fixed, 2 swivel with brake.

Plug In to the Future of HOT and COLD

# THE PRO CART ULTRA® PAN CARRIERS



## Power ON, set the Temp and *Go!*

**Energy EFFICIENT**

**Hot & Cold Food IN A SINGLE CART**

**Interchangeable MODULES**

Store Safe · NSF · c UL us LISTED

# THE PRO CART ULTRA® – PAN CARRIERS



**PCUL1000**
10, 10 cm deep
GN Food Pans

**PCU800**
8, 10 cm deep
GN Food Pans

**PCU1000**
10, 10 cm deep
GN Food Pans

**PCU1600**
16, 10 cm deep
GN Food Pans

**PCU2000**
20, 10 cm deep
GN Food Pans




## ELECTRIC HOT

Adjustable temperature
from 21,1˚ to 85˚C,
heat up to 73,9˚C in 15 min.

Recovery Time:
Average 20 sec.



## ELECTRIC COLD

Adjustable temperature
from 0,3˚ to 21,1˚C
without a compressor.

Recovery Time:
PCU1000 / Average 23 sec.
PCU2000 / Average 30 sec.

(Recovery time based on ambient temp.
of 23,33˚C) Empty Compartments

MORE INFO

**Electrical Cord Storage**

**PCU1000 / PCU2000 ONLY**



# THE PRO CART ULTRA®– PAN CARRIERS

## Holding Capacity

**FOOD PAN DEPTHS**

| GN FOOD PANS | 6,5 cm | | | | | 10 cm | | | | | 15 cm | | | | | 20 cm | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GN 1/1 | 12 | 14 | 24 | 28 | 14 | 8 | 10 | 16 | 20 | 10 | 6 | 6 | 8 | 12 | 6 | 4 | 4 | 4 | 8 | 4 |
| GN 1/2 | 24 | | 28 | | | 16 | | 20 | | | 12 | | 12 | | | 8 | | 8 | | |
| GN 1/3 | 36 | | 36 | | | 24 | | 24 | | | 18 | | 18 | | | 12 | | 12 | | |

PCU800 PCU1000 PCU1600 PCU2000 PCUL1000

| CODE | DESCRIPTION | DIMENSIONS W x D x H | PRODUCT WEIGHT |
|---|---|---|---|
| **PCU800** | | | |
| PCU800HH | 2 active hot compartments | 55,63 x 86,36 x 150,1 cm | 46,24 kg |
| PCU800HC | 1 active hot compartment (top), 1 active cold compartment (bottom) | | 50,21 |
| PCU800CC | 2 active cold compartments | | 54,18 |
| **PCU1000** | | | |
| PCU1000HH | 2 active hot compartments | 55,88 x 86,36 x 170,18 cm | 65,1 |
| PCU1000HC | 1 active hot compartment (top), 1 active cold compartment (bottom) | | 69,06 |
| PCU1000CC | 2 active cold compartments | | 73,03 |
| **PCU1600** | | | |
| PCU1600HH | 2 active hot compartments | 76,2 x 96,52 x 149,86 cm | 73,6 |
| PCU1600HC | 1 active hot compartment (top), 1 active cold compartment (bottom) | | 77,57 |
| PCU1600CC | 2 active cold compartments | | 81,31 |
| **PCU2000** | | | |
| PCU2000HH | 2 active hot compartments | 76,20 x 96,52 x 172,72 cm | 86,16 |
| PCU2000HC | 1 active hot compartment (top), 1 active cold compartment (bottom) | | 90,12 |
| PCU2000CC | 2 active cold compartments | | 94,1 |
| **PCUL1000** | | | |
| PCUL1000H New! | 1 active hot compartment | (76,2 x 96,52 x 100,33 cm) | 53.30 |
| PCUL1000C New! | 1 active cold compartment | | 57.27 |
| PCUL1000P New! | 1 passive compartment | | 50.58 |
| **Modules*** | | | |
| PCMCX | Cold Module | — | 9,42 |
| PCMHX | Hot Module | — | 5,44 |

**Case Pack:** 1 **Color:** Charcoal Gray (615). Other configurations and Security Package available.
**Tow Hitch Package Available for PCU2000 Only.** ***220V Models – Add your country code to any part number:**

| | | | |
|---|---|---|---|
| 3 | CAN | 7 | SA |
| 4 | EU | 8 | JAPAN |
| 5 | UK | 9 | CHINA |
| 6 | AU | | |

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**PCU1000HH, PCU2000CC:** (615)

# Pro Cart Ultra®
# STAINLESS STEEL
# GN Pan Carrier

- Total Capacity: 8, 10 cm deep GN 1/1 Food Pans
- Interchangeable Modules with Thermoelectric Cooling
- Corrosion-Free 304 Stainless Steel Cabinet



**Save Up to**
**30%**
**on energy cost**
**vs. other electric cabinets.**

**Rust-Free and Quiet Nylon Casters**

**2x** **Swivel** with Brake

**2x** **Rigid** with Brake

MODULE ONLY



**HOT & COLD**
**in the same cart, at the same time**

## Holding Capacity

| GN FOOD PANS | FOOD PAN DEPTH 6,5 cm | 10 cm | 15 cm | 20 cm |
|---|---|---|---|---|
| GN 1/1 | 12 | 8 | 6 | 4 |
| GN 1/2 | 24 | 16 | 12 | 8 |
| GN 1/3 | 36 | 24 | 18 | 12 |

| CODE | DESCRIPTION | DIMENSIONS W x D x H |
|---|---|---|
| PCUS800HH | Hot/Hot Unit | 59,2 x 81,2 x 165,2 cm |
| PCUS800HC | Hot/Cold Unit | 59,2 x 81,2 x 165,2 |
| PCUS800CC | Cold/Cold Unit | 59,2 x 81,2 x 165,2 |
| PCMCX | Cold Module | – |
| PCMHX | Hot Module | – |

**Case Pack:** 1 **Cabinet Color:** Stainless Steel (000). **Module Color:** Charcoal Gray (615).
**Voltage/Phase:** 220V/Single, EU/UK Plug Cord.
Modules transition to standby mode when optimal temperature is reached, saving energy.

# Customize Your Food Pan Transporter to Match Your Needs




## Hot Module PCMHX

- Safely maintain food temperatures between 65,6˚C to 73,9˚C with gentle, non-radiant heat
- Adjustable temperature to maximum of 85˚C
- Heats from room temperature to 73,9˚C in 15 minutes

20 sec RECOVERY*

## Cold Module PCMCX

- Thermoelectric cooling technology is safe for transport
- Cools down to 0,3˚C without a compressor
- Adjustable temperature to 0,3˚C

23 sec RECOVERY*

***Average recovery time based on ambient temperature of 23,3˚C, empty compartments - Door open for 30 seconds.**




## Electrical Specifications
(Per Compartment)

| | HOT MODULE | COLD MODULE |
|---|---|---|
| **REQUIRED VOLTAGE** | 115-230 VAC | 115-230 VAC |
| **AMPS** | 3.19a @ 115v<br>2.17a @ 220v | 3.6a @ 115v<br>1.7a @ 230v |
| **WATTS** | 450w @ 115v<br>500w @ 230v | 414w @ 115v<br>393w @ 230v |
| **HERTZ** | 50/60 | 50/60 |
| **PHASE** | Single | Single |
| **PLUG BODY FOR THESE COUNTRIES** ADD COUNTRY CODE TO PRODUCT CODE WHEN ORDERING | 4:Europe<br>5:UK | |

**If country is not listed, please call Cambro Customer Service for details.**

# PRO CART ULTRA®– ELECTRIC & NON-ELECTRIC

## INSULATED HOLDING & TRANSPORT CABINETS

The Pro Cart Ultra is the ultimate food transport cart that can hold all your hot and cold menu items in the same cart, at the same time—without a compressor!

- Hold and transport hot and cold foods in a single cart.
- Maintains food quality and moisture.
- Keep food safe while unplugged 4 hours.
- Change hot to cold or cold to hot with a simple hardware change.
- Universal rails fit food pans, sheet pans and more.

**Color:** Charcoal Gray (615).

Multiple International Certifications available.

Passive and/or Hot Models



**ELECTRIC**
**HOT**
Hot holding cycles between 65,5˚- 74˚C.



**NON-ELECTRIC**
**PASSIVE**
Holds hot or cold foods for 4 + hours.



**ELECTRIC**
**COLD**
Cold holding cycles between 0,3˚- 4,4˚C without a compressor.

Hot, cold and passive modules are also sold separately to quickly outfit the cart to suit your menu.

## Temperature Retention of Passive and Unplugged Electric Models

**Hot** — temperature loss averaging 1,5˚C/hour.

| Starting Temp. | 1 hr. | 2 hrs. | 3 hrs. | 4 hrs. |
|---|---|---|---|---|
| 87,8˚C | 85,6˚C | 84,5˚C | 82,8˚C | 81,7˚C |

**Cold** — temperature gain averaging 0,4˚C/hour.

| Starting Temp. | 1 hr. | 2 hrs. | 3 hrs. | 4 hrs. |
|---|---|---|---|---|
| 0,33˚C | 0,78˚C | 0,94˚C | 1,2˚C | 1,4˚C |

## Capacity per Compartment

| TYPE OF CONTAINER | STANDARD CAPACITY | STANDARD CAPACITY RAIL SPACING |
|---|---|---|
| 45,7 x 66 CM FULL SIZE SHEET PANS | 5 | 7,62 cm |
| 33 x 45,7 CM HALF SIZE SHEET PANS | 10 | 7,62 |
| GN 1/1 HOTEL PANS (6,5 CM DEEP) | 10 | 11,43 |
| GN 1/1 HOTEL PANS (10 CM DEEP) | 10 | 11,43 |
| 60 x 40 CM EURO BAKING SHEETS | 5 | 7,62 |
| 54,6 x 33,6 x 6,35 CM BASKETS | 10 | 7,62 |
| 40,6 x 40,6 x 5,1 CM PIZZA BOXES | 5 | 7,62 |

**Standard rails:** 5 rails / compartment *Additional rails required.



Adjustable rails can be set in any position and easily changed when needed.

# PRO CART ULTRA®– FEATURES AND TOW HITCH KIT



**INSULATION**
CFC-free, polyurethane insulation throughout the body and doors maximizes heat or cold retention for 4 hours or more with no electricity needed.

**GASKET-FREE DOOR**
For easy cleaning and fewer replacement parts. Door opens full 270˚.



**SOLAR DIGITAL THERMOMETER**
Monitor internal cabinet temperature at a glance.

**10 CM NYLON LATCHES AND ADJUSTABLE HINGES**
For easy opening and closing and to secure contents during transport. (Door is lockable).



**12,7 x 20,3 CM MENU POCKET**
Allows for easy product ID with either an index card or by writing directly onto smooth surface with a grease pencil.

**STAINLESS STEEL HINGE**
For long term durability.

**POLYETHYLENE EXTERIOR**
Keeps food moist naturally and remains cool to the touch during operation, unlike metal cabinets.

**STANDARD 15 x 5 CM HEAVY DUTY CASTERS**
Two non-marking, high-performance, all swivel casters with brakes in the front and two rigid casters in the back for smooth positioning and navigation.

## Pro Cart Ultra Tow Hitch Kit

Tow your Pro Cart Ultra to your loading dock, serving location and back to your kitchen with the Cambro Tow Hitch Kit. The tow hitch is designed to securely connect your Pro Cart Ultra to any service vehicle with towing capability.

- Fits all Pro Cart Ultra models, low and tall.
- Kit available with standard or security hardware.
- Maximum tow capacity 907 kg.



| CODE | DESCRIPTION | UNIT WEIGHT |
|---|---|---|
| PCUTOW | Pro Cart Ultra Tow Hitch | 15,87 kg |
| PCUTOWSP | Pro Cart Ultra Tow Hitch Security Package | 15,87 |

**Case Pack:** 1 **Color:** (000). SP package includes tamper-resistant screws.

# PRO CART ULTRA®– ELECTRIC

## Powerful Performance, Low Power Consumption

- Energy efficient, active modules draw less than 5 amps each.
- Cold module uses environmentally friendly, thermoelectric technology.
- Plugs into a standard outlet.

# COLD

Digital controller allows cold to be set from 0,3˚ to 4,4˚C.

### Thermoelectric Cooling Down to 0,3˚C

Cool without a compressor for the ultimate in cold mobility and food safety on the go.
Note: Operate in 90˚F or less ambient temperature for best results.

**Pre-chill time:**
90 minutes to 4,4˚C.
(Tested at 23˚C ambient.)

**Recovery time:**
10 minutes after door open for 30 seconds.



Interior with Cold module



Exterior back with Cold module

# HOT

Keeps food safely between 65,5˚ to 74˚C with convenient, pre-set, gentle, non-radiant heat.

### Energy-Saving Heater Less Than 5 Amps

Gentle, non-radiant heat circulates consistently from front to back of the cabinet.

**Pre-heat time:**
45 minutes.

**Recovery time:**
3 minutes after door open for 30 seconds.



Interior with Hot module



Exterior back with Hot module

## Just 5 Minutes to Change Module

- Seasonal menus
- Menu changes
- Additional budget availability
- Different location or facility
- New trends



## Electrical Specifications (Per Compartment)

| | HOT 110V | HOT 220V | COLD |
|---|---|---|---|
| REQUIRED VOLTAGE | 100-125 VAC | 200-230 VAC | 100-230 VAC |
| MAXIMUM AMP | 4.6a | 2.3a | 3.26a, 1.42a |
| WATTS / HEATER OR COOLER | 529w | 506w | 326.6w |
| HERTZ | 50/60 | 50/60 | 50/60 |
| PHASE | Single | Single | Single |
| ALTERNATE PLUG TYPES FOR INTERNATIONAL | US, Canada, Mexico, Europe, UK, Ireland, Australia, South Africa, China, Japan | | |
| POWER CORD LENGTH | 2,7 m | 2,7 m | 2,7 m |

# PRO CART ULTRA®– MODEL SPECIFICATIONS

| | CODE | DESCRIPTION | UNIT WEIGHT |
|---|---|---|---|
| **TALL PROFILE** | **Both compartments non-electric / passive** | | |
|  | PCUPP | Both compartments non-electric / passive | 106,7 kg |
| | **Both Compartments Hot** | | |
| | PCUHH | 110V | 121,3 |
| | PCUHH* | 220V | 121,7 |
| | **Both Compartments Cold** | | |
| | PCUCC | 110V | 126,3 |
| | PCUCC* | 220V | 128,7 |
| | **Combination Hot & Cold** | | |
| | PCUHC | Top compartment hot, bottom cold. 110V | 122,9 |
| | PCUCH | Top compartment cold, bottom hot. 110V | 122,9 |
| | PCUHC* | Top compartment hot, bottom cold. 220V | 123,1 |
| | PCUCH* | Top compartment cold, bottom hot. 220V | 123,1 |
| | **Combination Passive & Hot or Cold** | | |
| | PCUPH | Top compartment passive, bottom hot. 110V | 155,8 |
| | PCUPC | Top compartment passive, bottom cold. 110V | 188,3 |
| | PCUPH* | Top compartment passive, bottom hot. 220V | 116 |
| | PCUPC* | Top compartment passive, bottom cold. 220V | 119,5 |
| **LOW PROFILE** | PCULP | Non-electric / passive | 63,5 |
|  | PCULH | Hot Cart, 110V | 68,5 |
| | PCULC | Cold Cart, 110V | 70,8 |
| | PCULH* | Hot Cart, 220V | 68,5 |
| | PCULC* | Cold Cart, 220V | 70,8 |

**Case Pack:** 1 **Color:** Charcoal Gray (615). **Standard Railing Includes:** 5 pairs of stainless steel Universal rails/compartment.
**Includes Standard Casters:** 15 x 5 cm heavy duty swivel with brake in front, rigid in back.

| | |
|---|---|
| 3 | US/CAN/MEX |
| 4 | EU |
| 5 | UK |
| 6 | AU |
| 7 | SA |
| 8 | JAPAN |
| 9 | CHINA |

*Use number to select plug for your country's electrical requirement.

## Unit Dimensions

| UNIT | EXTERIOR DIM. W x D x H | COMPARTMENT DIM. W x D x H |
|---|---|---|
| **Tall Profile** | | |
| **COLD** | 71,1 x 92,7 x 167,6 cm | 53,7 x 66,7 x 64,8 cm |
| **HOT / PASSIVE** | 71,1 x 90,8 x 167,6 | 53,7 x 68,6 x 64,8 |
| **Low Profile** | | |
| **COLD** | 71,1 x 92,7 x 101,6 | 53,7 x 68,6 x 64,8 |
| **HOT / PASSIVE** | 71,1 x 90,8 x 101,6 | 53,7 x 68,6 x 64,8 |

## Optional Accessories

| CODE | DESCRIPTION |
|---|---|
| **PCMH*** | Hot module unit 110V / 220V |
| **PCMC*** | Cold module unit 110V / 220V |
| **SSR1** | 1 Pair of Rails |
| **SSR5** | 5 Pairs of Rails |

**Case Pack:** 1 **Module Unit Color:** Charcoal Gray (615).

## Security Package (SP)

Specially designed for operations where safety and security are a top priority. To order add SP after the product code or visit cambro.com for a listing of codes.

- Tamper resistant fasteners secure side column panels to the cart.
- Cross locking rods behind column panels lock 5 rails in place.
- Each compartment holds ten 10 cm deep hotel pans.
- Passive and electrical modules and cord strap keepers are secured in place with tamper resistant fasteners.
- Non removable doors. Lockable hasp secures both doors at once. (Lock not included).
- Heavy duty casters mounted with tamper resistant fasteners.



# INSULATED BEVERAGE CONTAINERS

- Use to hold, transport and serve hot or cold beverages.
- One piece, seamless double-wall polyethylene with thick foam insulation.
- Sturdy latches secure lids tightly and will never rust.
- Drip-proof recessed spigot for easy self-serve access.
- Stack units on riser to fill large cups or coffee pots.
- Sta-stack interlocking ensures stable stacking during transport and storage.

**Easy Serve Dispenser Color:**
Black (110).

UC1000 covered by U.S. Patent D 403,916.

Vent Cap patent pending.

## Camtainer Cover

Durable and attractive covers extend the life of your Camtainers and fit in any serving environment.

Personalization available. Contact your Cambro representative for details.








Stack beverage servers during storage and transporting to save space.

**Stacking options:**

- 100LCD with 100LCD
- All 250, 350 and 500 units
- UC1000 and 1000LCD

## Hot

| | | | | | |
|---|---|---|---|---|---|
| **250LCD** | 87˚C | 84,5˚C | 82˚C | 79˚C | 77˚C |
| **UC250** | 88˚C | 85,5˚C | 84˚C | 82˚C | 80˚C |
| | Starting Temperature | 1 hr. | 2 hrs. | 3 hrs. | 4 hrs. |


## Cold

| | | | | | |
|---|---|---|---|---|---|
| **250LCD** | 1˚C | 1,5˚C | 2˚C | 3˚C | 4˚C |
| **UC250** | 0,5˚C | 1˚C | 1˚C | 1,5˚C | 2˚C |
| | Starting Temperature | 1 hr. | 2 hrs. | 3 hrs. | 4 hrs. |



**Vent Cap**
Equalizes pressure. Makes the opening of the container much easier.

**E-Z Grip Molded-in Handles**
For comfortable, safe transporting.



**Recessed Faucet**
Accommodates larger cups. Allows even dispensing and eliminates drips. Two positions: One for continuous pouring and one for individual dispensing.



**Molded-in Metal Backing Plates**
Prevents latches from breaking away from the container.



**Ultra Camtainers®**
Feature wide nylon latches which are easy to open and close with one hand.



**Camtainers®**
Feature sturdy plastic latches that secure lids tightly and will never rust.

## Ultra Camtainers®

Choose from three sizes for beverage service. A contemporary line, featuring two wide nylon latches per unit that are easy to open and close.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**UC250, UC500:** (401), (191), (110)
**UC1000:** (401), (110)







| CODE | UC250 | UC500 | UC1000 |
|---|---|---|---|
| CAPACITY | 10,4 L | 19,9 L | 39,7 L |
| 210 ML. CUPS | 50 | 96 | 192 |
| EXTERIOR DIMENSIONS D x W x H | 42,5 x 30 x 50 cm | 42,5 x 30 x 68 cm | 52 x 41,5 x 65,5 cm |
| FITS CAMDOLLY | CD100H, CD1826H, CD300H, CD100HB, CD300HB, CD100 | CD100H, CD1826H, CD300H, CD100HB, CD300HB, CD100 | CD300H, CD1826H, CD2020H, CD100HB, CD300HB, CD1826MTCHB, CD300, CD2020 |
| CAMTAINER COVER | UC250CVR | UC500CVR | UC1000CVR |

**Case Pack:** 1 **Colors:** Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Granite Grey (191), Granite Green (192), Granite Sand (194). **Cover Color:** Black (110). Venting plug is covered by US Patent D 553,717 S.

## Camtainers®

The standard for many caterers, choose from four sizes for beverage service and one model without a spigot for soup service. Four sturdy plastic latches on each unit open and close easily and will never rust.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**250LCD, 350LCD, 500LCD:** (157), (401)
**100LCD:** (401)











| CODE | 100LCD | 250LCD | 500LCD | 1000LCD | 350LCD (SOUP) |
|---|---|---|---|---|---|
| CAPACITY | 5,7 L | 9,5 L | 17,9 L | 44,5 L | 12,7 L |
| 210 ML. CUPS | 27 | 45 | 85 | 214 | 60 |
| SPIGOT | YES | YES | YES | YES | — |
| EXTERIOR DIMENSIONS D x W x H | 29 x 26,5 x 44 cm | 42 x 23 x 46,7 cm | 42 x 23 x 62 cm | 53 x 41,5 x 63 cm | 42 x 23 x 46,7 cm |
| FITS CAMDOLLY | CD1420 | CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020 | CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020 | CD300H, CD1826H, CD2020H, CD100HB, CD300HB, CD1826MTCHB, CD300, CD2020 | CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020 |
| CAMTAINER COVER | — | 250LCDCVR | 500LCDCVR | 1000LCDCVR | — |

**Case Pack:** 1 **Colors:** Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158).
**Cover Color:** Black (110). Venting plug is covered by US Patent D 553,717 S.

## Camserver®– Holds The Heat for Hours.

- A front-of-house beverage server for hot or cold beverages that does not require canned heating.
- Double-wall polyethylene shell with thick foam insulation retains temperatures for hours.

**Colors:** Black (110), Dark Taupe (417), Granite Grey (191).



Convenient top-fill opening for fast replenishment without removing lid.



CSR3 Shown in Dark Taupe Height is approximate 18 cm from counter to spigot.

CSR5 Shown in Black

| CODE | EXTERNAL DIM. H x W x D | CAPACITY | 210 ML CUPS | CASE PACK |
|---|---|---|---|---|
| CSR3 | 60 x 34 x 46,5 cm | 11,5 L | 54 | 1 |
| CSR5 | 71 x 34 x 46,5 | 19 | 91 | 1 |

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**UC250, UC500:** (110), (191), (401)
**UC1000:** (110), (401)
**100LCD** (401)
**250LCD, 500LCD, 350LCD:** (157), (401)

# BEVERAGE SERVICE CARTS

- Ideal for breakfast, coffee or snack service.
- Use top counter to hold Cambro Beverage Servers, Versa Organizer Bins or Display Trays with Covers for food.
- Store drinkware, additional food items or other supplies in open compartment.
- Insulated cabinets hold hot or cold food in 1/1, 1/2 or 1/3 size food pans or on Cambro Metric Camtrays® (3253).

**Beverage Service Cart is designed to hold Beverage Containers at point of service only. A dolly or hand truck with safety strap is recommended for moving Beverage Containers over longer distances or uneven surfaces.**

**Colors:** Slate Blue (401), Granite Grey (191), Granite Green (192).

See Organizer section for more information on Organizer Bins.

See Camtainer section for more information on Camtainers.

**Wire Rack Color:** Silver (000).

See Cold Pack section for more information on Cold Packs.

**15,2 cm Casters:** 2 fixed, 2 swivel, 1 with brake.

For complete specifications, call or write Cambro.



MDC24F

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**5412CBP:** (131), (480)
**100LCD:** (401)
**CP3253:** (443)

| CODE | EXTERIOR DIM. L x W x H | CASE PACK |
|---|---|---|
| MDC24 | 113 x 76 x 112 cm | 1 |
| MDC24F | 113 x 76 x 112 | 1 |
| **OPTIONAL ACCESSORIES** | | |
| **Organizer Bin** | | |
| 5412CBP | 30,5 x 13 x 11 | 12 |
| **Camtainer®** | | |
| 100LCD | 26,5 x 30 x 44 | 1 |
| **Wire Rack** | | |
| MDC24R | 58,4 x 43,2 x 35,5 | 1 |
| **Camchiller®** | | |
| CP3253 | 53 x 32,5 x 3 | 1 |



MDC24 has recessed top that holds 3 each 3,8 Liters 100LCD Camtainers and stacked Condiment Bins & Wire Rack with 3253 trays.

The use of racks in the MDC24 and MDC24F carts will allow the following configuration of pans or trays, per compartment:

| DESCRIPTION | GN 1/1 | GN 1/2 | GN 1/3 |
|---|---|---|---|
| 6,5 cm Pans | (4) 12CW | (8) 22CW | (12) 32CW |
| 10 cm Pans | (3) 14CW | (6) 24CW | (9) 34CW |
| 15 cm Pans | (2) 16CW | (4) 26CW | (6) 36CW |
| 20 cm Pans | (1) 18CW** | (2) 28CW** | (3) 38CW** |

**With room for 6,5 cm or 10 cm pan above 15 cm pan.
10 each 3253 Metric Camtrays®.


**Compartment Dimensions**

| | | | |
|---|---|---|---|
| Shelf Compartment | **W** 96,5 cm | **D** 64 cm | **H** 25,4 cm |
| Holding Compartments | **W** 44,5 cm | **D** 60,3 cm | **H** 36 cm |

Venting plug is covered by US Patent D 553,717 S.

**MDC24R Wire Rack**

Wire Rack (sold separately) to organize pans and trays in the cart. Rack holds 1/1, 1/2 and 1/3 size Food Pans and 3253 trays. When placed in cart's core area, the rack allows room on either side of pan positions for Cambro's CP3253 Camchillers® one on each side.



# MOBILE HANDWASH STATION

Approx.
**200**
handwashings
per tank

## Completely Hands-Free Operation

Requires
**NO plumbing or electricity**
to operate.

**MHWS18**
53,5 x 48 x 161,5 cm

**MHWS18PER100** (with graphics wrap)




Store Safe®

MORE INFO



# 3-IN-1
## HANDWASHING STATION

Paper towel and soap dispenser | 100 Liter Camtainer® with Easy Serve Dispenser | Riser

**HWS31**

MORE INFO



# HAND SINK CART

With electric water pump and heater

**KSC402** (110 volt only)
103 x 84 x 116 cm

MORE INFO

# HANDWASH ACCESSORY –

## FOR CAMTAINERS® AND ULTRA CAMTAINERS®

- Set up a Handwashing Station quickly and easily on or off premise.
- Convenient and economical way to meet health department hand washing requirements.
- Attaches to Camtainers 250LCD, 500LCD or Ultra Camtainers UC250, UC500.
- Includes four Handwash Only labels and an Easy Serve Dispenser lever.

**Handwash Accessory Stocking Colors:** Dark Brown (131), Black (110).

**Easy Serve Dispenser Color:** Black (110).

**Riser Colors:** See optional accessories with Camtainers.

**Pail with Bail Color:** White (148).

Handwash Accessory is covered by the following U.S. Patent D 506,634 S & D 506,899 S.





| CODE | HWAPR | HWATD |
|---|---|---|
| DESCRIPTION | With paper towel roll holder | With multi-fold paper towel dispenser |
| FITS | 250LCD, 500LCD, UC250, UC500 | 250LCD, 500LCD, UC250, UC500 |




Shown with 500LCD Camtainer.

## Optional Accessories









| CODE | R500LCD | R1000LCD | LCDCH | LCDCH10 |
|---|---|---|---|---|
| DESCRIPTION | Riser | Riser | Condiment Holder | Condiment Holder |
| EXTERIOR DIM. D x W x H | 41,5 x 23 x 12 cm | 49,5 x 39 x 11,5 cm | 42 x 22 x 13 cm | 51 x 41 x 12 cm |
| FITS | 250LCD, 500LCD, UC250, UC500 | 1000LCD, UC1000 | 250LCD, 500LCD UC250, UC500 | 1000LCD, UC1000 |

**Case Pack:** 1 **Colors:** Coffee Beige (157), Dark Brown (131), Black (110).





| CODE | PWB22 | LCDES |
|---|---|---|
| DESCRIPTION | Pail with Bail | Easy Serve Dispenser |
| FITS | — | LCD Spigots UC Spigots |
| CASE PACK | 6 | 1 |

# CVC75 MOBILE FOOD VENDING CART




with

# Safety-First Design

Versatile and durable mobile solution provides maximum menu flexibility, indoors and outdoors.



# CVC75
## MOBILE FOOD VENDING CART

Requires minimum ← 85,4 cm → Doorway

**3 Open Storage Compartments**
Perfect for restock with Cambro EPP GoBoxes



**Open well design** — configure your ingredients and menu items for peak serving efficiency




**Add optional levels to the standard 30 cm Safety Barrier** increase merchandising space and operator safety



**End Table available**
facilitate a fast service

**Build Your Own Cart**


## All Weather Vinyl Wrap










* All CVC75 carts come with a vinyl wrap

## Let's Get Personal!

Whether it's your logo on one of our standard wraps or a fresh new design, wrap customization is available - consult your local Cambro representative

MORE INFO

# CVC75 MOBILE FOOD VENDING CART




## Dimensions and Product Codes

| CODE | DESCRIPTION | OVERALL EXTERIOR DIMENSIONS L x W x H | FULL PAN SIZE CAPACITY |
|---|---|---|---|
| CVC75 | Vending base unit with safety barrier | 190,5 x 85 x 135 cm | 5 |
| CVC75B | Vending base unit only | 190,5 x 85 x 95 cm | 5 |
| **Optional Accessories*** | | | |
| CVC75DC6 | 15,2 cm tall merchandising display | — | — |
| CVC75DC12 | 30,3 cm tall merchandising display | — | — |
| CVC75DCE6 | 15,2 cm tall merchandising display extender | — | — |
| CVC75DCE12 | 30,5 cm tall merchandising display extender | — | — |
| CVC75LET | 40,6 cm left side end table | — | — |
| CVC75RET | 40,6 cm right side end table | — | — |
| CVC75LSRL | Set of two adjustable lower cabinet shelves | — | — |

**Case Pack:** 1 **Color:** Black (110). *All accessories only available in Black (110).

# VERSA FOOD SERVICE SYSTEM

The Versa Food Service System provides custom design without the custom price. This non electric, versatile, portable system keeps food cold for hours with either ColdFest® pans or Buffet Camchillers®. The system is made of durable all-weather material and is easy to clean. The Versa Food Service System offers countless configurations to fit any foodservice need.

- Ergonomic, molded-in handles on both sides ensure easy maneuvering.
- Versa Food Bar and Work Table both include a drain faucet that can be connected to a hose for drainage and easy cleaning.
- Add an end table to a Food Bar or Work Table to hold trays, condiments, or paper goods.

## Versa Cart

- Join a Versa Cart with a Food Bar or Work Table for fast check-out and improved traffic flow.
- The Versa Cart includes an adjustable shelf, standard lockable drawer and convenient electrical access through the top of the cart and front design panel.
- Optional Tray rails easily adjust to a lower height.
- Optional pull-out keyboard tray fits inside the drawer.





NSF | BPA FREE

All components are fully compliant with NSF requirements.

Versa Food Service System is covered under U.S. Patent 9,084,498 B2.





## Versa Straight Connector and Versa Corner Connector

Easily and safely attach multiple components together to create a contiguous system and maximize space and merchandising options.





## Buffet Camchillers

Extend safe, cold holding time without ice. Dual-sided Buffet Camchillers hold 6,5 cm and 10 cm pans. Fits in the Versa Food Bar, Versa Work Table and Table Top Food Bars.

# VERSA FOOD SERVICE SYSTEM

Whether you're looking to maximize space, improve traffic flow, add merchandising space or create an upscale salad bar, the Versa Food Service System has you covered.




All components are fully compliant with NSF requirements.

Versa Food Bar®

**As Shown:** VBR5 shown with optional 2-VCS32R, 1-VBRTBL.



VBRT5



## Versa Work Table

- Perfect for a prep table, display, self-serve station or back bar.
- Attach a Work Table to a Food Bar to merchandise snacks and beverages.
- Matching well covers are included with each Versa Work Table.







Standard height model.

# VERSA BAR AND VERSA WORK TABLE

- Now available with two secure storage cabinets that can hold up to 22,7 kg per compartment of non-perishable items.

Scan QR code for package product code.



VBRUT5



VBRTBL

VCS32R

All components are fully compliant with NSF requirements.

VRB6 with optional 2-VBRR6, 2-VBRTBL

**Storage Dimensions:**
**L** 54,61 x **W** 44,45 x **H** 45,72 cm per cabinet.
Each cabinet is 0,11 $M^3$.



# VERSA FOOD SERVICE SYSTEM

| CODE | DESCRIPTION | OVERALL EXTERIOR DIMENSIONS L x W x H | FULL PAN SIZE CAPACITY | WELL INTERIOR DIMENSIONS L x W x H |
|---|---|---|---|---|
| **Versa Food Bars® – Standard Height** | | | | |
| VBR5 | 152 cm with standard casters | 175,3 x 108 x 159,4 cm | 4 | 132,8 x 53,3 x 18 cm |
| VBRHD5 | 152 cm with heavy duty casters | 175,3 x 108 x 159,4 | 4 | 132,8 x 53,3 x 18 |
| VBR6 | 183 cm with standard casters | 208,3 x 108 x 159,4 | 5 | 165,4 x 53,3 x 18 |
| VBRHD6 | 183 cm with heavy duty casters | 208,3 x 108 x 159,4 | 5 | 165,4 x 53,3 x 18 |
| **Versa Food Bars Ultra Series – Standard Height** | | | | |
| VBRU5 | 152 cm with standard casters and storage | 175,3 x 108 x 159,4 | 4 | 132,8 x 53,3 x 18 |
| VBRUHD5 | 152 cm with heavy duty casters and storage | 175,3 x 108 x 159,4 | 4 | 132,8 x 53,3 x 18 |
| VBRU6 | 183 cm with standard casters and storage | 208,3 x 108 x 159,4 | 5 | 165,4 x 53,3 x 18 |
| VBRUHD6 | 183 cm with heavy duty casters and storage | 208,3 x 108 x 159,4 | 5 | 165,4 x 53,3 x 18 |
| **Versa Food Bars – Low Height** | | | | |
| VBRL5 | 152 cm with standard casters | 175,3 x 108 x 141,6 | 4 | 132,8 x 53,3 x 18 |
| VBRLHD5 | 152 cm with heavy duty casters | 175,3 x 108 x 141,6 | 4 | 132,8 x 53,3 x 18 |
| VBRL6 | 183 cm with standard casters | 208,3 x 108 x 141,6 | 5 | 165,4 x 53,3 x 18 |
| VBRLHD6 | 183 cm with heavy duty casters | 208,3 x 108 x 141,6 | 5 | 165,4 x 53,3 x 18 |
| **Versa Work Tables – Standard Height** | | | | |
| VBRT5 | 152 cm with standard casters | 175,3 x 68,6 x 92,1 | 4 | 132,8 x 53,3 x 18 |
| VBRTHD5 | 152 cm with heavy duty casters | 175,3 x 68,6 x 92,1 | 4 | 132,8 x 53,3 x 18 |
| VBRT6 | 183 cm with standard casters | 208,3 x 68,6 x 92,1 | 5 | 165,4 x 53,3 x 18 |
| VBRTHD6 | 183 cm with heavy duty casters | 208,3 x 68,6 x 92,1 | 5 | 165,4 x 53,3 x 18 |
| **Versa Work Tables Ultra Series – Standard Height** | | | | |
| VBRUT5 | 152 cm with standard casters and storage | 175,3 x 68,6 x 92,1 | 4 | 132,8 x 53,3 x 18 |
| VBRUTHD5 | 152 cm with heavy duty casters and storage | 175,3 x 68,6 x 92,1 | 4 | 132,8 x 53,3 x 18 |
| VBRUT6 | 183 cm with standard casters and storage | 208,3 x 68,6 x 92,1 | 5 | 165,4 x 53,3 x 18 |
| VBRUTHD6 | 183 cm with heavy duty casters and storage | 208,3 x 68,6 x 92,1 | 5 | 165,4 x 53,3 x 18 |
| **Versa Work Tables – Low Height** | | | | |
| VBRTL5 | 152 cm with standard casters | 175,3 x 68,6 x 74,3 | 4 | 132,8 x 53,3 x 18 |
| VBRTLHD5 | 152 cm with heavy duty casters | 175,3 x 68,6 x 74,3 | 4 | 132,8 x 53,3 x 18 |
| VBRTL6 | 183 cm with standard casters | 208,3 x 68,6 x 74,3 | 5 | 165,4 x 53,3 x 18 |
| VBRTLHD6 | 183 cm with heavy duty casters | 208,3 x 68,6 x 74,3 | 5 | 165,4 x 53,3 x 18 |

**Case Pack:** 1

| CODE | DESCRIPTION | OVERALL EXTERIOR DIMENSIONS L x W x H |
|---|---|---|
| **Versa Cart** | | |
| VCSWR | With dual tray rails and standard casters | 134 x 81,9 x 109,2 cm (with tray rails up) |
| VCSWRHD | With dual tray rails and heavy duty casters | 134 x 81,9 x 109,2 (with tray rails up) |
| VCS | With standard casters and no tray rails | 81,3 x 81,9 x 109,2 |
| VCSHD | With heavy duty casters and no tray rails | 81,3 x 81,9 x 109,2 |
| **Connectors** | | |
| VBRC | Straight connector - food bar to food bar | 68,6 x 48,3 x 10,8 |
| VBRC90 | Corner connector - food bar to food bar | 91,4 x 91,4 x 10,8 |
| VCS32CNT | Straight connector - cart to standard height food bar / work table | 68,6 x 51,75 x 8,26 |
| VCSCNL | Straight connector - cart to low height food bar / work table | 68,6 x 51,75 x 21,59 |

**Case Pack:** 1 **Versa Food Bar, Versa Work Table, Versa Cart, Connectors, Well Cover Colors:** Black (110), *Hot Red (158), *Navy Blue (186), *Kentucky Green (519).
**Tray Rail and End Table Colors Only:** Granite Gray (191), **Black (110).
*Made to order colors for Versa Food Bar, Versa Work Table, Versa Cart, Connectors, Well Cover, Tray Rail and End Table.
**Made to order color for Tray Rail and End Table only. Made to order items not carried in stock, non-returnable.

# FOOD BAR ACCESSORIES

## Every Accessory You Need

- Crock and Salad Bowl Holders highlight and organize salads, condiments and dressings.
- Tray Rails offer convenience for your patrons.

See Camwear® Food Pans and Crocks section for more information.

**Versa Cart with Dual Tray Rails** (VCSWR & VCSWRHD)**:** All orders receive the tray rails in Granite Gray (191). To choose a different color tray rail you must order the Versa Cart Without Rails (VCS or VCSHD) and the tray rails (VCS32R) separately.

**Connector Colors:** Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519).

**Vinyl Cover Color:** Opaque (000).

**Sign Holder Color:** Clear (152).

**Buffet Camchiller® Color:** Cold Blue (159).

**Divider Bar Colors:** White (148), Clear (152).

**Well Cover Colors:** Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519).

**Keyboard Tray Color:** Black (110).

**Crock, Salad Bowl Holders Colors:** White (148), Granite Gray (191).

Versa Food Bar is covered under U.S. Patent D 615,323 S and D 620,730. Versa Food Bar Ultra Series is covered under U.S. Patent D702,066 S. Versa Cart is covered under U.S. Patent D 653,830 S. Buffet Camchiller is covered under U.S. Patent D 618,4765 S. All other parts patent pending.

*Items are not NSF Listed.

COMPONENT

183 cm



– 183 cm models hold 5 full size Pans with Divider Bars.

– 152 cm models hold 4 full size Pans with Divider Bars.


152 cm



– Fractional Size Pans can be used in many variations with Divider Bars. Mix and match sizes to fit your needs.


Two Salad Bowl Holder models available, SBH18 and SBH15. Crock Holder, CPH3, holds 1,4 and 2,6 L crocks.

152 cm




183 cm

152 cm




183 cm

– 183 cm models hold a Salad Bowl Holder and 3 ea. Crock Holders.

– 152 cm models hold a Salad Bowl Holder and 2 ea. Crock Holders.

| CODE | DESCRIPTION | OVERALL EXTERIOR DIMENSIONS L x W x H | CASE PACK |
|---|---|---|---|
| VBRR5 | Tray rail for 152 cm - Versa Food Bar / Versa Work Table | 134,6 x 29,2 x 11,6 cm | 1 |
| VBRR6 | Tray rail for 183 cm - Versa Food Bar / Versa Work Table | 167,6 x 29,2 x 11,6 | 1 |
| VCS32R | Tray rail for - Versa Cart | 71,12 x 29,7 x 12,7 | 1 |
| VBRTBL | End table for Versa Food Bar and work table | 68,6 x 55,88 x 11,43 | 1 |
| VBRCVR5* | Vinyl cover for 152 cm Versa Food Bar | 185,4 x 110,5 x 116,8 | 1 |
| VBRCVR6* | Vinyl cover for 183 cm Versa Food Bar | 210,8 x 110,5 x 116,8 | 1 |
| VBRTCVR5* | Vinyl cover for 152 cm Versa Work Table | 177,8 x 85,1 x 53,3 | 1 |
| VBRTCVR6* | Vinyl cover for 183 cm Versa Work Table | 210,8 x 85,1 x 53,3 | 1 |
| VCSCVR* | Vinyl cover for Versa Cart | 106,7 x 83,8 x 91,4 | 1 |
| VBRSHTS* | Versa Food Bar sign holder | 91,4 x 15,2 x 23,5 | 1 |
| DIV12 | 30,5 cm divider bars | 32,39 | 3 |
| DIV20 | 51 cm divider bars | 53,02 | 3 |
| CPH3 | Crock holder holds 1,4 & 2,6 L | **L** 33 x **W** 53 | 1 |
| SBH15 | Salad bowl holder holds a 38,1 cm bowl and 3 crocks | **L** 65,5 x **W** 53 | 1 |
| SBH18 | Salad bowl holder holds an 45,7 cm bowl | **L** 65,5 x **W** 53 | 1 |
| CPB1220 | Buffet Camchiller for Versa Food Bars, Work Tables and table top food bars | 46,99 x 32,07 x 10,16 | 1 |
| VBRWC | Versa well cover for Versa Food Bar/Work Table | 53,02 x 33,02 x 5,08 | 1 |
| VCS32KEYT | Versa Cart keyboard tray | 52,4 x 25,71 x 5,08 | 1 |

Versa Food Bar includes Versa Food Bar with and without cabinet.

# TABLE TOP FOOD BARS, BUFFET BARS & SNEEZE GUARDS

## Table Top Food Bars

- Turn a 122-183 cm table into a double-sided self service buffet or beverage station.
- Thick, foam-insulated well keeps food cold for hours with Buffet Camchillers or ice.
- Drain plug allows for quick and easy clean-up.

## Buffet Bars

- Ideal for holding snacks and cold beverages.
- The Buffet Bar with Sneeze Guard is perfect for single-sided, self-serve buffets.

**Food Bar Colors:** Black (110), Navy Blue (186), Kentucky Green (519), Hot Red (158).

Crock Holder and Salad Bowl Holders available in White (148), Granite Gray (191), Sandstone (614).

BUF48 and BUF72 are NSF listed.

NSF listed for non-direct food contact only.



**4FBRTT Table Top Food Bar**
Buffet Camchiller® available.



**BBR480 Buffet Bar with Sneeze Guard**



**BUF48 Buffet Bar Base**
Merchandises soft drinks on ice to increase beverage sales.

| CODE | OVERALL EXTERIOR DIMENSIONS L x W x H | FULL SIZE PAN CAPACITY | WELL INTERIOR DIMENSIONS L x W x D |
|---|---|---|---|
| **Table Top Food Bars** | | | |
| 6FBRTT | 181,6 x 84,5 x 68,6 cm | 5 | 159,7 x 51,1 x 16,5 cm |
| 5FBRTT | 161,3 x 84,5 x 68,6 | 4 | 127,2 x 51,1 x 16,5 |
| 4FBRTT | 129,5 x 84,5 x 68,6 | 3 | 94,6 x 51,1 x 16,5 |
| **Buffet Bars** | | | |
| BUF72 | 171,5 x 61 x 17,8 | 5 | 159,7 x 51,1 x 12,7 |
| BUF48 | 106,2 x 61 x 17,8 | 3 | 94,6 x 51,1 x 12,7 |
| **Buffet Bars w/Sneeze Guard** | | | |
| BBR720 | 187,6 x 61,3 x 62,2 | 5 | 159,7 x 51,1 x 12,7 |
| BBR480 | 121,9 x 61,3 x 62,2 | 3 | 94,8 x 51,1 x 12,7 |

**Case Pack:** 1

# CAMKIOSK® SYSTEM – EVERY EVENT OR LOCATION IS AN OPPORTUNITY FOR PROFITS



- Build sales off premise and in non-traditional locations.
- Two insulated food storage cabinets maintain safe hot or cold food and/or beverage temperatures for hours.
- Use optional well covers to cover food pan wells and increase countertop space.
- Durable, all-weather polyethylene exterior with foam insulation will not crack, dent, bubble, chip, rust or break.
- Heavy duty 15,2 cm casters roll smoothly from kitchen to location then lock in place.

# CAMKIOSK® CARTS



Telescoping poles enable canopy to lower 30,5 cm for quick and easy storage.




KVC854C Cart with 4 pan wells & canopy.



Camchillers® keep cold packaged foods cold during transport and service when placed directly on top of food pan wells or at the top of the CamKiosk's insulated holding cabinet.

**Cart Colors**

- 186 Navy Blue
- 158 Hot Red

**Canopy Color**

- 157 Beige

**Cart Colors**

- 191 Granite Grey
- 192 Granite Green
- 519 Kentucky Green
- 426 Black Base with Granite Grey Top & Doors

**Canopy Color**

- 519 Kentucky Green

**Personalize your CamKiosk Cart to promote your brand.**

**CANOPY TRIM AND TOP PANEL**
(Charges per side)

| | |
|---|---|
| **One Color** | ** |
| **Two Color** | ** |
| **Three Color** | ** |

**FRONT DISPLAY PANEL**
(Cruising Café® panel standard)

| | |
|---|---|
| **Set Up Charge per Panel** | ** |
| **Charge per Color** | ** |

**Contact your Cambro representative for pricing.



4 well top



6 well top

**Well Cover Colors:** Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519), Granite Grey (191), Granite Green (192).

**15,24 cm Casters:** 2 fixed, 2 swivel, 2 with brake.

**Cutting Board Color:** White (148).
**Camchiller Color:** Glacier Blue (433).
**ThermoBarrier Color:** Slate Blue (401).

Camchiller & ThermoBarrier

| CODE | FULL SIZE PAN WELLS | OVERALL DIMENSIONS L x W x H |
|---|---|---|
| **CamKiosk Carts** | | |
| KVC854 | 4 | 216 x 85 x 179 cm |
| KVC854C | 4 | 216 x 85 x 239 |
| KVC856 | 6 | 216 x 85 x 179 |
| KVC856C | 6 | 216 x 85 x 239 |

**C:** Canopy

**Holding Capacity Per Compartment**

Two holding cabinets store hot or cold food in Gastronorm Food Pans with Covers.
12 GN 1/1 full size 6,5 cm deep pans or
8 GN 1/1 full size 10 cm deep pans or
6 GN 1/1 full size 15 cm deep pans or
4 GN 1/1 full size 20 cm deep pans.
4 each 2025 Camtrays or
8 each 3253 Camtrays.

| CODE | DESCRIPTION | DIMENSIONS L x W x H | CASE PACK |
|---|---|---|---|
| **Optional Accessories** | | | |
| CB1220 | Cutting board | 53,5 x 33,5 x 1,3 cm | 1 |
| CP814 | 20,32 x 35,56 cm Camchiller | 3,81 x 20,32 x 35,56 | 1 |
| CP3253 | Camchiller® | 53 x 32,5 x 3 | 1 |
| WCR1220 | Well cover | 53,5 x 33 x 5 | 1 |
| 1600DIV | ThermoBarrier® insulated shelf | 53 x 33,5 x 3,8 | 2 |

# CAMKIOSK® HAND SINK CART, WORK STATION & EQUIPMENT STAND

## Hand Sink Cart

- Self-contained, electric hand washing system can be used alone or with CamKiosk Cart.
- Run hot and cold water for up to 70 hand washings.
- Includes: double sink, two 19 L fresh water tanks, two 28,5 L waste-water bins, hand soap dispenser and paper towel roll holder.
- Durable polyethylene will not crack, dent, bubble, chip or break.
- Hand Sink Cart is designed for hand washing. It contains no filter for purifying water for drinking.
- Faucet is compliant with lead-free regulations.

**Colors:** Granite Grey (191), Granite Green (192), Navy Blue (186), Hot Red (158), Kentucky Green (519), Black Base with Granite Grey Top & Doors (426).

**15,2 cm Casters:** 2 fixed, 2 swivel, 2 with brake.

Hand Sink Cart is covered by U.S. Patent 6,173,458 B1.

NSF (Water pump only.) | (Hand Sink Water Pump, UL & CE approved.) | BPA FREE





Water heater and water pump draw a maximum of 11,25 amps and 0,7 amps, respectively. Hand Sink Cart electrical system runs on an average 10 amps.

ADA faucet available. Contact Cambro Customer Service for information.

Hand Sink Cart is designed for hand washing. It contains no filter for purifying water for drinking.

| CODE | VOLTAGE | DIMENSIONS L x W x H |
|---|---|---|
| KSC402 | 110V | 103 x 84 x 116 cm |

**Case Pack:** 1

## Work Station

- Use to merchandise menu items, additional work space or to complete sales transactions.
- Large dry storage cabinet below is perfect for holding supplies.
- Extremely durable all-weather polyethylene will not crack, dent, bubble, chip, rust or break.

**Colors:** Granite Grey (191), Granite Green (192), Navy Blue (186), Hot Red (158), Kentucky Green (519), Black Base with Granite Grey Top & Doors (426).

**15,2 cm Casters:** 2 fixed, 2 swivel, 2 with brake.

**Top work area dimensions:** 57,2 x 66 cm

BPA FREE





Shown with optional cutting board and paper towel roll dispenser.

| CODE | DESCRIPTION | DIMENSIONS L x W x H |
|---|---|---|
| KWS40 | Work station | 103 x 84 x 116 cm |
| CB1220 | Cutting board | 53,5 x 33,5 x 1,3 |

**Case Pack:** 1

## Equipment Stand

- Perfect for self-serve stations, prep areas or cash register service.
- Counter and side openings for electrical cords and cables.
- Durable, lightweight polyethylene will not crack, dent, bubble, chip, rust or break.
- No assembly required.

**Color:** Black (110).

**12,7 Casters:** 2 fixed, 2 swivel with brake.

*Special order item not carried in stock – non-returnable.

NSF | BPA FREE



Cutaway chair area gives ample space for comfortable seating.

| CODE | DESCRIPTION | OVERALL DIM. W x D x H** |
|---|---|---|
| ES28 | Stand only | 71 x 71 x 99 cm |
| ES28RL* | Stand w/rails on right and left sides of drawer | 112 x 71 x 99 |

**Width includes tray rails. Height includes casters.

# CAMCRUISER® VENDING CARTS

- Add revenue opportunities away from the kitchen or cafeteria and reduce wait times.
- Durable polyethylene will not crack, dent, bubble, chip, rust or break.
- Display panel can be personalized with a custom logo or message.
- Larger models CVC724 & CVC72 have insulated food storage compartments and full-size food pan wells.
- Compact model CVC55 has two open storage compartments, a single food pan well, cutting board and umbrella.

| Cart Colors | Umbrella Colors |
|---|---|
| Black (110) | |
| Hot Red (158) | |
| Kentucky Green (519) | |
| Granite Gray (191) | |
| Granite Green (192) | |



CVC724

**OPEN COMPARTMENT DIMENSIONS:**
**W** 33,5 x **D** 61,5 x **H** 34 cm




CVC72

## CVC72 & CVC724



CVC724 Four full size food pan wells. Replace with cutting boards or well covers to create additional work space.



CVC72 One full size food pan well and 2 larger merchandising wells.



Open holding compartment conveniently stores cash box and tray.

| CODE | CVC724 | CVC72 | CVC55 |
|---|---|---|---|
| **OVERALL DIMENSION*** L x W x H | 189 x 81 x 239 cm | 189 x 81 x 239 cm | 140 x 80 x 238 cm |
| **WORK COUNTER HEIGHT** | 93 cm | 93 cm | 101 cm |
| **COUNTER WELLS HOLD** | 4 GN 1/1 | Center well, 1 GN 1/1<br>2 outer wells, **L** 56 x **W** 39 x **D** 15 cm | 1 GN 1/1 |
| **CLOSED COMPARTMENT CAPACITY** (EACH) | 2 GN 1/1-20 cm +<br>2 GN 1/1-6,5 cm deep pans or<br>4 GN 1/1-15 cm deep pans or<br>6 GN 1/1-10 cm deep pans or<br>8 GN 1/1-6,5 cm deep pans or<br>4 each 2025 Camtrays or<br>8 each 3253 Camtrays | 2 full size 20 cm +<br>2 GN 1/1-6,5 cm deep pans or<br>4 GN 1/1-15 cm deep pans or<br>6 GN 1/1-10 cm deep pans or<br>8 GN 1/1-6,5 cm deep pans or<br>4 each 2025 Camtrays or<br>8 each 3253 Camtrays | — |
| **OPEN COMPARTMENT CAPACITY** | 1 cash drawer and<br>1 GN 1/1-15 cm deep pan or<br>2 GN 1/1-10 cm deep pans or<br>3 GN 1/1-6,5 cm deep pans | 1 cash drawer and<br>1 GN 1/1-15 cm deep pan or<br>2 GN 1/1-10 cm deep pans or<br>3 GN 1/1-6,5 cm deep pans | — |
| **UMBRELLA DIAMETER** | 183 cm | 183 cm | 152 cm |
| **CASTERS** | 20,3 cm - 4 swivel with brake | 20,3 cm - 4 swivel with brake | 15,2 cm - 2 fixed, 2 swivel with brake |
| **CASH DRAWER** | Yes | Yes | — |
| **MENU BOARD** | Yes | Yes | — |
| **DISPLAY PANEL** | Yes | Yes | Yes |
| **MOLDED IN HANDLES** | 2 | 2 | 1 |

*Includes Umbrella. Serving counter height is 130 cm.

# CAMCRUISER® VENDING CARTS




CVC55

Unit ships with umbrella and cutting board.
Front display panel can be personalized.



Pizza Camcruiser



Sandwich Camcruiser



Hot Dog Camcruiser



Soft Drink Camcruiser

## Display Panel Personalization

Provide complete, finished, camera-ready artwork and indicate positioning on display panel.

Ink colors must be specified. Choose 1-4 colors.

**Size of imprinting area:**
CVC72 and CVC724
**W** 53,5 x **H** 74,5 cm
CVC55 **W** 112,5 x **H** 74,5 cm.

Artist's fee of **net/hour will be charged to any order submitted without camera-ready artwork.

Cambro will contact you prior to completing any work if this fee will be charged.

Set up charge of **net per design, plus **net per color.

Allow for three week production lead time once final proofs are approved.

CVC72 and CVC724 - Campus Cuisine display panel standard with all orders unless custom personalization requested.

**Contact your Cambro representative for pricing.

**Cutting Board Color:** White (148).
**Camchiller Color:** Glacier Blue (443).
**Divider Bar Colors:** White (148), Clear (135).
**Retainer Strap Color:** Black (110).
**ThermoBarrier® Color:** Slate Blue (401).

Well Cover Color matches cart.

CVC55 is covered by U.S. Patent D 362,102.

Camchiller, ThermoBarrier, and Divider Bar.



Compartments are open for storage and easy access to equipment and supplies for your vending operations. Optional retainer strap is sold separately.

**LEFT COMPARTMENT DIMENSIONS:**
**W** 61,5 x **D** 72,5 x **H** 70 cm

**RIGHT COMPARTMENT DIMENSIONS:**
**W** 54,5 x **D** 72,5 x **H** 70 cm

## CVC55



Set up with full and fractional size food pans and divider bars to increase product offerings.



Electrical or soda line conveniently drops through 10 x 17 cm opening in counter. Cover is standard with cart.

| CODE | DESCRIPTION | FITS | OVERALL DIM. L x W x H |
|---|---|---|---|
| **Optional Accessories** | | | |
| CB1220 | Cutting board | CVC724, CVC72, CVC55 | 53,5 x 33,5 x 1,3 cm |
| CP3253 | Camchiller® | CVC724, CVC72 | 53 x 32,5 x 3 |
| DIV12 | Divider bar | CVC724, CVC72, CVC55 | 32,5 long |
| WCR1220 | Well cover | CVC724, CVC72, CVC55 | 53,5 x 33 x 5 |
| 730STP | Retainer strap | CVC55 | — |

**DIV12 Case Pack:** 3 **730STP Case Pack:** 2 **All Others Case Pack:** 1
Camchiller, ThermoBarrier & Divider Bar are NSF listed.

CAMSHELVING PREMIUM® SERIES

# FLEX STATION SYSTEM

## Grab-N-Go solution for K-12 schools




Promote healthy eating habits

CPM244867FX1


Setup anywhere in school

Reduces serving time

## CAMSHELVING PREMIUM® SERIES

# FLEX STATION SYSTEM

**Ideal for takeout, delivery or curbside staging needs**




CPM244867FX2

Customize as needed for holding or storing inside or outside

# CAMSHELVING PREMIUM® SERIES FLEX STATIONS



**CPM244867FX3** (1700 mm H)
**CPM244875FX4** (1910 mm H)



**CPM244875FX5**

## MERCHANDISERS




| CODE | DESCRIPTION | DIMENSIONS D x L x H |
|---|---|---|
| **Premium® Series Flex Stations** | | |
| CPM244867FX1 | 4 Tiers with Angled Divider Bars | 610 x 1220 x 1700 mm |
| CPM244867FX2 | 1 Solid Shelf, 3 Tiers with Angled Divider Bars | 610 x 1220 x 1700 |
| CPM244867FX3 | 4 Solid Shelves with Divider Panels | 610 x 1220 x 1700 |
| CPM244875FX4 | 4 Solid Shelves with Divider Panels | 610 x 1220 x 1910 |
| CPM244875FX5 | 2 Solid Shelves, 3 Tiers with Angled Divider Bars | 610 x 1220 x 1910 |
| **Merchandiser Kits** | | **W x H** |
| CSFLEXMERCH | Fast & Fresh Full Kit – 2 side panels, 1 top panel | 58,42 x 142,24 cm Side<br>122 x 20,32 cm Header |
| CSFLEXMERCH2 | Pickup & Go Full Kit – 2 side panels, 1 top panel | 58,42 x 142,24 cm Side<br>122 x 20,32 cm Header |
| CSFLEXMERCH3 | Fast & Fresh Top Panel Kit | 122 x 20,32 cm |
| CSFLEXMERCH4 | Pickup & Go Top Panel Kit | 122 x 20,32 cm |

**Case Pack:** 1 **Premium Flex Station Color:** Speckled Gray (480). Made in USA only.

NSF COMPONENT Shelving and divider panels

CA PROP 65

Store Safe

camguard ANTIMICROBIAL SHELF PLATES

KD Ships knockdown

EASY TO Assemble

MORE INFO

# VERSA ORGANIZERS

- Use to store non-perishable condiments, disposable ware and napkins.
- Hold bins in 2 x 3, 2 x 4, 3 x 3, or 3 x 4 arrangements.
- Made of seamless, one-piece polyethylene.
- Set on flat surface or wall mount each bin holds up to 4,5 kg.
- Easy to assemble and easy to clean.

**Bins only colors:** Dark Brown (131), Black (110), Slate Blue (401), Speckled Grey (480).

Versa line combined pack bins & racks.

**Colors:** Black (110), Speckled Grey (480).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**5412CBP:** (131), (480)
**6RS6:** (480)



12RS12 Versa Organizer shown mounted on wall.

Bins sold separately (5412CBP) or as combined packs.





12RS12



9RS9



8RS8



6RS6

| CODE | DESCRIPTION | PRODUCT DIMENSIONS | CASE PACK |
|---|---|---|---|
| | | **W x D x H** | |
| 5412CBP | Bin only | 13 x 30,5 x 11 cm | 12 |
| **Versa Line Combined Pack** | | **L x D x H** (complete unit) | |
| 12RS12 | Rack w/12 bins | 64,8 x 54,3 x 36,2 | 1 |
| 9RS9 | Rack w/9 bins | 51,1 x 54,3 x 36,2 | 1 |
| 8RS8 | Rack w/8 bins | 64,8 x 48,8 x 24,1 | 1 |
| 6RS6 | Rack w/6 bins | 51,1 x 48,8 x 24,1 | 1 |

# PORTABLE CAMBARS®



## A BAR FOR ALL OCCASIONS.

Portable and versatile, the CamBar makes outfitting events an opportunity rather than a hassle. CamBars deliver function and style whether you're pouring a drink from a bottle or creating a wide-variety of on-demand beverages.

# BUILD YOUR CAMBAR®

## SIZE Cambars® come in three sizes



**SMALL**

**DIMENSIONS**
Length: **137,2 cm**
Width: **65,7 cm**
Height: **117,2 cm**



**MEDIUM**

**DIMENSIONS**
Length: **171,5 cm**
Width: **72,4 cm**
Height: **120,7 cm**



**LARGE**

**DIMENSIONS**
Length: **184,8 cm**
Width: **66 cm**
Height: **121,2 cm**

## DESIGN Select from a variety of colors and decors Click to enlarge the images

### STANDARD DECOR



**Black**
110



**Charcoal Gray**
615



**Dark Brown**
131



**Slate Blue**
401



**Black Base with Granite Gray**
420

### DESIGNER DECOR



**Chicago**
770



**Carmel**
669



# BAR540

**Highly portable, compact beverage bar for limited space.**




## FEATURES

- 5-bottle speed rail
- Four 12,7 cm swivel casters, 2 with brake
- Vinyl cover

## AVAILABLE IN THESE COLORS


**Black**
110


**Dark Brown**
131


**Slate Blue**
401


**Granite Gray**
191


**Granite Sand**
194


**Charcoal Gray**
615

Click to enlarge the images

## OPTIONAL ACCESSORIES

| BAR54SR | 730SR |
|---|---|
| 5 Bottle Speed Rail for BAR540 and BAR540DS | 7 Bottle Speed Rail for BAR540DS |

| | BAR540 | BAR540DS |
|---|---|---|
| DECOR | Standard | Designer |
| ICE SINK AND COVER | Sink only | Sink only |
| VINYL COVER | Yes | Yes |
| UNIT WEIGHT | 55,6 kg. | 65,8 kg. |

All BAR540 models include four 12,7 cm swivel casters, two with brake.



# BAR650

**Mid-size beverage bar that fits standard elevators, ideal for off-premises catering.**




## FEATURES

- 7-bottle speed rail
- 36,3 kg capacity ice sink
- Vinyl cover
- Ice sink and cover
- Waste-water bin
- Retainer Strap

## AVAILABLE IN THESE COLORS


Black
110


Granite Gray with Black Base
420


Chicago
770


Carmel
669

Click to enlarge the images

| | BAR650 | BAR650DS |
|---|---|---|
| DECOR | Standard | Designer |
| ICE SINK AND COVER | Yes | Yes |
| RETAINER STRAP | 1 | 1 |
| WASTE WATER BIN | Yes | Yes |
| VINYL COVER | Yes | Yes |
| UNIT WEIGHT | 98 kg. | 98,5 kg. |

All BAR650 models include four 12,7 cm swivel casters, two with brake.

## OPTIONAL ACCESSORIES

| 650WS | 730SR |
|---|---|
| Wire Shelf | 7 Bottle Speed Rail |

# BAR730

**Spacious rolling bar for banquets and large events.**

## FEATURES

- 7-bottle speed rail
- 36,3 kg capacity ice sink
- 6 & 8-button soda gun
- Vinyl cover
- Ice sink and cover
- Waste-water bin
- Retainer Strap




## AVAILABLE IN THESE COLORS



**Black**
110



**Granite Gray with Black Base**
420



**Chicago**
770



**Carmel**
669

Click to enlarge the images

| | BAR730 | BAR730DS |
|---|---|---|
| DECOR | Standard | Designer |
| ICE SINK AND COVER | Yes | Yes |
| RETAINER STRAP | 2 | 2 |
| WASTE WATER BIN | Yes | Yes |
| VINYL COVER | Yes | Yes |
| UNIT WEIGHT | 103,8 kg. | 133,9 kg. |

All BAR650 and BAR730 models include four 15,24 cm swivel casters, two with brake.

## OPTIONAL ACCESSORIES

| 730SR | 730WS |
|---|---|
| 7 Bottle Speed Rail | Wire shelf |

# SLIDINGLID™ ICE CADDIES

- Polyethylene body and thick foam insulation hold ice for days.
- Rugged, all-weather exterior will not crack, dent, bubble, chip, rust or break.
- Unique sliding lid slides back and under during use, reducing risk of cross-contamination.
- Recessed well and drain shelf keep ice out of water, extending holding times.
- Recessed, molded-in handles ease lifting and maneuvering.
- Slant top sliding lid units fit under prep/catering tables and counters.

**Colors:** Black (110), Slate Blue (401), Dark Brown (131), Coffee Beige (157), Granite Grey (191).

SlidingLid Ice Caddies ICS125L, ICS125L4S, ICS125LB are covered by US Patent D 468,071 S. SlidingLid Ice Caddies ICS100L and ICS100L4S are covered by US Patent D 424,883.

NSF · BPA FREE

**STOCK PRODUCTS & COLOR AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ICS100L, ICS125L:** (191)

## Caster Descriptions

Refers to caster type in chart.
All casters are 12,7 cm.

| | |
|---|---|
| **A:** | 2 fixed, 2 swivel, 1 with brake |
| **A1:** | 2 swivel, 2 with brakes |
| **B:** | 4 swivel, 1 with brake |
| **C:** | 2 swivel, 1 with brake, 2 20,3 cm Easy Wheels |
| **D:** | 2 swivel, 1 with brake, 2 25,4 cm Easy Wheels |
| **E:** | 2 swivel, 1 with brake, 2 25,4 cm Wide Easy Wheels |





ICS175LB
(Short) Shown with Rear Easy Wheels.



ICS125L
(Short)



ICS100L
(Short)



ICS175T
(Tall)



ICS175TB
(Tall) Shown with Rear Easy Wheels.



ICS200TB
(Tall) Shown with Rear Wide Easy Wheels.




| CODE | CAPACITY | EXTERIOR DIMENSIONS W x D x H | CASTER TYPE |
|---|---|---|---|
| **Short** | | | |
| ICS100L | 46 kg | 57 x 77 x 73 cm | A1 |
| ICS100L4S | 46 | 57 x 77 x 73 | B |
| ICS125L | 57 | 58,5 x 80 x 74,5 | A |
| ICS125LB | 57 | 58,5 x 80 x 74,5 | C |
| ICS175L | 80 | 61 x 95,5 x 74,5 | A |
| ICS175LB | 80 | 61 x 95,5 x 74,5 | D |
| **Tall** | | | |
| ICS125T | 57 | 58,5 x 80 x 88 | A |
| ICS175T | 80 | 58,5 x 86,5 x 95,5 | A |
| ICS175TB | 80 | 58,5 x 86,5 x 95,5 | D |
| ICS200TB | 91 | 58,5 x 86,5 x 100,5 | E |

**Case Pack:** 1

# CAMRACK® 4-IN-1 WAREWASHING SYSTEM


The Camrack System will protect glassware and keep it clean until the next event, eliminating the need for rewashing.

Camrack Cover Seals from the Top and Camdolly® Seals from the Bottom.




Camracks interstack with racks from major manufacturers.

## Efficient Washing




Open inside compartments provide thorough circulation of water and cleaning solutions and promote quick and thorough drying.

Long-lasting polypropylene Camracks are built to withstand chemicals and high temperatures up to 93˚C.

## Sanitary Storage




Closed outer walls keep fingers and contaminants out and reduce risk of breakage and injury. The Camrack cover and Camdolly make this system completely enclosed. Glassware stays clean in storage, eliminating rewashing.

## Inventory Control




A variety in base rack colors help identify at a glance both contents and quantity per rack. Available in 10 colors.



Content labeling options include one-color custom hot stamping or pre-printed clips.

## Safe, Sanitary Transportation




Camracks can be transported across large campuses or to off-site locations in one single unit.

Easy to grip handles and smooth overlapping sides facilitate safe handling.

HACCP NSF BPA FREE


Camracks are covered by one or more of the following patents: Full Base Dish Rack D 412,607. Half Base Dish Rack D 404,176. Half Dish Rack Extender D 400,321. Enlarged Dish Rack Extender D 399,614. Dish Rack with Extender 5,934,486 Utility Patent. Pronged Base Dish Rack D 403,472.

# FULL SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

These racks offer complete protection for all your delicate and valuable stemware and tumblers, from washing and handling to stacking, storing and transporting.

**Choose the correct dishrack:**

1. Measure the maximum diameter of your glass (stemware or tumbler) to determine the number of compartments.
2. Measure the maximum height of your glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.






25S534

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL CAMRACKS:** (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)

## 9 COMPARTMENT

**14,9 cm**
**MAXIMUM DIAMETER**



| MAXIMUM HEIGHT | 9,2 cm | 13,3 cm | 17,4 cm | 21,5 cm | 25,7 cm | 29,8 cm |
|---|---|---|---|---|---|---|
| CODE | 9S318 | 9S434 | 9S638 | 9S800 | 9S958 | 9S1114 |
| CASE PACK | 5 | 4 | 3 | 2 | 2 | 2 |
| EXT. RACK HEIGHT | 14,3 cm | 18,4 cm | 22,5 cm | 26,7 cm | 30,8 cm | 34,9 cm |

## 16 COMPARTMENT

**11,11 cm**
**MAXIMUM DIAMETER**



| MAXIMUM HEIGHT | 9,2 cm | 11,4 cm | 13,3 cm | 15,5 cm | 17,4 cm | 19,6 cm |
|---|---|---|---|---|---|---|
| CODE | 16S318 | 16S418** | 16S434 | 16S534** | 16S638 | 16S738** |
| CASE PACK | 5 | 5 | 4 | 4 | 3 | 3 |
| EXT. RACK HEIGHT | 14,3 cm | 14,3 cm | 18,4 cm | 18,4 cm | 22,5 cm | 22,5 cm |
| MAXIMUM HEIGHT | 21,5 cm | 23,8 cm | 25,7 cm | 27,9 cm | 29,8 cm | 32 cm |
| CODE | 16S800 | 16S900** | 16S958 | 16S1058** | 16S1114 | 16S1214** |
| CASE PACK | 2 | 2 | 2 | 2 | 2 | 2 |
| EXT. RACK HEIGHT | 26,7 cm | 26,7 cm | 30,8 cm | 30,8 cm | 34,9 cm | 34,9 cm |

**Base Rack Colors:**

| 110 | 119 | 151 | 163 | 167 | 168 | 184 | 186 | 414 | 416 |
|---|---|---|---|---|---|---|---|---|---|
| Black | Sherwood Green | Soft Gray | Red | Brown | Blue | Beige | Navy Blue | Teal | Cranberry |

**Extender Color:** Soft Grey (151). **Compartment Extenders cannot be added. Personalization available. See Camrack personalization and color coding page.
For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

# FULL SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

## 20 COMPARTMENT

**9,84 cm**
**MAXIMUM DIAMETER**



| MAXIMUM HEIGHT | 9,2 cm | 11,4 cm | 13,3 cm | 15,5 cm | 17,4 cm | 19,6 cm |
|---|---|---|---|---|---|---|
| CODE | 20S318 | 20S418** | 20S434 | 20S534** | 20S638 | 20S738** |
| CASE PACK | 5 | 5 | 4 | 4 | 3 | 3 |
| EXT. RACK HEIGHT | 14,3 cm | 14,3 cm | 18,4 cm | 18,4 cm | 22,5 cm | 22,5 cm |
| **MAXIMUM HEIGHT** | **21,5 cm** | **23,8 cm** | **25,7 cm** | **27,9 cm** | **29,8 cm** | **32 cm** |
| CODE | 20S800 | 20S900** | 20S958 | 20S1058** | 20S1114 | 20S1214** |
| CASE PACK | 2 | 2 | 2 | 2 | 2 | 2 |
| EXT. RACK HEIGHT | 26,7 cm | 26,7 cm | 30,8 cm | 30,8 cm | 34,9 cm | 34,9 cm |

**Compartment Extenders cannot be added.

## 25 COMPARTMENT

**8,7 cm**
**MAXIMUM DIAMETER**



| MAXIMUM HEIGHT | 9,2 cm | 11,4 cm | 13,3 cm | 15,5 cm | 17,4 cm | 19,6 cm |
|---|---|---|---|---|---|---|
| CODE | 25S318 | 25S418** | 25S434 | 25S534** | 25S638 | 25S738** |
| CASE PACK | 5 | 5 | 4 | 4 | 3 | 3 |
| EXT. RACK HEIGHT | 14,3 cm | 14,3 cm | 18,4 cm | 18,4 cm | 22,5 cm | 22,5 cm |
| **MAXIMUM HEIGHT** | **21,5 cm** | **23,8 cm** | **25,7 cm** | **27,9 cm** | **29,8 cm** | **32 cm** |
| CODE | 25S800 | 25S900** | 25S958 | 25S1058** | 25S1114 | 25S1214** |
| CASE PACK | 2 | 2 | 2 | 2 | 2 | 2 |
| EXT. RACK HEIGHT | 26,7 cm | 26,7 cm | 30,8 cm | 30,8 cm | 34,9 cm | 34,9 cm |

**Compartment Extenders cannot be added.

## 30 COMPARTMENT

**7,94 cm**
**MAXIMUM DIAMETER**



| MAXIMUM HEIGHT | 9,2 cm | 13,3 cm | 17,4 cm | 21,5 cm | 25,7 cm | 29,8 cm |
|---|---|---|---|---|---|---|
| CODE | 30S318 | 30S434 | 30S638 | 30S800 | 30S958 | 30S1114 |
| CASE PACK | 5 | 4 | 3 | 2 | 2 | 2 |
| EXT. RACK HEIGHT | 14,3 cm | 18,4 cm | 22,5 cm | 26,7 cm | 30,8 cm | 34,9 cm |

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL CAMRACKS:** (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)

# FULL SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

## 36 COMPARTMENT

**7,3 cm**
**MAXIMUM DIAMETER**



| MAXIMUM HEIGHT | 9,2 cm | 11,4 cm | 13,3 cm | 15,5 cm | 17,4 cm | 19,6 cm |
|---|---|---|---|---|---|---|
| CODE | 36S318 | 36S418** | 36S434 | 36S534** | 36S638 | 36S738** |
| CASE PACK | 5 | 5 | 4 | 4 | 3 | 3 |
| EXT. RACK HEIGHT | 14,3 cm | 14,3 cm | 18,4 cm | 18,4 cm | 22,5 cm | 22,5 cm |
| **MAXIMUM HEIGHT** | **21,5 cm** | **23,8 cm** | **25,7 cm** | **27,9 cm** | **29,8 cm** | **32 cm** |
| CODE | 36S800 | 36S900** | 36S958 | 36S1058** | 36S1114 | 36S1214** |
| CASE PACK | 2 | 2 | 2 | 2 | 2 | 2 |
| EXT. RACK HEIGHT | 26,7 cm | 26,7 cm | 30,8 cm | 30,8 cm | 34,9 cm | 34,9 cm |

## 49 COMPARTMENT

**6,2 cm**
**MAXIMUM DIAMETER**



| MAXIMUM HEIGHT | 9,2 cm | 13,3 cm | 17,4 cm | 21,5 cm | 25,7 cm | 29,8 cm |
|---|---|---|---|---|---|---|
| CODE | 49S318 | 49S434 | 49S638 | 49S800 | 49S958 | 49S1114 |
| CASE PACK | 5 | 4 | 3 | 2 | 2 | 2 |
| EXT. RACK HEIGHT | 14,3 cm | 18,4 cm | 22,5 cm | 26,7 cm | 30,8 cm | 34,9 cm |

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL CAMRACKS:** (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)




**Base Rack Colors:**

110 Black
119 Sherwood Green
151 Soft Gray
163 Red
167 Brown
168 Blue
184 Beige
186 Navy Blue
414 Teal
416 Cranberry

**Extender Color:** Soft Grey (151). **Compartment Extenders cannot be added. Personalization available. See Camrack personalization and color coding page.
For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

# HALF SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

- Very effective for carrying less weight and for storing drinkware in space-restricted locations.
- Ideal for small under-counter glasswashers.





10HS434

## 8 COMPARTMENT

**10,3 cm**
**MAXIMUM DIAMETER**



| MAXIMUM HEIGHT | 9,2 cm | 13,3 cm | 17,4 cm | 21,5 cm | 25,7 cm | 29,8 cm |
|---|---|---|---|---|---|---|
| CODE | 8HS318 | 8HS434 | 8HS638 | 8HS800 | 8HS958 | 8HS1114 |
| CASE PACK | 5 | 4 | 3 | 2 | 2 | 2 |
| EXT. RACK HEIGHT | 14,3 cm | 18,4 cm | 22,5 cm | 26,7 cm | 30,8 cm | 34,9 cm |

## 10 COMPARTMENT

**8,7 cm**
**MAXIMUM DIAMETER**



| MAXIMUM HEIGHT | 9,2 cm | 13,3 cm | 17,4 cm | 21,5 cm | 25,7 cm | 29,8 cm |
|---|---|---|---|---|---|---|
| CODE | 10HS318 | 10HS434 | 10HS638 | 10HS800 | 10HS958 | 10HS1114 |
| CASE PACK | 5 | 4 | 3 | 2 | 2 | 2 |
| EXT. RACK HEIGHT | 14,3 cm | 18,4 cm | 22,5 cm | 26,7 cm | 30,8 cm | 34,9 cm |

## 17 COMPARTMENT

**7,3 cm**
**MAXIMUM DIAMETER**




| MAXIMUM HEIGHT | 9,2 cm | 13,3 cm | 17,4 cm | 21,5 cm | 25,7 cm | 29,8 cm |
|---|---|---|---|---|---|---|
| CODE | 17HS318 | 17HS434 | 17HS638 | 17HS800 | 17HS958 | 17HS1114 |
| CASE PACK | 5 | 4 | 3 | 2 | 2 | 2 |
| EXT. RACK HEIGHT | 14,3 cm | 18,4 cm | 22,5 cm | 26,7 cm | 30,8 cm | 34,9 cm |

**Base Rack Colors:**



Sherwood Green




Soft Grey



Brown



Beige



Navy Blue




Cranberry

**Extender Color:** Soft Grey (151). Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

# CAMRACK® FULL & HALF SIZE CUP RACKS

- Tilt feature drains water from mug or cup bases for quick and sanitary drying.





16C414

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**16C258, 16C414, 16C578, 20C258:** (151)
**20C414:** (151), (167)



## 16 COMPARTMENT

**11,1 x 10,95 cm**
**COMPARTMENT DIMENSIONS**



| MAXIMUM HEIGHT | 6,6 cm | 10,7 cm | 14,9 cm |
|---|---|---|---|
| CODE | 16C258 | 16C414 | 16C578 |
| CASE PACK | 6 | 5 | 4 |
| EXT. RACK HEIGHT | 10,1 cm | 14,3 cm | 18,4 cm |

## 20 COMPARTMENT

**11,1 x 8,73 cm**
**COMPARTMENT DIMENSIONS**



| MAXIMUM HEIGHT | 6,6 cm | 10,7 cm |
|---|---|---|
| CODE | 20C258 | 20C414 |
| CASE PACK | 6 | 5 |
| EXT. RACK HEIGHT | 10,1 cm | 14,3 cm |

## 8 COMPARTMENT

**10,4 x 11,1 cm**
**COMPARTMENT DIMENSIONS**



| MAXIMUM HEIGHT | 6,6 cm | 10,7 cm |
|---|---|---|
| CODE | 8HC258 | 8HC414 |
| CASE PACK | 6 | 5 |
| EXT. RACK HEIGHT | 10,1 cm | 14,3 cm |

## 10 COMPARTMENT

**10,4 x 8,73 cm**
**COMPARTMENT DIMENSIONS**



| MAXIMUM HEIGHT | 6,6 cm | 10,7 cm |
|---|---|---|
| CODE | 10HC258 | 10HC414 |
| CASE PACK | 6 | 5 |
| EXT. RACK HEIGHT | 10,1 cm | 14,3 cm |

**Base Cup Rack Color:** Soft Grey (151). **Extender Color:** Soft Grey (151).
Personalization available. See Camrack personalization and color coding page.
Contact Customer Service for all special orders.

## Glass and Cup Keepers

- Raised ribs for easy draining and drying.
- Holds 20 glasses or 12 cups per layer.

**Color:** Beige (133).




**Max. Glass Inside Rim Diameter:**
GK2000: 6,6 cm



**Max. Cup Inside Rim Diameter:**
KK1200: 7,4 cm

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Glass Keepers** | | |
| GK2000 (Regal) | 35,6 x 45,7 cm | 12 |
| **Cup Keepers** | | |
| KK1200 (Regal) | 35,4 x 45,4 | 12 |


# STEMWARE AND GLASS SIZING REFERENCE GUIDE





To Determine Compartment Size

- **Half Size Racks:** Place glass or stemware upside down over circle chart. Look down on the glass. Whatever circle the largest diameter of the glass fits within will determine the number of compartments.
- **Full Size Racks:** Place glass or stemware upside down over circle chart. Look down on the glass. Whatever circle the largest diameter of the glass fits within will determine the number of compartments.

Use the vertical guide marks at right to determine item height and appropriate rack number.



# CAMRACK® CUP RACK REFERENCE GUIDE

**To determine Cup compartment size:**
Turn cup or coffee mug upside down and place diagonally in square. Align handle with arrow in square. Cup or mug and handle must fit completely within boundaries of a square in order to ensure the right rack.

## 16 FULL RACK

COMPARTMENT
11,1 x 11,1 cm

**QUICK GUIDE**
**Full Size Cup Racks (C)**

| Maximum Cup Width | Number of Compartments | Maximum Cup Height | | |
|---|---|---|---|---|
| | | 6,6 cm | 10,7 cm | 14,9 cm |
| 11,1 cm | 16 | 16C258 | 16C414 | 16C578 |
| 8,8 cm | 20 | 20C258 | 20C414 | 20C578 |

## 20 FULL RACK

COMPARTMENT
11,1 x 8 cm

## 10 HALF RACK

COMPARTMENT
10,4 x 8,8 cm

**To Determine Cup Height:**
Place base of cup or coffee mug on flat surface hold ruler vertically next to it to determine height in inches or millimeters. If the height is greater than 108 mm, additional 41 mm E2 and HE2 extenders may be ordered.

## 8 HALF RACK

COMPARTMENT
11,3 x 10,4 cm

**QUICK GUIDE**
**Full Size Cup Racks (C)**

| Maximum Cup Width | Number of Compartments | Maximum Cup Height | |
|---|---|---|---|
| | | 6,6 cm | 10,7 cm |
| 10,4 cm | 8 | 8HC258 | 8HC414 |
| 8,8 cm | 10 | 10HC258 | 10C414 |

# STORE AND TRANSPORT GLASSES & DISHES

## Camrack® Cover & Camdolly®

- Use to cover and protect full size Camrack dishracks filled with clean dishware.
- When used with a Camdolly, creates a portable sanitary storage system that protects contents between uses.
- Eliminates the use of messy, wasteful plastic wrap or vinyl covers.



**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**DRC2020:** (180)
**CDR2020, CDR2020H:** (151)
**25SWGF:** (110)





| | FULL RACK COVER |
|---|---|
| **CODE** | DRC2020 |
| **EXTERIOR DIMENSIONS** | 50 x 50 x 2,4 cm |

**Case Pack:** 1 **Color:** Grey (180).

| | CAMDOLLY | CAMDOLLY WITH HANDLE |
|---|---|---|
| **CODE** | CDR2020 | CDR2020H |
| **INTERIOR DIMENSIONS** | 53 x 53 cm | 53 x 53 cm |
| **EXTERIOR DIMENSIONS** | 54,5 x 54,5 x 20,5 cm | 54,5 x 59,5 x 94 cm |
| **LOAD CAPACITY** | 159 kg | 159 kg |

**Case Pack:** 1 **Color:** Soft Grey (151). **Casters:** 10 cm casters, 4 swivel, no brakes.

## Camrack IceExpress Glass Filler

- Dramatically reduces banquet set-up time.
- Fills 25 glasses with ice all at once.
- Reduces breakage and risk of contamination.
- Ice falls directly into glasses with no spills or drips.



| CODE | EXTERIOR DIM. W x D x H |
|---|---|
| 25SWGF | 50,8 x 50,8 x 3,18 cm |

**Case Pack:** 1 **Color:** Black (110).

# SELECTING THE RIGHT CAMRACK

Cambro offers multiple ways to help you quickly find the right Camrack:

**1. apps.cambro.com/Camracks**

Select the item you are sizing, enter the measurements and quantity of the item, and the right Camrack will appear on the page.

**2. Cambro Catalog**

Flip to the back of the catalog for a convenient stemware, glass and cup sizing reference guide.

**3. Cambro Sales Representatives**


Contact your local Cambro representative or call Cambro Customer Service at 49-7022-90-100-0 to assist with specifying Camracks, dollies and covers that will fit your glasses and dishware.

**4. Cambro App**

Find the right Camrack for your glassware by entering the height and maximum diameter of your glass.

## Choose the correct Camrack:

1. Measure the **maximum diameter** of the glass (stemware or tumbler) to determine the number of compartments.
2. Measure the **maximum height** of the glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.






Download the app at www.cambro.com/app or

GET IT ON Google play

Download on the App Store

# CAMRACK® BASE RACKS

- For pots, pans, bowls and large prep, service and display items.
- Half racks work well for storing items at a wait station.


**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**BR258, BR414, BR578, BR712:** (110), (119), (151), (163), (184), (167), (168), (186), (414), (416)
**CRPHDG2878:** (000)



BR578


## FULL SIZE BASE RACKS






| | FULL BASE RACK | WITH 1 EXTENDER | WITH 2 EXTENDERS | WITH 3 EXTENDERS |
|---|---|---|---|---|
| CODE | BR258 | BR414 | BR578 | BR712 |
| INSIDE RACK HEIGHT | 8,3 cm | 12,4 cm | 16,5 cm | 20,6 cm |
| OUTSIDE RACK HEIGHT | 10,1 cm | 14,3 cm | 18,4 cm | 22,5 cm |
| CASE PACK | 6 | 5 | 4 | 3 |

## HALF SIZE BASE RACKS






| | HALF BASE RACK | WITH 1 EXTENDER | WITH 2 EXTENDERS | WITH 3 EXTENDERS |
|---|---|---|---|---|
| CODE | HBR258 | HBR414 | HBR578 | HBR712 |
| INSIDE RACK HEIGHT | 8,3 cm | 12,4 cm | 16,5 cm | 20,6 cm |
| OUTSIDE RACK HEIGHT | 10,1 cm | 14,3 cm | 18,4 cm | 22,5 cm |
| CASE PACK | 6 | 5 | 4 | 3 |

## Hold Down Grid

Keeps lightweight smallwares in place during wash cycle. Use on full size Camrack base or Flatware rack.



BR414 with CRPHDG2878

| | FULL SIZE HOLD DOWN GRID |
|---|---|
| CODE | CRPHDG2878 |

**Case Pack:** 6 **Color:** Gray (000).

**Base Rack Colors:**


110 Black*


119 Sherwood Green


151 Soft Gray


163 Red*


167 Brown


168 Blue*


184 Beige


186 Navy Blue


414 Teal*


416 Cranberry

***Full size only.** **Extender Color:** Soft Grey (151). Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

# CAMRACK® FULL SIZE PEG RACKS & TRAY RACK

## Standard 9 x 9 Peg Rack

- Designed to wash varying sized plates, bowls, trays and plate covers.
- Standard peg racks hold:
  – Eighteen 25,4 cm plates
  – Twelve 30,5 cm plates
  – Twenty-seven 19 cm plates
  or
  – Nine 36 x 46 cm trays.

## Versatile 5 x 9 Peg Rack

- Holds standard plates in one direction or deep plates, bowls and plate covers in the other direction.
- 5 spacing configuration holds up to ten 25,4 cm bowls, deep plates, platters or plate covers.
- 9 spacing configuration holds up to:
  – Eighteen 25,4 cm plates
  – Twelve 30,5 cm plates
  – Twenty-seven 19 cm plates
  or
  – Nine 36 x 46 cm trays.

## Open End Tray Rack

- Holds cafeteria trays or full-size sheet pans.
- Open-ended on one side for easy placement and removal of trays of all lengths.
- Holds up to nine trays upright.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**PR59314, PR59500, PR314, OETR314:** (151)
**PR500:** (151)
**OETR314:** (151)







| | 9 X 9 PEG RACK | 9 X 9 PEG RACK WITH 1 EXTENDER | 5 X 9 PEG RACK | 5 X 9 PEG RACK WITH 1 EXTENDER | OPEN END TRAY RACK |
|---|---|---|---|---|---|
| **CODE** | PR314 | PR500 | PR59314 | PR59500 | OETR314* |
| **INSIDE RACK HEIGHT** | 8,3 cm | 12,4 cm | 8,3 cm | 12,4 cm | 8,3 cm |
| **OUTSIDE RACK HEIGHT** | 10,1 cm | 14,3 cm | 10,1 cm | 14,3 cm | 10,1 cm |
| **CASE PACK** | 6 | 5 | 6 | 5 | 6 |

**Color:** Soft Gray (151). **Extender Color:** Soft Gray (151). **InStock Color:** Soft Gray (151). Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders. *Extenders may be added to all Peg Racks except the OETR314.

# CAMRACK FULL & HALF SIZE FLATWARE RACKS & CYLINDER

- 8 Compartment Basket fits into a Full or Half Size Base Rack. Wire handles slide down for easy storage.
- Flatware Cylinder fits into 9-Compartment Full Size Camrack and the Cambro Tray and Dish Cart, model TDCR12.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**FR258, 8FB434, 8FBNH434:** (151)







| | FULL FLATWARE RACK | HALF FLATWARE RACK | 8 COMPARTMENT HALF FLATWARE BASKET | 8 COMPARTMENT HALF FLATWARE BASKET | FLATWARE CYLINDER |
|---|---|---|---|---|---|
| **CODE** | FR258 | HFR258 | 8FB434* With Handles | 8FBNH434* No Handles | FWC56 |
| **INSIDE RACK HEIGHT** | 6,7 cm | 6,7 cm | 12 cm | 12 cm | Wide 11,4 cm |
| **OUTSIDE RACK HEIGHT** | 10,1 cm | 10,1 cm | 18,4 cm | 18,4 cm | High 14 cm |
| **CASE PACK** | 6 | 6 | 6 | 6 | 12 |

**Color:** Soft Gray (151). **Extender Color:** Soft Gray (151). **InStock Color:** Soft Gray (151). **Flatware Cylinder Color:** White (148).
Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders. *Extenders cannot be added.

# THE CAMRACK® COMPONENT SYSTEM

The Camrack System offers several choices for ordering the right Camracks now and as your needs change. Please consult with your sales representative or Cambro Customer Service for all special ordering and assembly directions.

## Choose Between:

1. A complete selection of pre-assembled, ready to use Camracks listed in our catalog; or
2. Custom built special order Camracks for specific needs; or
3. Individual Camrack components for distributors to stock and build racks as needed.

**Base Rack Colors:**
Sherwood Green (119), Soft Grey (151), Brown (167), Beige (184), Navy Blue (186), Cranberry (416), Black (110)*, Red (163)*, Blue (168)*, Teal (414)*.
**Base Cup Rack Color:** Soft Grey (151).
**Flatware Rack Color:** Soft Gray (151).
**Extender Color:** Soft Grey (151).


Personalization available.

Full Base Racks are covered by U.S. Patent D 412,607.
Half Base Racks are covered by U.S. Patent D 404,176.

*Full size only.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**9E1, 9E2, 16E1, 16E2, 16E4, 16E5, 20E2, 20GE1, 20GE2, 20GE4, 20GE5, 25E1, 25E2, 25E4, 25E5, 30GE1, 30GE2, 36E1, 36E2, 36E4, 36E5, 49E1, 49E2, 16C258, 20C258:** (151)
**BR258:** (110), (119), (151), (163), (184), (167), (168), (186), (414), (416)
**E3:** (151)



**BR** = Full Size Base Rack



**HBR** = Half Size Base Rack



**E1** = Full Size Full Drop Compartment Extender



**HE1** = Half Size Full Drop Compartment Extender



**E2** = Full Size Half Drop Compartment Extender



**HE2** = Half Size Half Drop Compartment Extender



**E3** = Full Size Open Extender



**HE3** = Half Size Open Extender



**E4** = Full Size Full Drop Compartment Extender



**E5** = Full Size Half Drop Compartment Extender

**Only E3 extenders may be added to E4's and E5's.**

## Camracks Components

| CODE | DESCRIPTION | EXTERIOR DIMENSIONS | COMPARTMENT | INSIDE RACK HEIGHT | CASE PACK |
|---|---|---|---|---|---|
| **Full Size Base Racks** | | | | | |
| BR258* | Full Base Rack | 500 x 500 x 101 mm | 457 x 457 mm | 67 mm | 6 |
| **Half Size Base Racks** | | | | | |
| HBR258 | Half Base Rack | 500 x 250 x 101 | 464 x 213 | 67 | 6 |
| **Full Size Base Cup Racks** | | | | | |
| 16C258 | 16-Compartment Full Cup Rack | 500 x 500 x 101 | 111 x 111 | 67 | 6 |
| 20C258 | 20-Compartment Full Cup Rack | 500 x 500 x 101 | 111 x 89 | 67 | 6 |
| **Half Size Base Cup Racks** | | | | | |
| 8HC258 | 8-Compartment Half Cup Rack | 500 x 250 x 101 | 105 x 113 | 67 | 6 |
| 10HC258 | 10-Compartment Half Cup Rack | 500 x 250 x 101 | 105 x 89 | 67 | 6 |
| **Full Size Full Drop Extenders – E1 and GE1** | | | | | |
| 9E1 | 9-Compartment Full Drop Extender | 499 x 499 x 51 | 150 x 150 | 41 | 12 |
| 16E1 | 16-Compartment Full Drop Extender | 499 x 499 x 51 | 111 x 111 | 41 | 12 |
| 20GE1 | 20-Compartment Full Drop Extender | 499 x 499 x 51 | 98 x 98 | 41 | 12 |
| 25E1 | 25-Compartment Full Drop Extender | 499 x 499 x 51 | 89 x 89 | 41 | 12 |
| 30GE1 | 30-Compartment Full Drop Extender | 499 x 499 x 51 | 79 x 79 | 41 | 12 |
| 36E1 | 36-Compartment Full Drop Extender | 499 x 499 x 51 | 73 x 73 | 41 | 12 |
| 49E1 | 49-Compartment Full Drop Extender | 499 x 499 x 51 | 62 x 62 | 41 | 12 |

# THE CAMRACK® COMPONENT SYSTEM

| CODE | DESCRIPTION | EXTERIOR DIMENSIONS | COMPARTMENT | INSIDE RACK HEIGHT | CASE PACK |
|---|---|---|---|---|---|
| **Full Size Half Drop Extenders – E2 and GE2** | | | | | |
| 9E2 | 9-Compartment Half Drop Extender | 499 x 499 x 51 mm | 150 x 150 mm | 41 mm | 12 |
| 16E2 | 16-Compartment Half Drop Extender | 499 x 499 x 51 | 111 x 111 | 41 | 12 |
| 20E2 | 20-Compartment Half Drop Extender (for cups only) | 499 x 499 x 51 | 111 x 89 | 41 | 12 |
| 20GE2 | 20-Compartment Half Drop Extender | 499 x 499 x 51 | 98 x 98 | 41 | 12 |
| 25E2 | 25-Compartment Half Drop Extender | 499 x 499 x 51 | 89 x 89 | 41 | 12 |
| 30GE2 | 30-Compartment Half Drop Extender | 499 x 499 x 51 | 79 x 79 | 41 | 12 |
| 36E2 | 36-Compartment Half Drop Extender | 499 x 499 x 51 | 73 x 73 | 41 | 12 |
| 49E2 | 49-Compartment Half Drop Extender | 499 x 499 x 51 | 62 x 62 | 41 | 12 |
| **Full Size Open Extender – E3** | | | | | |
| E3 | Open Extender | 499 x 499 x 51 | 457 x 457 | 41 | 12 |
| **Full Size Full Drop Extenders – E4** | | | | | |
| 16E4 | 16-Compartment Full Drop Extender | 499 x 499 x 51 | 111 x 111 | 41 | 12 |
| 20GE4 | 20-Compartment Full Drop Extender | 499 x 499 x 51 | 98 x 98 | 41 | 12 |
| 25E4 | 25-Compartment Full Drop Extender | 499 x 499 x 51 | 89 x 89 | 41 | 12 |
| 36E4 | 36-Compartment Full Drop Extender | 499 x 499 x 51 | 73 x 73 | 41 | 12 |
| **Full Size Half Drop Extenders – E5** | | | | | |
| 16E5 | 16-Compartment Half Drop Extender | 499 x 499 x 51 | 111 x 111 | 41 | 12 |
| 20GE5 | 20-Compartment Half Drop Extender | 499 x 499 x 51 | 98 x 98 | 41 | 12 |
| 25E5 | 25-Compartment Half Drop Extender | 499 x 499 x 51 | 89 x 89 | 41 | 12 |
| 36E5 | 36-Compartment Half Drop Extender | 499 x 499 x 51 | 73 x 73 | 41 | 12 |
| **Half Size Full Drop Extenders – HE1** | | | | | |
| 8HE1 | 8-Compartment Full Drop Extender | 502 x 252 x 51 | 105 x 113 | 41 | 12 |
| 10HE1 | 10-Compartment Full Drop Extender | 502 x 252 x 51 | 105 x 89 | 41 | 12 |
| 17HE1 | 17-Compartment Full Drop Extender | 502 x 252 x 51 | 74 diameter | 41 | 12 |
| **Half Size Half Drop Extenders – HE2** | | | | | |
| 8HE2 | 8-Compartment Half Drop Extender | 502 x 252 x 51 | 105 x 113 | 41 | 12 |
| 10HE2 | 10-Compartment Half Drop Extender | 502 x 252 x 51 | 105 x 89 | 41 | 12 |
| 17HE2 | 17-Compartment Half Drop Extender | 502 x 252 x 51 | 74 diameter | 41 | 12 |
| **Half Size Open Extender – HE3** | | | | | |
| HE3 | Open Extender | 502 x 252 x 51 | 464 x 213 | 41 | 12 |

**Base Rack Colors:** Sherwood Green (119), Soft Gray (151), Brown (167), Beige (184), Navy Blue (186), Cranberry (416), Black (110)*, Red (163)*, Blue (168)*, Teal (414)*. **Base Cup Rack Color:** Soft Gray (151). **Extender Color:** Soft Gray (151). *Color available in full size only. All extenders are available in Soft Gray (151). All pre-assembled racks ship with Soft Gray (151) extenders. **PlateSafe Grid Color:** Gray (000).



**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**9E1, 9E2, 16E1, 16E2, 16E4, 16E5, 20E2, 20GE1, 20GE2, 20GE4, 20GE5, 25E1, 25E2, 25E4, 25E5, 30GE1, 30GE2, 36E1, 36E2, 36E4, 36E5, 49E1, 49E2, 16C258, 20C258:** (151)
**BR258:** (110), (119), (151), (163), (184), (167), (168), (186), (414), (416)
**E3:** (151)

# PERSONALIZED CAMRACKS®

- Personalize Camracks to identify contents at a glance for accurate inventory control and selection.
- Hot stamp a custom logo, information or standard content symbols, and/or descriptions on two opposite, diagonal sides of any rack.
- Pre-printed clips (up to 4 per rack) can be ordered factory installed for an additional charge.



IMPRINT COLOR-WHITE

## HOW TO ORDER A SAMPLE

1. Contact your local Cambro rep to complete and submit a sample request form to Cambro.
2. Select rack size, code and color. Imprint color - white only.
3. Choose process A) Hot Stamp or B) Camrack Clips
4. Indicate location of hot stamp and or clip on rack. Maximum hot stamp imprint size is W 102 x H 31,7 mm. Maximum hot stamp imprinting thickness per solid letter or logo should be no more than 102 mm wide.
5. If selecting process A with a custom hot stamp, provide ready to use artwork, digital format only. Sample request form must be submitted to Cambro PRIOR to artwork being sent. If artwork is incomplete, graphic support services are available for **per hour.
6. **Submit Artwork**
   E-mail artwork to your Cambro Rep or direct to Cambro at letsgetpersonal@cambro.com. Title e-mail subject with logo name and provide contact info.
   **File dimensions:** 100% reproduction size, 300dpi resolution.
   **File type:**
   Adobe® Illustrator®, Photoshop®.
   **File format:** jpeg, tiff, and eps.
   Or mail digital artwork to:
   CEL - Attn: C.E.L. Customer Service. Kelterstrasse 51
   72669 Unterensingen, Germany.
7. Questions regarding artwork?
   Tel: (49)7022-90-100-0;
   Ireland Tel: 1800 509 046;
   for UK Tel: 0800 587 0057 or
   Fax: (49)7022-90-100-19.
8. **Sample Approval**
   Signed approval form must be included with purchase order for processing. This form is included with each sample.

## PERSONALIZATION CHARGES

| | |
|---|---|
| **One Time Plate Charge** | **for custom hot stamp only |
| **Set-Up Charge** | ** |
| **Sample Charge** | ** |
| **Imprint Charge** | **per side, 2 sides max. |


## FOR CLIPS

**Drinkware or PlateSafe®, pre-printed** **each

**Contact your Cambro representative for pricing.

# STANDARD HOT STAMP SYMBOLS AND/OR DESCRIPTIONS

**Step 1.** Choose a symbol and corresponding letter that best fits your glassware.




**Step 2.** Choose the verbiage and corresponding number that best describes your glassware. **Available in English Only.**

1. Beer
2. Beer Mug
3. Pilsner
4. Brandy
5. Champagne
6. Champagne Flute
7. Coffee Mug
8. Collins
9. Cordial
10. Creamer
11. Cup
12. Decanter
13. Flatware
14. Goblet
15. Grande
16. Hi-Ball
17. Hurricane
18. Iced Tea
19. Irish Coffee
20. Juice
21. Margarita
22. Martini
23. Old Fashion
24. Rocks (Footed Style)
25. Rocks (Tumbler Style)
26. Sherry
27. Shot Glass
28. Sorbet
29. Water (Footed Style)
30. Water (Tumbler Style)
31. White Wine
32. Wine
33. Red Wine
34. Port

**Step 3.** Select hot stamp color. Choose from white, black, red or blue.

## HOT STAMP OPTIONS




CUSTOM LOGO AND/OR TEXT




STANDARD SYMBOL AND DESCRIPTION




STANDARD SYMBOL ONLY




STANDARD DESCRIPTION ONLY

# CAMRACK® EXTENDER ID CLIP

- The industry's only 4-in-1 glassware management system makes inventory management quick and easy.
- Made of ABS, these clips are virtually unbreakable, and designed to withstand the high heat of commercial dishwashers.
- An economical and sustainable solution to discarding existing racks or labeling with markers, tape or wall placards.
- Snap ID clips onto existing racks or have factory installed with new Camrack orders, up to 4 per rack, placed on the left only on each side as shown in image. Contact your Cambro representative for pricing.




**PRE-PRINTED CLIPS*** (Available in 6-packs only, no broken bags.)
**FACTORY INSTALLED CLIPS***
*Contact your Cambro representative for pricing.

| | CODE |
|---|---|
| Beer | CECBE6000 |
| Beer Mug | CECBM6000 |
| Brandy | CECBR6000 |
| Champagne | CECCH6000 |
| Champagne Flute | CECCF6000 |
| Coffee Mug | CECCM6000 |
| Collins | CECCL6000 |
| Cordial | CECCO6000 |
| Creamer | CECCR6000 |
| Cup | CECCP6000 |
| Decanter | CECDC6000 |
| Flatware | CECFL6000 |

| | CODE |
|---|---|
| Goblet | CECGO6000 |
| Grande | CECGR6000 |
| Hi-Ball | CECHB6000 |
| Hurricane | CECHU6000 |
| Iced Tea | CECIT6000 |
| Irish Coffee | CECIC6000 |
| Juice | CECJU6000 |
| Margarita | CECMG6000 |
| Martini | CECMT6000 |
| Old Fashion | CECOF6000 |
| Pilsner | CECPI6000 |
| Red Wine | CECRW6000 |

| | CODE |
|---|---|
| Rocks (Footed Style) | CECRF6000 |
| Rocks (Tumbler Style) | CECRT6000 |
| Sherry | CECSH6000 |
| Shot Glass | CECSG6000 |
| Sorbet | CECSB6000 |
| Water (Footed Style) | CECWF6000 |
| Water (Tumbler Style) | CECWT6000 |
| White Wine | CECWW6000 |
| Wine | CECWI6000 |
| Port | CECPO6000 |
| | CECBL6000 Blank Clip |

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CECGO6000, CECJU6000, CECMG6000, CECMT6000, CECOF6000, CECRW6000, CECWW6000, CECBE6000, CECCF6000, CECBL6000**

(Available in English Only)

# CAMDOLLIES®

- Use to easily transport multiple products in house and/or off site.
- Reduce employee lifting and carrying, reducing possible injury.
- Made of extremely durable plastic that will not dent, crack, rust or corrode.
- Heavy-duty casters maneuver easily over all types of terrain.
- For heavy transport needs, select models with handles and rear Big Wheels.

**Colors:** Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).
**CDR2020, CDR2020H Color:** Soft Gray (151).

**Caster Type**
**A:** 12,7 cm Casters: 2 fixed, 2 swivel, 1 with brake.
**B:** 7,6 cm Casters: 4 swivel, no brakes.
**C:** 25,4 cm Rear Big Wheels, 2 front 12,7 cm swivel casters, 1 with brake.
**D:** 8,9 cm Casters: 4 swivel, no brakes.

**Available Parcel Carrier Delivery:** CDR2020, CDR2020H, CD2020, CD1420, CD2028, CD1313, CD1327, CD100, CD160, CD200, CD300, CD400, CD1826PDB, 2030UT & 400STP.

**Camdollies Case Pack:** 1

*CDR2020H Not NSF Listed.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CDR2020, CDR2020H:** (151)

## For Dish Racks

**EXTERNAL DIM.** W x D x H 54,5 x 53 x 18,7 cm
**INTERIOR DIM.** W x D 53 x 53 cm

| 159 kg CAPACITY | D CASTER TYPE |
|---|---|



CDR2020



**EXTERNAL DIM.** W x D x H 53 x 64,1 x 92,7 cm
**INTERIOR DIM.** W x D 53 x 53 cm

| 159 kg CAPACITY | D CASTER TYPE |
|---|---|





CDR2020H*
With powder coated handle.

## For 46 x 66 cm Trays and Sheet Pans

**EXTERNAL DIM.** W x D x H 50,8 x 80 x 97,2 cm
**INTERIOR DIM.** W x D 46 x 66 cm
**Holds:** UPC101

| 136 kg CAPACITY | A CASTER TYPE |
|---|---|





CD1826H

**EXTERNAL DIM.** W x D x H 57 x 57 x 21 cm
**INTERIOR DIM.** W x D 51,1 x 51,1 cm
**Also Holds:** 500LCD, 350LCD, 250LCD, 1000LCD, UC1000

| 136 kg CAPACITY | B CASTER TYPE |
|---|---|





CD2020

**EXTERNAL DIM.** W x D x H 59,7 x 82,6 x 93 cm
**INTERIOR DIM.** W x D 47 x 66 cm
**Holds:** UPC101

| 136 kg CAPACITY | C CASTER TYPE |
|---|---|





CD1826HB

**EXTERNAL DIM.** W x D x H 56,5 x 65,7 x 93,7 cm
**INTERIOR DIM.** W x D 51,5 x 51,5 cm
**Also Holds:** 250LCD, 350LCD, 500LCD, 1000LCD

| 159 kg CAPACITY | B CASTER TYPE |
|---|---|





CD2020H

## For Pizza Dough Boxes

Also See Pizza Dough Boxes page 167

**EXTERNAL DIM.** W x D x H 50,5 x 71 x 26 cm
**INTERIOR DIM.** W x D 44,5 x 64,5 cm
**Holds:** DB18263CW, DB18266CW, DB18263P

| 136 kg CAPACITY | A CASTER TYPE |
|---|---|



CD1826PDB
Optional strap available.

**EXTERNAL DIM.** W x D x H 66,7 x 67,3 x 93 cm
**INTERIOR DIM.** W x D 52 x 52,5 cm
**Also Holds:** 250LCD, 350LCD, 500LCD

| 159 kg CAPACITY | C CASTER TYPE |
|---|---|





CD2020HB

# CAMDOLLIES®

## For Camcarriers® and Camtainers®

**EXTERNAL DIM.** W x D x H 50 x 73 x 27 cm
**INTERIOR DIM.** W x D 44 x 66,5 cm
**Holds:** 100MPC, UPC100, UC250, UC500, 250LCD, 350LCD, 500LCD.

| 136 kg CAPACITY | A CASTER TYPE |
|---|---|


CD100



**EXTERNAL DIM.** W x D x H 50 x 84 x 92 cm
**INTERIOR DIM.** W x D 45 x 67,5 cm
**Holds:** 100MPC, UC250, UC500, 250LCD, 350LCD, 500LCD.

| 159 kg CAPACITY | A CASTER TYPE |
|---|---|


CD100H



**EXTERNAL DIM.** W x D x H 60 x 83,5 x 93 cm
**INTERIOR DIM.** W x D 44,5 x 68 cm
**Holds:** 100MPC, UPC100, UC250, UC500, 250LCD, 350LCD, 500LCD.

| 159 kg CAPACITY | C CASTER TYPE |
|---|---|


CD100HB



**EXTERNAL DIM.** W x D x H 42 x 62 x 26,5 cm
**INTERIOR DIM.** W x D 36 x 56 cm
**Holds:** UPC140, UPC160, UPC180, UPCS140, UPCS160, UPCS180, UPCSS160.

| 136 kg CAPACITY | A CASTER TYPE |
|---|---|


CD160



**EXTERNAL DIM.** W x D x H 49 x 65 x 26,5 cm
**INTERIOR DIM.** W x D 43 x 59 cm
**Holds:** 300MPC, 1318MTC, UC1000, 1000LCD, UPC300, 1318CC.

| 159 kg CAPACITY | A CASTER TYPE |
|---|---|


CD300



**EXTERNAL DIM.** W x D x H 61 x 89,5 x 93 cm
**INTERIOR DIM.** W x D 56 x 72,5 cm
**Holds:** 1826MTC.

| 159 kg CAPACITY | A CASTER TYPE |
|---|---|


CD1826MTC



**EXTERNAL DIM.** W x D x H 70 x 88,5 x 93,5 cm
**INTERIOR DIM.** W x D 55,5 x 72,5 cm
**Holds:** 1826MTC.

| 159 kg CAPACITY | C CASTER TYPE |
|---|---|


CD1826MTCHB



**EXTERNAL DIM.** W x D x H 48,5 x 76,5 x 92 cm
**INTERIOR DIM.** W x D 43 x 59 cm
**Holds:** 300MPC, 1318MTC, UC1000, 1000LCD, UPC300, 1318CC.

| 159 kg CAPACITY | A CASTER TYPE |
|---|---|


CD300H



**EXTERNAL DIM.** W x D x H 60 x 76 x 92 cm
**INTERIOR DIM.** W x D 44 x 60 cm
**Holds:** 300MPC, 1318MTC, UC1000, 1000LCD, UPC300, 1318CC.

| 159 kg CAPACITY | C CASTER TYPE |
|---|---|


CD300HB



**EXTERNAL DIM.** W x D x H 53 x 70 x 23 cm
**INTERIOR DIM.** W x D 46 x 63,5 cm
**Holds:** UPC400, UPCS400, UPCH400.

| 136 kg CAPACITY | A CASTER TYPE |
|---|---|


Shown with Optional Strap.



**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CD300:** (401)
**CD400:** (110), (401)

# CAMDOLLIES®

## for Milk Crates and #10 Can Cases

| | |
|---|---|
| **EXTERNAL DIM.** W x D x H | 41,28 x 55,25 x 21,11 cm |
| **INTERIOR DIM.** W x D | 35,24 x 49,05 cm |

**Holds:** 35,6 x 48,3 cm Milk Crates and #10 Can Cases

| 159 kg CAPACITY | B CASTER TYPE |
|---|---|



CD1420




| | |
|---|---|
| **EXTERNAL DIM.** W x D x H | 56,6 x 77 x 21 cm |
| **INTERIOR DIM.** W x D | 49,5 x 71 cm |

**Holds:** 35,6 x 48,3 cm Milk Crates, #10 Can Cases and UPC101, UPC400, 100MPC, UPC100, UPC300

| 159 kg CAPACITY | B CASTER TYPE |
|---|---|



CD2028



| | |
|---|---|
| **EXTERNAL DIM.** W x D x H | 41 x 41 x 21 cm |
| **INTERIOR DIM.** W x D | 35 x 35 cm |

**Holds:** 30 x 30 cm Milk Crates

| 114 kg CAPACITY | B CASTER TYPE |
|---|---|



CD1313



| | |
|---|---|
| **EXTERNAL DIM.** W x D x H | 40,6 x 73,7 x 21 cm |
| **INTERIOR DIM.** W x D | 34,6 x 67,6 cm |

**Holds:** 30 x 30 cm Milk Crates and #10 Can Cases

| 136 kg CAPACITY | B CASTER TYPE |
|---|---|



CD1327



# UTILITY TRUCKS

- Use for transporting loads up to 272 kg.
- Large platforms for convenient loading and built-in handles for easy maneuvering.
- All models feature 12,7 cm heavy-duty casters bolted into molded-in metal backing plates.

**Colors:** Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).

**Casters:** 12,7 cm, 2 fixed, 2 swivel, 1 with brake.

**Utility Trucks Case Pack:** 1

| | |
|---|---|
| **EXTERNAL DIM.** W x D x H | 50 x 81,5 x 98 cm |
| **LOAD PLATFORM** | 50 x 75 cm |

| 272 kg CAPACITY |
|---|



2030UT
With chrome handle.

| | |
|---|---|
| **EXTERNAL DIM.** W x D x H | 63,2 x 106 x 93,3 cm |
| **LOAD PLATFORM** | 60 x 90,5 cm |

| 272 kg CAPACITY |
|---|



2436UTH

| | |
|---|---|
| **EXTERNAL DIM.** W x D x H | 63,2 x 106 x 93,3 cm |
| **LOAD PLATFORM** | 60 x 90,5 cm |

| 272 kg CAPACITY |
|---|



2436UTHS
Includes two straps.
UTHSTP

## Camdolly® Strap for CD400 and CD1826PDB Camdollies

| CODE | DESCRIPTION | EXTERNAL DIM. |
|---|---|---|
| 400STP | Strap | 381 cm long |

**Case Pack:** 1







# TRAY & DISH CARTS / TRAY & SILVERWARE CART

## Tray & Dish Cart

- Open storage compartment holds a wide variety of plates and trays.
- Use with or without detachable cutlery rack. Cutlery rack includes 12 each flatware cylinders.
- Made of easy-to-clean polyethylene that won't rust, peel or corrode.
- Molded-in handles and heavy-duty swivel casters ease maneuvering.

**Colors:** Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Gray (191), Granite Green (192), Black (110).

**15,2 cm Casters:** All swivel, 2 with brake.

**Maximum load capacity:** 227 kg.

Vinyl cover included. Not NSF listed.



TDCR12

| CODE | DESCRIPTION | EXTERIOR DIM. L x W x H |
|---|---|---|
| TDCR12 | Cart & rack combination | 97 x 58 x 105 cm |
| TDC2029* | Cart only | 97 x 56,5 x 87 |
| CR12 | Cutlery rack only | 84 x 58 x 23 |
| FWC56 | Flatware cylinder | **W** 11,4 x **H** 14 |

**Case Pack:** 1 **FWC56 Case Pack:** 12
*TDC2029 is not available in Black (110).

## Adjustable Tray & Dish Cart

- Use to store a wide variety of plates and trays.
- Move two adjustable dividers into position easily to secure trays and plates.
- Made of durable polyethylene that cushions plates and trays to prevent chipping.
- Easy to clean and won't dent, rust, chip or break.

**Colors:** Black (110), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Grey (191), Granite Green (192).

**15,2 cm Casters:** All swivel, 2 with brake.

**Maximum load capacity:** 227 kg.

Vinyl cover included. Not NSF listed.



TDC30

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**TDC30:** (191)

| CODE | DESCRIPTION | EXTERIOR DIMENSIONS L x W x H | NUMBER OF DIVIDERS | PLATES PER COLUMN | TRAYS PER COLUMN |
|---|---|---|---|---|---|
| TDC30 | Adjustable cart | 59 x 99 x 88 cm | 2 | Approximately 45-60 | 80 Trays: 36 x 46 cm |

**Case Pack:** 1

## Tray & Silverware Cart

- Use to neatly organize trays and accessories for self-service.
- Includes 4 each 1/3 size and 4 each 1/6 size, 10 cm deep, clear Camwear® food pans to hold flatware, napkins and non-perishable condiments. 1/3 size, 10 cm deep holds 100 knives, 100 spoons or 80 forks.

**Colors:** Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Gray (191), Granite Green (192), Black (110).

**15,2 cm Casters:** All swivel, 2 with brake.

**Maximum load capacity:** 227 kg.

Vinyl cover included. Not NSF listed.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**TC1418:** (401)



TC1418

| CODE | DESCRIPTION | EXTERIOR DIM. L x W x H | MAXIMUM TRAY SIZE | TRAY CAPACITY |
|---|---|---|---|---|
| TC1418 | Cart w/pans | 82 x 54 x 116 cm | 36 x 46 cm | 180-200 in two stacks |

**Case Pack:** 1

# COMPACT ADJUSTABLE DISH CADDY R-SERIES



## Securely Store & Transport Round Dishes From 11,7 to 33 cm†


† Note: Cannot be used to store square, rectangular or oval plates.



## Storage Capacities

Unit holds between 45 & 60 dishes per stack, based on dish size

### Compared to the Cambro ADC33 Model






**Adjustable Towers**
can accommodate almost any configuration, keeping your dishware secure during transport.

| CODE | DESCRIPTION | PLATE SIZE | DIMENSIONS W x D x H | UNIT WEIGHT |
|---|---|---|---|---|
| ADCRC | Adjustable Dish Caddy R-Series, 4 Towers | 24 cm - 33 cm | 76 x 76 x 84 cm | 27 kg |
| ADCRC8PKG* | Adjustable Dish Caddy R-Series, 8 Towers | 15,24 - 23,5 | — | 31,3 |
| ADCRC12PKG** | Adjustable Dish Caddy R-Series, 12 Towers | 11,75 – 14,6 | — | 35,6 |
| ADCRCT1 | Tower - 1 | — | 8 x 14 x 50 | 1,07 |
| ADCRCT4 | Towers - 4 Each | — | — | 4,31 |

**Case Pack:** 1 **Colors:** Black (110), Slate Blue (401), Dark Brown (131) * Ships in 2 separate cartons. ** Ships in 3 separate cartons.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ADCRC, ADCRC8PKG, ADCRC12PKG:** (401)
**ADCRCT4:** (110), (401)

# COMPACT ADJUSTABLE DISH CADDY S-SERIES

- Space saving design holds dishes of various sizes without compromising capacity.
- Lightweight, easy to maneuver and access from all four sides.

**Color:** Speckled Gray (480).

**12,7 cm Casters:** 2 rigid, 2 swivel with brake.

**Note:** Cannot be used to store square, rectangular or oval plates.

Compact Adjustable Dish Caddy is covered by U.S. Patent 10,321,778 B2. CamLever™ Tower is covered by U.S. Patent D844, 928 S and D852,450 S.

Vinyl cover included. Not NSF listed.



**Holds plates and bowls from 11,7 to 30,5 cm**

Column storage height - 52,1 cm.

Maximum load capacity: 227 kg.



Conveniently move and secure CamLever Towers from the top.

Molded-in handles on 4 sides.



Single molded body made of heavy-duty, durable polyethylene won't rust, crack, dent or chip.

Holds 11,7-30,5 cm round plates/bowls only.


Smooth surface with rounded corners is easy to keep clean.



Includes protective storage cover with 7,6 x 12,7 cm inventory and/or event identification top pocket.

## Gain 30% More Floor Space

Compact Adjustable Dish Caddy compared to Standard Adjustable Dish Caddy S-Series.




## CamLever Tower

**ADCSCT4**

**DESCRIPTION:**
CamLever Tower - 4 Each

**OVERALL DIMENSIONS** W x D x H:
6,7 x 11,1 x 59,7 cm

**Case Pack:** 4



Conveniently install additional CamLever Towers to convert the ADCSC to an ADCSC8PKG (8-tower) or an ADCSC12PKG (12-tower) model, holding new dish sizes.

# COMPACT ADJUSTABLE DISH CADDY S-SERIES





**ADCSC**

**DESCRIPTION:**
Adjustable Dish Caddy, 4 Towers

**PLATE SIZE RANGE** (ROUNDS):
22,9-30,5 cm

**OVERALL DIMENSIONS** W x D x H:
68,6 x 68,6 x 80,7 cm

**Case Pack:** 1 Ships in 1 box.



**ADCSC8PKG**

**DESCRIPTION:**
Adjustable Dish Caddy, 8 Towers

**PLATE SIZE RANGE** (ROUNDS):
14,6-22,2 cm

**OVERALL DIMENSIONS** W x D x H:
68,6 x 68,6 x 80,7 cm

**Case Pack:** 1 Ships in 2 boxes.



**ADCSC12PKG**

**DESCRIPTION:**
Adjustable Dish Caddy, 12 Towers

**PLATE SIZE RANGE** (ROUNDS):
11,7-14 cm

**OVERALL DIMENSIONS** W x D x H:
68,6 x 68,6 x 80,7 cm

**Case Pack:** 1 Ships in 3 boxes.

**Model: ADCSC, 4 Towers**




Plate sizes:
23,5 to 30,5 cm diam.
Stacks of Plates: 4
Total Capacity: 280




Plate sizes:
22,9 cm diam.
Stacks of Plates: 5
Total Capacity: 350

**Model: ADCSC8PKG, 8 Towers**




Plate sizes:
19,7 to 22,2 cm diam.
Stacks of Plates: 5
Total Capacity: 350




Plate sizes:
14,6 to 19,1 cm diam.
Stacks of Plates: 8
Total Capacity: 560

**Model: ADCSC12PKG, 12 Towers**




Plate sizes:
11,7 cm diam.
Stacks of Plates: 16
Total Capacity: 1,120




Plate sizes:
12,1 to 13,3 cm diam.
Stacks of Plates: 13
Total Capacity: 910




Plate sizes:
14 cm diam.
Stacks of Plates: 13
Total Capacity: 910

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ADCSC, ADCSC8PKG, ADCSC12PKG, ADCSCT4:** (480)

# STANDARD ADJUSTABLE DISH CADDY S-SERIES

- Store one size dish or a combination of different sizes in a single caddy.
- Features easy-to-adjust column towers.

**Colors:** Black (110), Slate Blue (401), Speckled Grey (480), Dark Brown (131).

**Casters:** Two 12,7 cm, swivel with brakes and two 25,4 cm easy wheels.

Vinyl cover included. Not NSF listed.



**Holds plates and bowls from 11,7 to 33 cm**

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ADCS:** (110), (401), (480)

### Single Size Plate Storage




Plate sizes: ø 23,5 cm to 33 cm
4 Columns (60 each)
Total Capacity: 240




Plate sizes: ø 18,42 cm to 23,5 cm
6 Columns (60 each)
Total Capacity: 360





Plate sizes: ø 13,79 cm to 18,42 cm
6 Columns (45 each)
Total Capacity: 270




Plate sizes: 11,75 to 13,34 cm
10 columns: (45 each)
Total Capacity: 450


### Mixed Size Plate Storage



2 Columns: ø 23,5 cm to 33 cm (60 each)
5 Columns: ø 11,75 to 13,34 cm (45 each)
Total Capacity: 345



3 Columns: ø 18,42 cm to 23,5 cm (60 each)
5 Columns: ø 11,75 to 13,34 cm (45 each)
Total Capacity: 405



2 Columns: ø 18,42 cm to 23,5 cm (60 each)
2 Columns: ø 14,6 cm to 18,42 cm (45 each)
4 Columns: ø 11,75 to 13,34 cm (45 each)
Total Capacity: 390

**MAXIMUM LOAD CAPACITY**
227 kg.

**STABLE & SECURE**
1,27 cm rod from top to bottom of divider.

**EASY TO MANEUVER**
Ergonomic molded-in handles on both ends.


**HOLDING CAPACITY**
49,5 cm storage columns hold 45-60 plates per stack.

**EXTREMELY DURABLE**
Heavy duty polyethylene construction protects china from chipping. Won't chip, crack or rust.

**REAR WHEELS**
25,4 cm non-marking Easy Wheels.

**TOWERS**
Adjust from the bottom.

**FRONT CASTERS**
12,7 cm swivel with brake.





Vinyl cover included with every dolly for sanitary storage.

| CODE | ADCS |
|---|---|
| NUMBER OF TOWERS | 6 |
| PLATES PER COLUMN | Approximately 45-60 |
| OVERALL DIMENSIONS W x L x H | 73 x 96 x 81 cm |

**Case Pack:** 1 Plate size range from 11,7 to 33 cm.

# ADC33 ADJUSTABLE DISH CADDY

- Unlimited versatility with fully adjustable tower dividers.
- Safely store plates, bowls, platters and trays of assorted shapes and sizes.
- Ergonomic, durable and easy to maneuver.

**Colors:** Dark Brown (131), Slate Blue (401).

**15 cm Casters:** 4 swivel with brake and 1 center rigid.

Sanitary vinyl cover included. Cover not NSF listed.

NSF BPA FREE

**ADC33 is not available from City of Industry, California U.S.A.**



**Holds dinnerware from 11 to 33 cm**

| CODE | ADC33 |
|---|---|
| NUMBER OF DIVIDERS | 6 |
| PLATES PER COLUMN | Approximately 45-60 |
| OVERALL DIMENSIONS W x L x H | 76,2 x 98,43 x 90,17 cm |

**Case Pack:** 1


Ergonomic handles built flush into either side wall make the ADC33 compact and comfortable to handle.




ADC33

15,24 cm swivel casters with brakes at each corner.


Rigid caster in center of the unit makes maneuvering a breeze, even when fully loaded.




**6 Dividers:**
4 stacks (11-33 cm) Rounds




**6 Dividers:**
4 stacks (11-33 cm) Rounds + 1 stack (17.5-30 cm) Rounds




**6 Dividers:**
6 stacks (20,3-29,2 x 12,7-21,9 cm) Ovals




**4 Dividers:**
4 stacks (25-28,8 cm) Squares




**6 Dividers:**
5 stacks (24-27,9 cm) Squares




**12 Dividers:**
6 stacks (15,2-20,3 cm) Squares or Rounds




**4 Dividers:**
1 stack (35-73,6 cm) long x up to (59,9 cm) wide Oval trays




**6 Dividers:**
4 stacks Ovals (29,2 x 21,9 cm); 1 stack 40,6 cm Round Tray




**8 Dividers:**
6 stacks (20,3 cm) Medium Squares



**6 Dividers:**
2 stacks (33,7 cm) Large Rounds, 1 stack (25,4 cm) Medium Squares, 1 stack (29,2 cm) Large Squares, 1 stack (29,2 x 21,9 cm) Medium Ovals



**6 Dividers:**
5 stacks (29,2 x 21,9 cm) Ovals



**6 Dividers:**
4 stacks Custom Plates

# POKER CHIP "FIXED" NON ADJUSTABLE DISH CADDIES

- Dividers are molded into the body in a standard poker chip design.
- Made of durable polyethylene that protects plates from chipping.
- Rear big wheels and front swivel casters provide smooth maneuvering.
- Open access from two sides for easy loading and unloading.
- Molded-in handles on both ends for easy transporting.

**Standard Caddy Colors:** Black (110), Slate Blue (401),Dark Brown (131), Granite Gray (191).
**Versa Caddy Colors:** Black (110), Dark Brown (131), Speckled Gray (480).

**Casters:** 12,7 cm swivel with brakes and two25,4 cm Easy Wheels.

**Loading Capacity:** 227 kg.

Vinyl cover included. Not NSF listed.

DCS950 is covered by U.S. Patent D 603,120 S. DCS1125 is covered by U.S. Patent D 625,894.




## Standard Dish Caddies



**DC575**
**PLATE SIZE RANGE** (ROUNDS): 14,6 cm
**STACKS PER CADDY:** 6
**PLATES PER STACK:** 45-60
**OVERALL DIMENSIONS** W x L x H: 83 x 60 x 81 cm
**Case Pack:** 1



**DC700**
**PLATE SIZE RANGE** (ROUNDS): 14,9-17,8 cm
**STACKS PER CADDY:** 6
**PLATES PER STACK:** 45-60
**OVERALL DIMENSIONS** W x L x H: 83 x 60 x 81 cm
**Case Pack:** 1



**DC825**
**PLATE SIZE RANGE** (ROUNDS): 18,1-21 cm
**STACKS PER CADDY:** 4
**PLATES PER STACK:** 45-60
**OVERALL DIMENSIONS** W x L x H: 73 x 60,5 x 81,5 cm
**Case Pack:** 1



**DC1225**
**PLATE SIZE RANGE** (ROUNDS): 28,9-31,1 cm
**STACKS PER CADDY:** 4
**PLATES PER STACK:** 45-60
**OVERALL DIMENSIONS** W x L x H: 83 x 70 x 81,5 cm
**Case Pack:** 1

## Versa Dish Caddies



**DCS950**
**PLATE SIZE RANGE** (ROUNDS): 21,3-24,1 cm
**PLATE SIZE RANGE** (SQUARES): 18,4-20,5 cm
**STACKS PER CADDY:** 5
**PLATES PER STACK:** 45-60
**OVERALL DIMENSIONS** W x L x H: 69 x 78 x 81 cm
**Case Pack:** 1



**DCS1125**
**PLATE SIZE RANGE** (ROUNDS): 24,4-28,6 cm
**PLATE SIZE RANGE** (SQUARES): 21,3-24,1 cm
**STACKS PER CADDY:** 4
**PLATES PER STACK:** 45-60
**OVERALL DIMENSIONS** W x L x H: 69 x 78 x 81 cm
**Case Pack:** 1

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**DCS950, DCS1125:** (480)



# CAMBOX® BUSSING BOXES

## Regal (ABS)







| CODE | 1120CBR | 1520CBR |
|---|---|---|
| DESCRIPTION | Four compartment cutlery box | Cambox |
| DIM. W x L x H | 28,9 x 52 x 9,5 cm | 38,9 x 50,6 x 12,5 cm |

**Case Pack:** 12 **Colors:** Black (110), Dark Brown (131).







| CODE | 21155CBR | 21157CBR | 1722CBR |
|---|---|---|---|
| DESCRIPTION | Cambox | Cambox | Cambox |
| DIM. W x L x H | 38,7 x 51,4 x 12,5 cm (incl. handle) | 38,6 x 51,2 x 17,6 cm | 42,9 x 55,6 x 12,1 cm |
| COVER | 2115CBCR | 2115CBCR | 1722CBCP |

**Case Pack:** 12 **Colors:** Black (110), Dark Brown (131).

## Polyethylene









| CODE | 415CBP | 912CBP | 1120CBP | 1520CBP & 1520CBPF* |
|---|---|---|---|---|
| DESCRIPTION | Cutlery Box | Utility Box | Four compartment cutlery box | Cambox |
| DIM. W x L x H | 11,3 x 36 x 10,3 cm | 23 x 30,6 x 13 cm | 28,9 x 52 x 9,5 cm | 38,9 x 50,6 x 12,5 cm |
| COVER | — | — | — | 1520CBCP |

**Case Pack:** 12 **Colors:** Black (110), Dark Brown (131), Light Grey (180). *1520CBPF is identical to our current 1520CBP except the internal surface is flat.









| CODE | 1621CBP | 21155CBP | 21157CBP | 1722CBP |
|---|---|---|---|---|
| DESCRIPTION | Cambox | Cambox | Cambox | Cambox |
| DIM. W x L x H | 39,7 x 52 x 12,4 cm | 38,7 x 51,4 x 12,5 cm (incl. handle) | 38,6 x 51,2 x 17,6 cm | 42,9 x 55,6 x 12,1 cm |
| COVER | — | 2115CBCP | 2115CBCP | 1722CBCP |

**Case Pack:** 12 **Colors:** Black (110), Dark Brown (131), Light Grey (180).

## Box Covers









| CODE | 1520CBCP | 1722CBCP | 2115CBCP | 2115CBCR |
|---|---|---|---|---|
| FITS | 1520CBP | 1722CBR, 1722CBP | 21155CBP, 21157CBP | 21155CBR, 21157CBR |
| DIM. W x L | 40,6 x 52 cm | 44 x 56,8 cm | 39,4 x 52 cm | 39,4 x 52 cm |

**Case Pack:** 12 **Color:** White (148).

BPA FREE

# SERVICE CART PRO

A complete line of small, medium, and large service carts, designed to elevate operational efficiency in any type of foodservice operation. Sturdy, strong and durable with a sleek, modern look that rolls easily between front and back of the house.

- Three durable shelves feature raised ridges to protect surface against heat. Shelf surfaces are lightly textured (top only), stain resistant and easy to clean.
- Two molded-in ergonomic handles on each end of the cart are recessed, flush to the body, to save space.
- Middle and bottom shelves have a 2 cm raised edge on one side to help keep items in place.
- Choose 4 swivel when maneuvering in and out of tight spaces is needed.

**Colors:** Black (110), Dark Brown (131), Charcoal Gray (615).

Service Cart PRO and Quick Connect Bins are covered by US Patents D882,203 S, D883,755 S, and D885,003 S.



SC330

**EXTRA STABILITY**
3,8 cm raised rail on top shelf; 2 cm rail on one side of lower shelves to secure contents.

**SPACE MAXIMIZER**
Molded-in handles for compact storage, shielded from damage.



**MORE OPTIONS**
Quick Connect Bins for trash, dirty utensils or extra storage fit securely below handles.

**EXTRA TOUGH & SUSTAINABLE**
Built for heavy-duty use; resists chips, dents, rust, and stains.



**SMOOTH, QUIET MANEUVERING**
Heavy-duty, non-marking plate casters. Choose from 2 configurations.

**HOT PAN PROTECTION**
Shelves with raised cooling ribs to withstand hot pans.

**NOTE:** Best to cool metal pans to 121°C before placing on cart.




**PERSONALIZATION**
Contact your Cambro representative for pricing.

# SERVICE CART PRO

**TOTAL WEIGHT CAPACITY**
272 kg

90,7 kg
**PER SHELF**



Top Shelf Dimension (L x D Inside Rails)
82,9 x 50,1 cm

Vertical open space between each shelf is 27,6 cm

**Caster Size:** 15 x 3,8 cm

## Large

| CODE | CASTERS | INTERIOR SHELF DIMENSIONS L x D x H | CART DIMENSIONS L x D x H | UNIT WEIGHT |
|---|---|---|---|---|
| SC337 | 2 Rigid, 2 Swivel with Brake | 87 x 55 x 27,6 cm | 105,4 x 60 x 94,6 cm | 27,4 kg |
| SC337S | 4 Swivel, All with Brake | 87 x 55 x 27,6 cm | 105,4 x 60 x 94,6 cm | 28,2 kg |

**TOTAL WEIGHT CAPACITY**
272 kg

90,7 kg
**PER SHELF**



Top Shelf Dimension (L x D Inside Rails)
72,4 x 45,7 cm

Vertical open space between each shelf is 27,6 cm

**Caster Size:** 15 x 3,8 cm

## Medium

| CODE | CASTERS | INTERIOR SHELF DIMENSIONS L x D x H | CART DIMENSIONS L x D x H | UNIT WEIGHT |
|---|---|---|---|---|
| **Open Sides** | | | | |
| SC230 | 2 Rigid, 2 Swivel with Brake | 77,1 x 53,3 x 27,6 cm | 95,3 x 55,9 x 94,6 cm | 23,6 kg |
| SC230S | 4 Swivel, All with Brake | 77,1 x 53,3 x 27,6 cm | 95,3 x 55,9 x 94,6 cm | 24,4 kg |
| **One Closed Side** | | | | |
| SC330 | 2 Rigid, 2 Swivel with Brake | 77,1 x 50,8 x 27,6 cm | 95,3 x 55,9 x 94,6 cm | 26,7 kg |
| SC330S | 4 Swivel, All with Brake | 77,1 x 50,8 x 27,6 cm | 95,3 x 55,9 x 94,6 cm | 27,6 kg |

**TOTAL WEIGHT CAPACITY**
176,9 kg

59 kg
**PER SHELF**



Top Shelf Dimension (L x D Inside Rails)
60 x 35,6 cm

Vertical open space between each shelf is 27,6 cm

**Caster Size:** 7,6 x 3,2 cm

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**SC337:** (615)
**QCSB, QCTB:** (110)

## Small

| CODE | CASTERS | INTERIOR SHELF DIMENSIONS L x D x H | CART DIMENSIONS L x D x H | UNIT WEIGHT |
|---|---|---|---|---|
| SC225 | 2 Rigid, 2 Swivel with Brake | 65,4 x 41,9 x 27,6 cm | 79,4 x 45,7 x 86,4 cm | 16,3 kg |
| SC225S | 4 Swivel, All with Brake | 65,4 x 41,9 x 27,6 cm | 79,4 x 45,7 x 86,4 cm | 17,1 kg |

**Case Pack:** 1 **Service Pro Cart Colors:** Black (110), Dark Brown (131), Charcoal Gray (615).

## Optional Accessories

| CODE | DESCRIPTION | EXTERIOR DIM. L x W x H |
|---|---|---|
| QCSB | Small Quick Connect Bin | 40,6 x 17,8 x 30,9 cm |
| QCTB | Large Quick Connect Bin | 40,6 x 17,8 x 54 cm |

**Case Pack:** 1 **Colors:** Black (110)



QCTB



QCSB

Optional Quick Connect Bins slide and lock onto molded-in dovetails positioned safely below the handles.

# KD SERVICE CART AND KD UTILITY CART

- Versatile, durable and economically-priced carts.
- Marine rails and lightly-textured polypropylene shelves keep contents in place.
- Aluminum uprights ensure stability.
- Ships “knocked down” to minimize shipping costs.
- Easy to assemble.

**Cart and Shelf Panel Set Colors:** Black (110), Speckled Grey (480).

**Trash Container and Silverware Holder Color:** Black (110).




camguard
ANTIMICROBIAL HANDLES

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**BC331KD, BC340KD, BC340KDP:** (480), (110)
**BC331KDTC, BC331KDSH:** (110)





| CODE | BC340KD | BC331KD |
|---|---|---|
| DESCRIPTION | Large Utility Cart | Small Service Cart |
| CASTER DIA./TYPE | 12,7 cm, 4 swivel, no brake | 10,2 cm, 4 swivel, no brake |
| OVERALL DIM. L x D x H | 101,6 x 54 x 95,25 cm | 83,5 x 41 x 96,5 cm |
| SHELF DIM. L x D x H | 80 x 52 x 29,8 cm | 62 x 40 x 30 cm |
| LOAD CAPACITY | 180 kg | 136 kg |

**Case Pack:** 1



Shown with optional shelf panels on single shelf.

## Optional Accessories







| CODE | BC331KDTC | BC331KDSH | BC340KDP |
|---|---|---|---|
| DESCRIPTION | 30 L Trash container | 9,5 L Silverware holder | Single Shelf Panel Set for KD Large Utility Cart 1 side, 2 ends |
| DIM. W x D x H | 33 x 24 x 56 cm | 33 x 24 x 18,5 cm | 80,3 x 45 x 29,8 cm |

**Case Pack:** 1




When we say Shelving for Life, we mean it. All Camshelving® storage systems are designed to withstand the toughest conditions and the harshest environments. With our lifetime warranty against rust and corrosion, only Cambro offers SHELVING for LIFE™.

Cambro storage and transportation products that support safe food handling.

COMPONENT

Products that meet the NSF International criteria for sanitation and cleanability.

Products that help meet HACCP guidelines.

Certifies products approved by Technischer Überwachungs-Verein. (Technical Inspection Association)

Fit for food products

Dishwasher Safe

Cadmium-free products

Recyclable polypropylene

camguard ANTIMICROBIAL SHELF PLATES

Antimicrobial protection permanently molded into shelf plates to inhibit the growth of mold, fungus and bacteria.

**Camshelving® is covered under the following U.S. Patents:**

**D498,664 S, D508,646 S, D512,867 S, D623,929 S, D624,764 S, D648,582 S, D630,935 S, D648,159 S, D651,433 S, D648,160 S, D697,391 S, D727,715 S, D728,347 S, D728,348 S, D707,994 S, D739,989 S, D663,912 S, D736,488 S, D739,989 S, D760,519 S, D841, 273 S, D828, 145 S, D827, 421 S US 6,981,454B2**

# CAMSHELVING®


SHELVING for LIFE™

## KEY FEATURES OF ALL CAMSHELVING SERIES



### Rust and Corrosion Free

Backed by a lifetime warranty against rust and corrosion. All Camshelving is impervious to harsh chemicals and salt water.




### All Environments


Camshelving is designed to withstand all extreme storage applications and temperatures.

- Coolers
- Freezers
- Dry Storage
- Utility


### Maximized Space Utilization

Shelving units are designed to be interconnected, without compromising weight-bearing capacity, all while maximizing usable storage space.

**Starter Unit**



**Starter + Add-On Unit**



# PREMIUM® series
# ELEMENTS® XTRA series
# BASICS® PLUS series



## Easy to Clean


Camshelving easily wipes clean or shelf plates can go through the dishwasher. Camguard® antimicrobial shelf plates inhibit the growth of harmful bacteria and microbes.




## Easy to Assemble & Adjust

Units ship with preassembled frames to speed up installation. Each shelf can be easily and independently adjusted.


**Corner Unit**
**Starter + Add-On Unit**



**U-Shape Unit**
**Two Starter Units +**
**Intermediate Shelves**



**T-Shape Unit**
**Starter unit + Add-on Unit**



Bottom Shelf
Dunnage Stands

Convert unusable space into continuous, easy-access storage areas with corner connectors. ●
Corner connectors are for use only with shelves 680 – 1280 mm long.

# CAMSHELVING® SERIES BUYERS GUIDE

All Camshelving lines offer a lifetime warranty against rust and corrosion for shelf plates, posts and traverses.








| | **PREMIUM** series | **ELEMENTS XTRA** series | **BASICS PLUS** series |
|---|---|---|---|
| Shelf Depths | 300, 400, 500, 600 mm | 360, 460, 540, 610 mm | 360, 460, 540, 610 mm |
| Shelf Lengths | 680, 780, 880, 980, 1080, 1180, 1280, 1380, 1480, 1580, 1680, 1780 mm | 610, 765, 915, 1070, 1220, 1375, 1525, 1830 mm | 765, 915, 1070, 1220, 1375, 1525mm |
| Post Heights | **Stationary:** 1700, 1800, 2140 mm<br><br>**Mobile:** 1790 mm (includes casters) | **Stationary:** 765, 915, 1070, 1220 mm<br><br>**Mobile:** 1778, 1980 mm (includes casters) | **Stationary:** 1630, 1830, 2140 mm |
| Weight-Bearing Capacity<br><br>Premium (based on 680 - 1280 mm length)<br>Elements XTRA (based on 610 - 1220 mm length)<br>Basics Plus (based on 765 - 1220 mm length) | **Stationary Unit:** 200 kg per shelf, 800 kg per unit.<br><br>**Mobile Unit:** 340 kg per unit.<br><br>**Corner Unit:** 180 kg per shelf, 810 kg per unit. (2 dunnage stands required) | **Stationary Unit:** 365 kg per shelf, 1090 kg per unit.<br><br>**Mobile Unit:** 340 kg per unit.<br><br>**Corner Unit:** 365 kg per shelf, 1090 kg per unit. (2 dunnage stands required) | **Stationary Unit:** 190 kg per shelf, 800 kg per unit.<br><br>**Corner Unit:** 130 kg per shelf, 590 kg per unit. (2 dunnage stands required) |
| Shelf Plates | Interchangeable with Elements XTRA Series. Features Camguard® antimicrobial. | Interchangeable with Premium Series. Features Camguard antimicrobial. | Not interchangeable with Premium or Elements XTRA Series. Features Camguard antimicrobial. |
| Mobility | Available in Mobile and High Density Storage System. | Available in Mobile and High Density Storage System. | Not available. |
| Assembly | Quickest and easiest to assemble due to molded-in dovetails. | Simple to assemble. Contains separate dovetails that must be attached to the post. | Simple to assemble. Contains separate dovetails that must be attached to the post. |
| **ACCESSORIES** | | | |
| Bottom Shelf Dunnage Stand | ✔ | ✔ | ✔ |
| Shelf Rails | ✔ | ✔ | ✔ |
| Vertical Drying and Storage Cradle (Trays / Cutting Boards / Lids) | ✔ | ✔ | ✔ |
| Dome Drying and Storage Cradle | ✔ | ✔ | ✔ |
| Angled Drying and Storage Cradle | ✔ | ✔ | ✔ |
| Ultimate #10 Can Rack | ✔ | ✔ | |
| Shelf Divider Panel | ✔ | ✔ | ✔ |
| Shelf Divider Bar (for Food Pans or Food Boxes) | ✔ | ✔ | |
| Single Shelf Sheet Pan/Tray Rack | ✔ | ✔ | ✔ |
| Single Shelf Security Cage | ✔ | ✔ | ✔ |
| Full Wrap Security Cage | ✔ | | |

NSF COMPONENT

# FREE CAMSHELVING® DESIGN SERVICE







Take the guesswork out of creating your perfect shelving layout. Let our expert shelving consultants prepare a free layout that optimizes your space to create the most storage options.

## Here's what you'll get:

- 2D Floor Plan
- 3D Floor Plan
- Itemized product list by room/area
- All within 48 business-day hours

## It's Simple! To Get Started, Please Provide:

- Project Name
- Storage Room Type (freezer / cooler)
- Room(s) Dimensions (L x W x H)
- Doorway / Entryway Location & Dimension
- Obstructions (condenser / pipes)
- Additional Preferences / Requirements





SCAN ME

Request a Free
3D Shelving Layout


# CAMSHELVING® SERIES OVERALL LENGTH – QUICK REFERENCE GUIDE


**Straight Unit:** Starter Unit + Add-On Unit with Shared Posts









**Corner Unit:** Starter Unit + Add-On Unit with Corner Connectors




**U-Shape Unit:** Two Starter Units + Intermediate Shelves with Corner Connectors



## **Straight Unit:** Starter Unit + Add-On Unit with Shared Posts

**PREMIUM SERIES**

| STARTER & ADD-ON UNIT | STARTER UNIT ACTUAL LENGTH | | ADD-ON UNIT ACTUAL LENGTH | | OVERALL LENGTH |
|---|---|---|---|---|---|
| 600 mm | 680 mm | + | 635 mm | = | **1315 mm** |
| 700 | 780 | + | 735 | = | **1515** |
| 800 | 880 | + | 835 | = | **1715** |
| 900 | 980 | + | 935 | = | **1915** |
| 1000 | 1080 | + | 1035 | = | **2115** |
| 1100 | 1180 | + | 1135 | = | **2315** |
| 1200 | 1280 | + | 1235 | = | **2515** |
| 1300 | 1380 | + | 1335 | = | **2715** |
| 1400 | 1480 | + | 1435 | = | **2915** |
| 1500 | 1580 | + | 1535 | = | **3115** |
| 1600 | 1680 | + | 1635 | = | **3315** |
| 1700 | 1780 | + | 1735 | = | **3515** |

**ELEMENTS XTRA® SERIES**

| STARTER UNIT ACTUAL LENGTH | | ADD-ON UNIT ACTUAL LENGTH | | OVERALL LENGTH |
|---|---|---|---|---|
| 610 mm | + | 559 mm | = | **1169 mm** |
| 765 | + | 712 | = | **1477** |
| 915 | + | 864 | = | **1779** |
| 1070 | + | 1016 | = | **2086** |
| 1220 | + | 1169 | = | **2389** |
| 1375 | + | 1321 | = | **2696** |
| 1525 | + | 1474 | = | **2999** |
| 1830 | + | 1778 | = | **3608** |

**BASICS PLUS SERIES**

| STARTER UNIT ACTUAL LENGTH | | ADD-ON UNIT ACTUAL LENGTH | | OVERALL LENGTH |
|---|---|---|---|---|
| 765 mm | + | 718 mm | = | **1483 mm** |
| 915 | + | 870 | = | **1785** |
| 1070 | + | 1023 | = | **2093** |
| 1220 | + | 1175 | = | **2395** |
| 1375 | + | 1328 | = | **2703** |
| 1525 | + | 1480 | = | **3005** |
| 1830 | + | 1785 | = | **3615** |

## **Corner Unit:** Starter Unit + Add-On Unit with Corner Connectors

**PREMIUM SERIES**

| ADD-ON UNIT | ADD-ON UNIT ACTUAL LENGTH | | STARTER UNIT DEPTH | | OVERALL LENGTH |
|---|---|---|---|---|---|
| 600 mm | 655 mm | + | 400 mm | = | **1035 mm** |
| 700 | 755 | + | 400 | = | **1135** |
| 800 | 855 | + | 400 | = | **1235** |
| 900 | 955 | + | 400 | = | **1335** |
| 1000 | 1055 | + | 400 | = | **1435** |
| 1100 | 1155 | + | 400 | = | **1535** |
| 1200 | 1255 | + | 400 | = | **1635** |

**ELEMENTS XTRA / BASICS PLUS SERIES**

| | | | | | |
|---|---|---|---|---|---|
| 610 | 585 | + | *458 | = | **1045** |
| 765 | 737 | + | 458 | = | **1200** |
| 915 | 889 | + | 458 | = | **1350** |
| 1070 | 1042 | + | 458 | = | **1505** |
| 1220 | 1194 | + | 458 | = | **1655** |

**PREMIUM SERIES**

| ADD-ON UNIT ACTUAL LENGTH | | STARTER UNIT DEPTH | | OVERALL LENGTH |
|---|---|---|---|---|
| 655 mm | + | 500 mm | = | **1155 mm** |
| 755 | + | 500 | = | **1255** |
| 855 | + | 500 | = | **1355** |
| 955 | + | 500 | = | **1455** |
| 1055 | + | 500 | = | **1555** |
| 1155 | + | 500 | = | **1655** |
| 1255 | + | 500 | = | **1755** |

**ELEMENTS XTRA / BASICS PLUS SERIES**

| | | | | |
|---|---|---|---|---|
| 585 | + | *534 | = | **1119** |
| 737 | + | 534 | = | **1271** |
| 889 | + | 534 | = | **1423** |
| 1042 | + | 534 | = | **1576** |
| 1194 | + | 534 | = | **1728** |

**PREMIUM SERIES**

| ADD-ON UNIT ACTUAL LENGTH | | STARTER UNIT DEPTH | | OVERALL LENGTH |
|---|---|---|---|---|
| 655 mm | + | 600 mm | = | **1255 mm** |
| 755 | + | 600 | = | **1355** |
| 855 | + | 600 | = | **1455** |
| 955 | + | 600 | = | **1555** |
| 1055 | + | 600 | = | **1655** |
| 1155 | + | 600 | = | **1755** |
| 1255 | + | 600 | = | **1855** |

**ELEMENTS XTRA / BASICS PLUS SERIES**

| | | | | |
|---|---|---|---|---|
| 585 | + | *610 | = | **1195** |
| 737 | + | 610 | = | **1347** |
| 889 | + | 610 | = | **1499** |
| 1042 | + | 610 | = | **1652** |
| 1194 | + | 610 | = | **1804** |

610 mm unit not available in Camshelving Basics Plus Series. *Actual depth.

## **U-Shape Unit:** Two Starter Units + Intermediate Shelves with Corner Connectors

**PREMIUM SERIES**

| INTERMEDIATE SHELF | INTERMEDIATE SHELF ACTUAL LENGTH | | 400 MM DEPTH STARTER UNIT A+B | | OVERALL LENGTH |
|---|---|---|---|---|---|
| 800 mm | 830 mm | + | 800 mm | = | **1630 mm** |
| 900 | 930 | + | 800 | = | **1730** |
| 1000 | 1030 | + | 800 | = | **1830** |
| 1100 | 1130 | + | 800 | = | **1930** |
| 1200 | 1230 | + | 800 | = | **2030** |

**ELEMENTS XTRA / BASICS PLUS SERIES**

| INTERMEDIATE SHELF | INTERMEDIATE SHELF ACTUAL LENGTH | | 460 MM DEPTH STARTER UNIT A+B | | OVERALL LENGTH |
|---|---|---|---|---|---|
| 915 mm | 864 mm | + | *915 mm | = | **1779 mm** |
| 1070 | 1016 | + | 915 | = | **1931** |
| 1220 | 1169 | + | 915 | = | **2084** |

*Actual depth.

**PREMIUM SERIES**

| INTERMEDIATE SHELF ACTUAL LENGTH | | 500 MM DEPTH STARTER UNIT A+B | | OVERALL LENGTH |
|---|---|---|---|---|
| 830 mm | + | 1000 mm | = | **1830 mm** |
| 930 | + | 1000 | = | **1930** |
| 1030 | + | 1000 | = | **2030** |
| 1130 | + | 1000 | = | **2130** |
| 1230 | + | 1000 | = | **2230** |

**ELEMENTS XTRA / BASICS PLUS SERIES**

| INTERMEDIATE SHELF ACTUAL LENGTH | | 540 MM DEPTH STARTER UNIT A+B | | OVERALL LENGTH |
|---|---|---|---|---|
| 864 mm | + | *1067 mm | = | **1931 mm** |
| 1016 | + | 1067 | = | **2083** |
| 1169 | + | 1067 | = | **2236** |

**PREMIUM SERIES**

| INTERMEDIATE SHELF ACTUAL LENGTH | | 600 MM DEPTH STARTER UNIT A+B | | OVERALL LENGTH |
|---|---|---|---|---|
| 830 mm | + | 1200 mm | = | **2030 mm** |
| 930 | + | 1200 | = | **2130** |
| 1030 | + | 1200 | = | **2230** |
| 1130 | + | 1200 | = | **2330** |
| 1230 | + | 1200 | = | **2430** |

**ELEMENTS XTRA / BASICS PLUS SERIES**

| INTERMEDIATE SHELF ACTUAL LENGTH | | 610 MM DEPTH STARTER UNIT A+B | | OVERALL LENGTH |
|---|---|---|---|---|
| 864 mm | + | *1220 mm | = | **2084 mm** |
| 1020 | + | 1220 | = | **2236** |
| 1170 | + | 1220 | = | **2389** |

CAMSHELVING®

# PREMIUM

series

STATIONARY | MOBILE | HIGH DENSITY

- Posts and traverses have a steel core and smooth polypropylene exterior for superior strength and durability.
- Traverse dovetails are molded into posts every 10,2 cm.
- Polypropylene shelf plates with permanent, molded-in Camguard®, an antimicrobial technology that inhibits the growth of mold, fungus, and bacteria.
- Sturdy reinforced threaded nylon foot adjusts easily to level units.
- Withstands storage temperatures from -38˚ to 88˚C.
- Lifetime warranty against rust and corrosion.




"Lock tab" design solidly "locks" both post and post connector together for enhanced stability.

Connectors remain engaged on posts even under the most rigorous and demanding storage conditions.



camguard

ANTIMICROBIAL SHELF PLATES

COMPONENT

**Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.**



Posts, Traverses, Shelf Plates, Dunnage Stand Saddle, Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Identification Tags, Single Shelf Security Cage, Tray Slide Rack, Ultimate #10 Can Rack, Shelf Divider Bars, High Density Track and Extension Kits are not NSF Listed.

# CAMSHELVING® PREMIUM SERIES

## STARTER UNITS

Ship complete in 1 box. Includes factory assembled post frames for quicker assembly.

***Units ship in separate post kit (unassembled) and shelf kit cartons due to overall weight.**

### Stationary


| 4 Depths | 12 Lengths | | 3 Heights |
|---|---|---|---|
| 300 mm | 680 mm | 1280 mm | 1700 mm |
| 400 | 780 | 1380 | 1800 |
| 500 | 880 | 1480 | 2140 |
| 600 | 980 | 1580 | |
| | 1080 | 1680 | |
| | 1180 | 1780 | |

### Standard Mobile

| 3 Depths | 5 Lengths | 1 Heights |
|---|---|---|
| 400 mm | 980 mm | 1790 mm |
| 500 | 1080 | |
| 600 | 1180 | |
| | 1280 | |
| | 1380 | |

### High Density Mobile

| 2 Depths | 5 Lengths | | 1 Heights |
|---|---|---|---|
| 500 mm | 980 mm | 1280 mm | 1790 mm |
| 600 | 1080 | 1380 | |
| | 1180 | | |




## Weight Bearing Capacity

**Weight must be evenly distributed across the entire shelf.**

| | | UNIT LENGTH 680 – 1280 MM | UNIT LENGTH 1380 – 1780 MM |
|---|---|---|---|
| **SINGLE UNIT** | Unit only | 800 kg (TUV) | 600 kg (TUV) |
| | Shelf only | 200 (TUV) | 150 (TUV) |
| | Unit with dunnage stand* | 980 | 740 |
| | Bottom shelf with dunnage stand* | 380 | 290 |
| **CORNER UNIT***** with 2 dunnage stands required | Unit only | 810 | — |
| | Shelf only | 180 | — |
| | Bottom shelf with dunnage stands* | 270 | — |
| **MOBILE UNIT** | Unit only** | 408 | — |

**TUV CERTIFICATION WEIGHT BEARING CAPACITY**

***Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1380 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads. (See Overall Length Quick Reference Guide).**

****Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 408 kg.**

***** Corner connectors are for use only with shelves 680 – 1280 mm long.**


SANPELLEGRINO
SANPELLEGRINO
SANPELLEGRINO
SANPELLEGRINO
SANPELLEGRINO


TOILETRIES
PAPER GOODS


Horseradish
TABLE SPICES
HONEY BEE'S
Hollandaise
Mustard
Ketchup
Hot Sauce
Teriyaki
CONDIMENTS
DRESSINGS

PREMIUM SERIES


**1700 mm HEIGHT**

# V4PKG
## 4-SHELF VENTED UNITS


Starter units include 2 post kits and 4 shelf kits. Units ship complete in 6 boxes.

Add-On units include 1 post kit and 4 shelf kits. Units ship complete in 5 boxes.

### Starter



### Add-On



### 400 mm DEPTH

| CODE | DIMENSIONS D x L x H | CODE | DIMENSIONS D x L x H |
|---|---|---|---|
| MPU4617V4PKG | 400 x 680 x 1700 mm | MPA4617V4PKG | 400 x 635 x 1700 mm |
| MPU4717V4PKG | 400 x 780 x 1700 | MPA4717V4PKG | 400 x 735 x 1700 |
| MPU4817V4PKG | 400 x 880 x 1700 | MPA4817V4PKG | 400 x 835 x 1700 |
| MPU4917V4PKG | 400 x 980 x 1700 | MPA4917V4PKG | 400 x 935 x 1700 |
| MPU41017V4PKG | 400 x 1080 x 1700 | MPA41017V4PKG | 400 x 1035 x 1700 |
| MPU41117V4PKG | 400 x 1180 x 1700 | MPA41117V4PKG | 400 x 1135 x 1700 |
| MPU41217V4PKG | 400 x 1280 x 1700 | MPA41217V4PKG | 400 x 1235 x 1700 |
| MPU41317V4PKG | 400 x 1380 x 1700 | MPA41317V4PKG | 400 x 1335 x 1700 |
| MPU41417V4PKG | 400 x 1480 x 1700 | MPA41417V4PKG | 400 x 1435 x 1700 |
| MPU41517V4PKG | 400 x 1580 x 1700 | MPA41517V4PKG | 400 x 1535 x 1700 |
| MPU41617V4PKG | 400 x 1680 x 1700 | MPA41617V4PKG | 400 x 1635 x 1700 |
| MPU41717V4PKG | 400 x 1780 x 1700 | MPA41717V4PKG | 400 x 1735 x 1700 |

### 500 mm DEPTH

| | | | |
|---|---|---|---|
| MPU5617V4PKG | 500 x 680 x 1700 mm | MPA5617V4PKG | 500 x 635 x 1700 mm |
| MPU5717V4PKG | 500 x 780 x 1700 | MPA5717V4PKG | 500 x 735 x 1700 |
| MPU5817V4PKG | 500 x 880 x 1700 | MPA5817V4PKG | 500 x 835 x 1700 |
| MPU5917V4PKG | 500 x 980 x 1700 | MPA5917V4PKG | 500 x 935 x 1700 |
| MPU51017V4PKG | 500 x 1080 x 1700 | MPA51017V4PKG | 500 x 1035 x 1700 |
| MPU51117V4PKG | 500 x 1180 x 1700 | MPA51117V4PKG | 500 x 1135 x 1700 |
| MPU51217V4PKG | 500 x 1280 x 1700 | MPA51217V4PKG | 500 x 1235 x 1700 |
| MPU51317V4PKG | 500 x 1380 x 1700 | MPA51317V4PKG | 500 x 1335 x 1700 |
| MPU51417V4PKG | 500 x 1480 x 1700 | MPA51417V4PKG | 500 x 1435 x 1700 |
| MPU51517V4PKG | 500 x 1580 x 1700 | MPA51517V4PKG | 500 x 1535 x 1700 |
| MPU51617V4PKG | 500 x 1680 x 1700 | MPA51617V4PKG | 500 x 1635 x 1700 |
| MPU51717V4PKG | 500 x 1780 x 1700 | MPA51717V4PKG | 500 x 1735 x 1700 |

### 600 mm DEPTH

| | | | |
|---|---|---|---|
| MPU6617V4PKG | 600 x 680 x 1700 mm | MPA6617V4PKG | 600 x 635 x 1700 mm |
| MPU6717V4PKG | 600 x 780 x 1700 | MPA6717V4PKG | 600 x 735 x 1700 |
| MPU6817V4PKG | 600 x 880 x 1700 | MPA6817V4PKG | 600 x 835 x 1700 |
| MPU6917V4PKG | 600 x 980 x 1700 | MPA6917V4PKG | 600 x 935 x 1700 |
| MPU61017V4PKG | 600 x 1080 x 1700 | MPA61017V4PKG | 600 x 1035 x 1700 |
| MPU61117V4PKG | 600 x 1180 x 1700 | MPA61117V4PKG | 600 x 1135 x 1700 |
| MPU61217V4PKG | 600 x 1280 x 1700 | MPA61217V4PKG | 600 x 1235 x 1700 |
| MPU61317V4PKG | 600 x 1380 x 1700 | MPA61317V4PKG | 600 x 1335 x 1700 |
| MPU61417V4PKG | 600 x 1480 x 1700 | MPA61417V4PKG | 600 x 1435 x 1700 |
| MPU61517V4PKG | 600 x 1580 x 1700 | MPA61517V4PKG | 600 x 1535 x 1700 |
| MPU61617V4PKG | 600 x 1680 x 1700 | MPA61617V4PKG | 600 x 1635 x 1700 |
| MPU61717V4PKG | 600 x 1780 x 1700 | MPA61717V4PKG | 600 x 1735 x 1700 |

**Color:** Speckled White (490).

PREMIUM SERIES


**1800 mm HEIGHT**

# V4PKG
## 4-SHELF VENTED UNITS


Starter units include 2 post kits and 4 shelf kits. Units ship complete in 6 boxes.

Add-On units include 1 post kit and 4 shelf kits. Units ship complete in 5 boxes.

### Starter



### Add-On



### 400 mm DEPTH

| CODE | DIMENSIONS D x L x H | CODE | DIMENSIONS D x L x H |
|---|---|---|---|
| MPU4618V4PKG | 400 x 680 x 1800 mm | MPA4618V4PKG | 400 x 635 x 1800 mm |
| MPU4718V4PKG | 400 x 780 x 1800 | MPA4718V4PKG | 400 x 735 x 1800 |
| MPU4818V4PKG | 400 x 880 x 1800 | MPA4818V4PKG | 400 x 835 x 1800 |
| MPU4918V4PKG | 400 x 980 x 1800 | MPA4918V4PKG | 400 x 935 x 1800 |
| MPU41018V4PKG | 400 x 1080 x 1800 | MPA41018V4PKG | 400 x 1035 x 1800 |
| MPU41118V4PKG | 400 x 1180 x 1800 | MPA41118V4PKG | 400 x 1135 x 1800 |
| MPU41218V4PKG | 400 x 1280 x 1800 | MPA41218V4PKG | 400 x 1235 x 1800 |
| MPU41318V4PKG | 400 x 1380 x 1800 | MPA41318V4PKG | 400 x 1335 x 1800 |
| MPU41418V4PKG | 400 x 1480 x 1800 | MPA41418V4PKG | 400 x 1435 x 1800 |
| MPU41518V4PKG | 400 x 1580 x 1800 | MPA41518V4PKG | 400 x 1535 x 1800 |
| MPU41618V4PKG | 400 x 1680 x 1800 | MPA41618V4PKG | 400 x 1635 x 1800 |
| MPU41718V4PKG | 400 x 1780 x 1800 | MPA41718V4PKG | 400 x 1735 x 1800 |

### 500 mm DEPTH

| | | | |
|---|---|---|---|
| MPU5618V4PKG | 500 x 680 x 1800 mm | MPA5618V4PKG | 500 x 635 x 1800 mm |
| MPU5718V4PKG | 500 x 780 x 1800 | MPA5718V4PKG | 500 x 735 x 1800 |
| MPU5818V4PKG | 500 x 880 x 1800 | MPA5818V4PKG | 500 x 835 x 1800 |
| MPU5918V4PKG | 500 x 980 x 1800 | MPA5918V4PKG | 500 x 935 x 1800 |
| MPU51018V4PKG | 500 x 1080 x 1800 | MPA51018V4PKG | 500 x 1035 x 1800 |
| MPU51118V4PKG | 500 x 1180 x 1800 | MPA51118V4PKG | 500 x 1135 x 1800 |
| MPU51218V4PKG | 500 x 1280 x 1800 | MPA51218V4PKG | 500 x 1235 x 1800 |
| MPU51318V4PKG | 500 x 1380 x 1800 | MPA51318V4PKG | 500 x 1335 x 1800 |
| MPU51418V4PKG | 500 x 1480 x 1800 | MPA51418V4PKG | 500 x 1435 x 1800 |
| MPU51518V4PKG | 500 x 1580 x 1800 | MPA51518V4PKG | 500 x 1535 x 1800 |
| MPU51618V4PKG | 500 x 1680 x 1800 | MPA51618V4PKG | 500 x 1635 x 1800 |
| MPU51718V4PKG | 500 x 1780 x 1800 | MPA51718V4PKG | 500 x 1735 x 1800 |

### 600 mm DEPTH

| | | | |
|---|---|---|---|
| MPU6618V4PKG | 600 x 680 x 1800 mm | MPA6618V4PKG | 600 x 635 x 1800 mm |
| MPU6718V4PKG | 600 x 780 x 1800 | MPA6718V4PKG | 600 x 735 x 1800 |
| MPU6818V4PKG | 600 x 880 x 1800 | MPA6818V4PKG | 600 x 835 x 1800 |
| MPU6918V4PKG | 600 x 980 x 1800 | MPA6918V4PKG | 600 x 935 x 1800 |
| MPU61018V4PKG | 600 x 1080 x 1800 | MPA61018V4PKG | 600 x 1035 x 1800 |
| MPU61118V4PKG | 600 x 1180 x 1800 | MPA61118V4PKG | 600 x 1135 x 1800 |
| MPU61218V4PKG | 600 x 1280 x 1800 | MPA61218V4PKG | 600 x 1235 x 1800 |
| MPU61318V4PKG | 600 x 1380 x 1800 | MPA61318V4PKG | 600 x 1335 x 1800 |
| MPU61418V4PKG | 600 x 1480 x 1800 | MPA61418V4PKG | 600 x 1435 x 1800 |
| MPU61518V4PKG | 600 x 1580 x 1800 | MPA61518V4PKG | 600 x 1535 x 1800 |
| MPU61618V4PKG | 600 x 1680 x 1800 | MPA61618V4PKG | 600 x 1635 x 1800 |
| MPU61718V4PKG | 600 x 1780 x 1800 | MPA61718V4PKG | 600 x 1735 x 1800 |

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL SIZES:** (490)

PREMIUM SERIES


**1800 mm HEIGHT**

# V5PKG
## 5-SHELF VENTED UNITS


Starter units include 2 post kits and 5 shelf kits. Units ship complete in 7 boxes.

Add-On units include 1 post kit and 5 shelf kits. Units ship complete in 6 boxes.

### Starter



### Add-On



### 400 mm DEPTH

| CODE | DIMENSIONS D x L x H |
|---|---|
| MPU4618V5PKG | 400 x 680 x 1800 mm |
| MPU4718V5PKG | 400 x 780 x 1800 |
| MPU4818V5PKG | 400 x 880 x 1800 |
| MPU4918V5PKG | 400 x 980 x 1800 |
| MPU41018V5PKG | 400 x 1080 x 1800 |
| MPU41118V5PKG | 400 x 1180 x 1800 |
| MPU41218V5PKG | 400 x 1280 x 1800 |
| MPU41318V5PKG | 400 x 1380 x 1800 |
| MPU41418V5PKG | 400 x 1480 x 1800 |
| MPU41518V5PKG | 400 x 1580 x 1800 |
| MPU41618V5PKG | 400 x 1680 x 1800 |
| MPU41718V5PKG | 400 x 1780 x 1800 |

| CODE | DIMENSIONS D x L x H |
|---|---|
| MPA4618V5PKG | 400 x 635 x 1800 mm |
| MPA4718V5PKG | 400 x 735 x 1800 |
| MPA4818V5PKG | 400 x 835 x 1800 |
| MPA4918V5PKG | 400 x 935 x 1800 |
| MPA41018V5PKG | 400 x 1035 x 1800 |
| MPA41118V5PKG | 400 x 1135 x 1800 |
| MPA41218V5PKG | 400 x 1235 x 1800 |
| MPA41318V5PKG | 400 x 1335 x 1800 |
| MPA41418V5PKG | 400 x 1435 x 1800 |
| MPA41518V5PKG | 400 x 1535 x 1800 |
| MPA41618V5PKG | 400 x 1635 x 1800 |
| MPA41718V5PKG | 400 x 1735 x 1800 |

### 500 mm DEPTH

| | |
|---|---|
| MPU5618V5PKG | 500 x 680 x 1800 mm |
| MPU5718V5PKG | 500 x 780 x 1800 |
| MPU5818V5PKG | 500 x 880 x 1800 |
| MPU5918V5PKG | 500 x 980 x 1800 |
| MPU51018V5PKG | 500 x 1080 x 1800 |
| MPU51118V5PKG | 500 x 1180 x 1800 |
| MPU51218V5PKG | 500 x 1280 x 1800 |
| MPU51318V5PKG | 500 x 1380 x 1800 |
| MPU51418V5PKG | 500 x 1480 x 1800 |
| MPU51518V5PKG | 500 x 1580 x 1800 |
| MPU51618V5PKG | 500 x 1680 x 1800 |
| MPU51718V5PKG | 500 x 1780 x 1800 |

| | |
|---|---|
| MPA5618V5PKG | 500 x 635 x 1800 mm |
| MPA5718V5PKG | 500 x 735 x 1800 |
| MPA5818V5PKG | 500 x 835 x 1800 |
| MPA5918V5PKG | 500 x 935 x 1800 |
| MPA51018V5PKG | 500 x 1035 x 1800 |
| MPA51118V5PKG | 500 x 1135 x 1800 |
| MPA51218V5PKG | 500 x 1235 x 1800 |
| MPA51318V5PKG | 500 x 1335 x 1800 |
| MPA51418V5PKG | 500 x 1435 x 1800 |
| MPA51518V5PKG | 500 x 1535 x 1800 |
| MPA51618V5PKG | 500 x 1635 x 1800 |
| MPA51718V5PKG | 500 x 1735 x 1800 |

### 600 mm DEPTH

| | |
|---|---|
| MPU6618V5PKG | 600 x 680 x 1800 mm |
| MPU6718V5PKG | 600 x 780 x 1800 |
| MPU6818V5PKG | 600 x 880 x 1800 |
| MPU6918V5PKG | 600 x 980 x 1800 |
| MPU61018V5PKG | 600 x 1080 x 1800 |
| MPU61118V5PKG | 600 x 1180 x 1800 |
| MPU61218V5PKG | 600 x 1280 x 1800 |
| MPU61318V5PKG | 600 x 1380 x 1800 |
| MPU61418V5PKG | 600 x 1480 x 1800 |
| MPU61518V5PKG | 600 x 1580 x 1800 |
| MPU61618V5PKG | 600 x 1680 x 1800 |
| MPU61718V5PKG | 600 x 1780 x 1800 |

| | |
|---|---|
| MPA6618V5PKG | 600 x 635 x 1800 mm |
| MPA6718V5PKG | 600 x 735 x 1800 |
| MPA6818V5PKG | 600 x 835 x 1800 |
| MPA6918V5PKG | 600 x 935 x 1800 |
| MPA61018V5PKG | 600 x 1035 x 1800 |
| MPA61118V5PKG | 600 x 1135 x 1800 |
| MPA61218V5PKG | 600 x 1235 x 1800 |
| MPA61318V5PKG | 600 x 1335 x 1800 |
| MPA61418V5PKG | 600 x 1435 x 1800 |
| MPA61518V5PKG | 600 x 1535 x 1800 |
| MPA61618V5PKG | 600 x 1635 x 1800 |
| MPA61718V5PKG | 600 x 1735 x 1800 |

**Color:** Speckled White (490).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL SIZES:** (490)


PREMIUM SERIES

**1790 mm HEIGHT**


# V4PKG
## 4-SHELF MOBILE UNITS

Mobile starter units include 2 mobile post kits, 4 shelf kits vented or solid and 4 swivel casters with total locking brake. Units ship complete in 6 boxes.

### Vented



### Solid



### 400 mm DEPTH

| DIMENSIONS D x L x H | CODE | CODE |
|---|---|---|
| 400 x 980 x 1790 mm | MPMU4917V4PKG | MPMU4917S4PKG |
| 400 x 1080 x 1790 | MPMU41017V4PKG | MPMU41017S4PKG |
| 400 x 1180 x 1790 | MPMU41117V4PKG | MPMU41117S4PKG |
| 400 x 1280 x 1790 | MPMU41217V4PKG | MPMU41217S4PKG |
| 400 x 1380 x 1790 | MPMU41317V4PKG | MPMU41317S4PKG |

### 500 mm DEPTH

| | | |
|---|---|---|
| 500 x 980 x 1790 mm | MPMU5917V4PKG | MPMU5917S4PKG |
| 500 x 1080 x 1790 | MPMU51017V4PKG | MPMU51017S4PKG |
| 500 x 1180 x 1790 | MPMU51117V4PKG | MPMU51117S4PKG |
| 500 x 1280 x 1790 | MPMU51217V4PKG | MPMU51217S4PKG |
| 500 x 1380 x 1790 | MPMU51317V4PKG | MPMU51317S4PKG |

### 600 mm DEPTH

| | | |
|---|---|---|
| 600 x 980 x 1790 mm | MPMU6917V4PKG | MPMU6917S4PKG |
| 600 x 1080 x 1790 | MPMU61017V4PKG | MPMU61017S4PKG |
| 600 x 1180 x 1790 | MPMU61117V4PKG | MPMU61117S4PKG |
| 600 x 1280 x 1790 | MPMU61217V4PKG | MPMU61217S4PKG |
| 600 x 1380 x 1790 | MPMU61317V4PKG | MPMU61317S4PKG |

*Includes 127 mm casters.


# CAMSHELVING® PREMIUM SERIES ACCESSORIES

## Corner Connectors

Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf). Available as a single set or 8 or 10 set packs.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL SIZES:** (490)



| CODE | DESCRIPTION |
|---|---|
| MPCC1 | 1 Set for 1 shelf |
| MPCC8 | 8 Sets for 4 shelves |
| MPCC10 | 10 Sets for 5 shelves |

**Color:** Speckled White (490).

## Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1375 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.


**Bottom Shelf with Dunnage Stand**

| UNIT LENGTH | WEIGHT BEARING |
|---|---|
| **Standard Unit** | |
| 610 to 1220 mm | 545 kg |
| 1375 to 1830 | 410 |
| **Corner Unit with 2 Dunnage Stands** | |
| 610 to 1220 mm | 275 |

| CODE | DIMENSIONS D x H |
|---|---|
| **Dunnage Stand – Low** | |
| MPDS30H16 | 300 x 190 mm |
| MPDS40H16 | 400 x 190 |
| MPDS50H16 | 500 x 190 |
| MPDS60H16 | 600 x 190 |
| **Dunnage Stand – Tall** | |
| MPDS30H30 | 300 x 289 |
| MPDS40H30 | 400 x 289 |
| MPDS50H30 | 500 x 289 |
| MPDS60H30 | 600 x 289 |

**Case Pack:** 1
**Color:** Speckled White (490).






## Shelf Traverses

Available in single or double packs. Use a single set to add an open shelf for divider bars or drying racks. Add single traverses onto back posts for extra support when placing rolling equipment under the first shelf.

| LENGTH | SINGLE PACK CODE* | DOUBLE PACK CODE** |
|---|---|---|
| 600 mm | MPTR60 | — |
| 700 | MPTR70 | — |
| 800 | MPTR80 | — |
| 900 | MPTR90 | MPTR902PK |
| 1000 | MPTR100 | MPTR1002PK |
| 1100 | MPTR110 | MPTR1102PK |
| 1200 | MPTR120 | MPTR1202PK |
| 1300 | MPTR130 | MPTR1302PK |
| 1400 | MPTR140 | — |
| 1500 | MPTR150 | — |
| 1600 | MPTR160 | — |
| 1700 | MPTR170 | — |

***Case Pack:** 1 ****Case Pack:** 2
**Color:** Speckled White (490).



**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL SIZES:** (490)

# HIGH DENSITY STORAGE FLOOR TRACK SYSTEM

Maximize storage capacity by creating storage aisles in all available space. This simple system is composed of stationary starter units anchored to a raised floor track system at both ends with high density mobile units installed in between. Easy to install track requires no drilling or gluing.




## Increases Storage Capacity Up To

# 50%

High Density Mobile Units are available with factory assembled post kits, vented or solid shelves and high density casters and bumpers. Full track and extension kits ship complete with required hardware. Stationary Starter Units are required to anchor the system at both ends. Choose from a wide selection of sizes with 4 or 5 shelves to maximize storage space. (See Premium Series spec pages).

**Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.**




Raised Floor Track provides a smooth and level surface to easily roll mobile units. Raised track ensures dirt will not get trapped and is easy to clean. Aluminum track and stainless steel hardware are rust resistant.


*It is recommended to use a stationary unit for every 4,5 m of track to further stabilize the system.




Grooved casters roll easily and securely on raised track.



Raised track connects easily to the bottom of a stationary unit that works as a system anchor. No bolts, no glue or drilling into the floor are required. Easy and fast set up.







Golden Grill
Golden Grill
Golden Grill
CEREAL
CEREAL
Phase
Phase

## 4-Shelf Vented High Density Mobile Starter Units

Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers. Ships in 6 boxes.




| HEIGHT* | DEPTHS | LENGTHS |
|---|---|---|
| 1 | 2 | 5 |
| 1790 mm | 500 mm | 980 mm |
| | 600 | 1080 |
| | | 1180 |
| | | 1280 |
| | | 1380 |

* Includes 127 mm casters.

## 4-Shelf Solid High Density Mobile Starter Units

Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers. Ships in 6 boxes.




| HEIGHT* | DEPTHS | LENGTHS |
|---|---|---|
| 1 | 2 | 5 |
| 1790 mm | 500 mm | 980 mm |
| | 600 | 1080 |
| | | 1180 |
| | | 1280 |
| | | 1380 |

*Includes 127 mm casters.

## Full Track and Extension Kits

Aluminum raised track kits and track extensions ship complete in 1 box. Each kit includes all stainless steel hardware necessary to complete a floor installation. Ships in 1 box.

It is highly recommended to install a stationary starter unit every 4,5 m of track to further stabilize the system.



| Full Track LENGTHS | Track Extension LENGTHS |
|---|---|
| 3 | 3 |
| 3,05 m | 1,38 m |
| 3,66 | 1,53 |
| 4,42 | 1,83 |

| CODE | DESCRIPTION | CASE PACK |
|---|---|---|
| **Full Track Kit** | | |
| CSMHDTK10 | 3,05 m Track for 3 Mobile Units* | 1 |
| CSMHDTK12 | 3,66 m Track for 4 Mobile Units* | 1 |
| CSMHDTK145 | 4,42 m Track for 5 Mobile Units* | 1 |
| **Track Extension Kit** | | |
| CSMHDTKE4 | 1,38 m Track Extension | 1 |
| CSMHDTKE5 | 1,53 m Track Extension | 1 |
| CSMHDTKE6 | 1,83 m Track Extension | 1 |
| **Accessories** | | |
| CSHDFF | Floor Fastener | 4 |

**Color:** Silver (000). *Based on 600 mm deep mobile units.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL FLOOR TRACK KIT AND EXTENSION SIZES:** (000)


PREMIUM SERIES


# V4
## 4-SHELF VENTED HIGH DENSITY MOBILE UNITS

# S4
## 4-SHELF SOLID HIGH DENSITY MOBILE UNITS

Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers. Units ship complete in 6 boxes.

**1790 mm HEIGHT**





**500 mm DEPTH**

| CODE | DIMENSIONS D x L x H* |
|---|---|
| MPHU5917V4PKG | 500 x 980 x 1790 mm |
| MPHU51017V4PKG | 500 x 1080 x 1790 |
| MPHU51117V4PKG | 500 x 1180 x 1790 |
| MPHU51217V4PKG | 500 x 1280 x 1790 |
| MPHU51317V4PKG | 500 x 1380 x 1790 |

| CODE | DIMENSIONS D x L x H* |
|---|---|
| MPHU5917S4PKG | 500 x 980 x 1790 mm |
| MPHU51017S4PKG | 500 x 1080 x 1790 |
| MPHU51117S4PKG | 500 x 1180 x 1790 |
| MPHU51217S4PKG | 500 x 1280 x 1790 |
| MPHU51317S4PKG | 500 x 1380 x 1790 |

**600 mm DEPTH**

| | |
|---|---|
| MPHU6917V4PKG | 600 x 980 x 1790 mm |
| MPHU61017V4PKG | 600 x 1080 x 1790 |
| MPHU61117V4PKG | 600 x 1180 x 1790 |
| MPHU61217V4PKG | 600 x 1280 x 1790 |
| MPHU61317V4PKG | 600 x 1380 x 1790 |

| | |
|---|---|
| MPHU6917S4PKG | 600 x 980 x 1790 mm |
| MPHU61017S4PKG | 600 x 1080 x 1790 |
| MPHU61117S4PKG | 600 x 1180 x 1790 |
| MPHU61217S4PKG | 600 x 1280 x 1790 |
| MPHU61317S4PKG | 600 x 1380 x 1790 |

**Color:** Speckled White (490). *Includes 127 mm casters.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL SIZES:** (490)

## High Density Caster with Donut Bumper

Grooved caster rolls easily and securely on raised track. Donut bumper protects mobile units from coming into direct contact with each other.

| CODE | SIZE |
|---|---|
| MPMCHD | 127 mm |

**Case Pack:** 2 **Color:** Grey (000).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**MPMCHD:** (000)






Triscuit
WESTSOY
Organic
Unsweetened
GREEN BEANS
PREMIUM
CRACKERS

CAMSHELVING®

# ELEMENTS® XTRA
series

STATIONARY | MOBILE | HIGH DENSITY | UNDERCOUNTER

- Posts and traverses made of a revolutionary, extremely strong composite material with a smooth, easy to clean surface. Posts now have notches on the inside only for installing traverse dovetails.
- Removable polypropylene shelf plates with permanent, molded-in Camguard®, an antimicrobial technology that inhibits the growth of mold, fungus, and bacteria.
- Sturdy reinforced threaded nylon foot adjusts easily to level units.
- Withstands storage temperatures from -38˚ to 88˚C.
- Lifetime warranty against rust and corrosion.
- NEW patented post connector locks in place onto the wraparound collar wedge for solid, enhanced stability.
- NEW universal traverses can now be installed on both stationary or mobile units.
- NEW two piece, heavy-duty corner connectors featuring a "clasp" design offer zero loss of weight bearing in corners and greater weight bearing on middle shelves installed between units.






camguard
ANTIMICROBIAL SHELF PLATES
COMPONENT

Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Identification Tags, Single Shelf Security Cage, Ultimate #10 Can Rack, and Shelf Divider Bars are not NSF Listed.

# CAMSHELVING® ELEMENTS XTRA SERIES

## STARTER UNITS

Ship complete in 1 box. Includes factory assembled post frames for quicker assembly.

### Stationary

| 3 Depths | 8 Lengths | 3 Heights |
|---|---|---|
| 460 mm | 610 mm 1220 mm | 1630 mm |
| 540 | 765 1375 | 1830 |
| 610 | 915 1525 | 2140 |
| | 1070 1830 | |

### Standard Mobile


| 3 Depths | 5 Lengths | 2 Heights |
|---|---|---|
| 460 mm | 915 mm 1375 mm | 1784 mm |
| 540 | 1070 1525 | 1987 |
| 610 | 1220 | |

### Stationary Undercounter

| 1 Depth | 2 Lengths | 1 Height |
|---|---|---|
| 460 mm | 915 mm | 765 mm |
| | 1220 | |

### High Density Mobile

| 3 Depths | 5 Lengths | 2 Heights |
|---|---|---|
| 460 mm | 915 mm 1375 mm | 1784 mm |
| 540 | 1070 1525 | 1987 |
| 610 | 1220 | |




## Weight Bearing Capacity

**Weight must be evenly distributed across the entire shelf.**

| | | UNIT LENGTH 610 – 1525 MM | UNIT LENGTH 1830 MM |
|---|---|---|---|
| **SINGLE UNIT** | Unit only | 1090 kg | 1090 kg |
| | Shelf only | 365 | 275 |
| | Unit with dunnage stand* | 1270 | 1225 |
| | Bottom shelf with dunnage stand* | 545 | 410 |

| | | UNIT LENGTH 610 – 1525 MM | |
|---|---|---|---|
| **CORNER UNIT** With 2 Dunnage Stands required | Unit only | 1090 kg | — |
| | Shelf only | 365 | — |
| | Bottom shelf with dunnage stands* | 545 | — |

| | | UNIT LENGTH 610 – 1525 MM | |
|---|---|---|---|
| **INTERMEDIATE SHELVES** Shelves Installed Between 2 Units | Unit only | 1090 kg | — |
| | Shelf only | 365 | — |
| | Bottom shelf with dunnage stands* | 545 | — |
| **MOBILE UNIT** | Unit only** | 408 | — |

***Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1375 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads. (See Overall Length Quick Reference Guide).**
****Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 408 kg.**
***** Corner connectors are for use only with shelves 610 - 1525 mm long.**


Mush curry 4/10


Tinga 4/14
Roasted ½ Tom Tom's 4/26
Candy 4-24


ELEMENTS XTRA SERIES

**1630** mm HEIGHT


# V4
# 4-SHELF VENTED UNITS

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.

Starter



Add-On



## 460 mm DEPTH

| DIMENSIONS D x L x H | CODE | CODE |
|---|---|---|
| 460 x 610 x 1630 mm | EXU182464V4 | EXA182464V4 |
| 460 x 765 x 1630 | EXU183064V4 | EXA183064V4 |
| 460 x 915 x 1630 | EXU183664V4 | EXA183664V4 |
| 460 x 1070 x 1630 | EXU184264V4 | EXA184264V4 |
| 460 x 1220 x 1630 | EXU184864V4 | EXA184864V4 |
| 460 x 1375 x 1630 | EXU185464V4 | EXA185464V4 |
| 460 x 1525 x 1630 | EXU186064V4 | EXA186064V4 |
| 460 x 1830 x 1630 | EXU187264V4 | EXA187264V4 |

## 540 mm DEPTH

| | | |
|---|---|---|
| 540 x 610 x 1630 mm | EXU212464V4 | EXA212464V4 |
| 540 x 765 x 1630 | EXU213064V4 | EXA213064V4 |
| 540 x 915 x 1630 | EXU213664V4 | EXA213664V4 |
| 540 x 1070 x 1630 | EXU214264V4 | EXA214264V4 |
| 540 x 1220 x 1630 | EXU214864V4 | EXA214864V4 |
| 540 x 1375 x 1630 | EXU215464V4 | EXA215464V4 |
| 540 x 1525 x 1630 | EXU216064V4 | EXA216064V4 |
| 540 x 1830 x 1630 | EXU217264V4 | EXA217264V4 |

## 610 mm DEPTH

| | | |
|---|---|---|
| 610 x 610 x 1630 mm | EXU242464V4 | EXA242464V4 |
| 610 x 765 x 1630 | EXU243064V4 | EXA243064V4 |
| 610 x 915 x 1630 | EXU243664V4 | EXA243664V4 |
| 610 x 1070 x 1630 | EXU244264V4 | EXA244264V4 |
| 610 x 1220 x 1630 | EXU244864V4 | EXA244864V4 |
| 610 x 1375 x 1630 | EXU245464V4 | EXA245464V4 |
| 610 x 1525 x 1630 | EXU246064V4 | EXA246064V4 |
| 610 x 1830 x 1630 | EXU247264V4 | EXA247264V4 |


ELEMENTS XTRA SERIES

**1830** mm HEIGHT


# V4
# 4-SHELF VENTED UNITS

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.

Starter



Add-On



## 460 mm DEPTH

| DIMENSIONS D x L x H | CODE | CODE |
|---|---|---|
| 460 x 610 x 1830 mm | EXU182472V4 | EXA182472V4 |
| 460 x 765 x 1830 | EXU183072V4 | EXA183072V4 |
| 460 x 915 x 1830 | EXU183672V4 | EXA183672V4 |
| 460 x 1070 x 1830 | EXU184272V4 | EXA184272V4 |
| 460 x 1220 x 1830 | EXU184872V4 | EXA184872V4 |
| 460 x 1375 x 1830 | EXU185472V4 | EXA185472V4 |
| 460 x 1525 x 1830 | EXU186072V4 | EXA186072V4 |
| 460 x 1830 x 1830 | EXU187272V4 | EXA187272V4 |

## 540 mm DEPTH

| | | |
|---|---|---|
| 540 x 610 x 1830 mm | EXU212472V4 | EXA212472V4 |
| 540 x 765 x 1830 | EXU213072V4 | EXA213072V4 |
| 540 x 915 x 1830 | EXU213672V4 | EXA213672V4 |
| 540 x 1070 x 1830 | EXU214272V4 | EXA214272V4 |
| 540 x 1220 x 1830 | EXU214872V4 | EXA214872V4 |
| 540 x 1375 x 1830 | EXU215472V4 | EXA215472V4 |
| 540 x 1525 x 1830 | EXU216072V4 | EXA216072V4 |
| 540 x 1830 x 1830 | EXU217272V4 | EXA217272V4 |

## 610 mm DEPTH

| | | |
|---|---|---|
| 610 x 610 x 1830 mm | EXU242472V4 | EXA242472V4 |
| 610 x 765 x 1830 | EXU243072V4 | EXA243072V4 |
| 610 x 915 x 1830 | EXU243672V4 | EXA243672V4 |
| 610 x 1070 x 1830 | EXU244272V4 | EXA244272V4 |
| 610 x 1220 x 1830 | EXU244872V4 | EXA244872V4 |
| 610 x 1375 x 1830 | EXU245472V4 | EXA245472V4 |
| 610 x 1525 x 1830 | EXU246072V4 | EXA246072V4 |
| 610 x 1830 x 1830 | EXU247272V4 | EXA247272V4 |


**Color:** Brushed Graphite (580).


ELEMENTS XTRA SERIES

# V5
# 5-SHELF VENTED UNITS

**2140 mm HEIGHT**

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.





## 460 mm DEPTH

| DIMENSIONS D x L x H | Starter CODE | Add-On CODE |
|---|---|---|
| 460 x 610 x 2140 mm | EXU182484V5 | EXA182484V5 |
| 460 x 765 x 2140 | EXU183084V5 | EXA183084V5 |
| 460 x 915 x 2140 | EXU183684V5 | EXA183684V5 |
| 460 x 1070 x 2140 | EXU184284V5 | EXA184284V5 |
| 460 x 1220 x 2140 | EXU184884V5 | EXA184884V5 |
| 460 x 1375 x 2140 | EXU185484V5 | EXA185484V5 |
| 460 x 1525 x 2140 | EXU186084V5 | EXA186084V5 |
| 460 x 1830 x 2140 | EXU187284V5 | EXA187284V5 |

## 540 mm DEPTH

| | | |
|---|---|---|
| 540 x 610 x 2140 mm | EXU212484V5 | EXA212484V5 |
| 540 x 765 x 2140 | EXU213084V5 | EXA213084V5 |
| 540 x 915 x 2140 | EXU213684V5 | EXA213684V5 |
| 540 x 1070 x 2140 | EXU214284V5 | EXA214284V5 |
| 540 x 1220 x 2140 | EXU214884V5 | EXA214884V5 |
| 540 x 1375 x 2140 | EXU215484V5 | EXA215484V5 |
| 540 x 1525 x 2140 | EXU216084V5 | EXA216084V5 |
| 540 x 1830 x 2140 | EXU217284V5 | EXA217284V5 |

## 610 mm DEPTH


| | | |
|---|---|---|
| 610 x 610 x 2140 mm | EXU242484V5 | EXA242484V5 |
| 610 x 765 x 2140 | EXU243084V5 | EXA243084V5 |
| 610 x 915 x 2140 | EXU243684V5 | EXA243684V5 |
| 610 x 1070 x 2140 | EXU244284V5 | EXA244284V5 |
| 610 x 1220 x 2140 | EXU244884V5 | EXA244884V5 |
| 610 x 1375 x 2140 | EXU245484V5 | EXA245484V5 |
| 610 x 1525 x 2140 | EXU246084V5 | EXA246084V5 |
| 610 x 1830 x 2140 | EXU247284V5 | EXA247284V5 |

**Color:** Brushed Graphite (580).

ELEMENTS XTRA SERIES

# V4
# 4-SHELF VENTED MOBILE UNITS

Mobile units include 2 factory assembled mobile post kits, mobile traverses, mobile traverse dovetails, shelf plates, and 4 premium swivel casters with total locking brake. Units ship complete in 1 box.



* Includes 127 mm casters.

**1778 mm HEIGHT**

## 460 mm DEPTH

| CODE | DIMENSIONS D x L x H* |
|---|---|
| EXMU183670V4 | 460 x 915 x 1778 mm |
| EXMU184270V4 | 460 x 1070 x 1778 |
| EXMU184870V4 | 460 x 1220 x 1778 |
| EXMU185470V4 | 460 x 1375 x 1778 |
| EXMU186070V4 | 460 x 1525 x 1778 |

## 540 mm DEPTH

| | |
|---|---|
| EXMU213670V4 | 540 x 915 x 1778 mm |
| EXMU214270V4 | 540 x 1070 x 1778 |
| EXMU214870V4 | 540 x 1220 x 1778 |
| EXMU215470V4 | 540 x 1375 x 1778 |
| EXMU216070V4 | 540 x 1525 x 1778 |

## 610 mm DEPTH

| | |
|---|---|
| EXMU243670V4 | 610 x 915 x 1778 mm |
| EXMU244270V4 | 610 x 1070 x 1778 |
| EXMU244870V4 | 610 x 1220 x 1778 |
| EXMU245470V4 | 610 x 1375 x 1778 |
| EXMU246070V4 | 610 x 1525 x 1778 |

**1980 mm HEIGHT**

## 460 mm DEPTH

| CODE | DIMENSIONS D x L x H* |
|---|---|
| EXMU183678V4 | 460 x 915 x 1980 mm |
| EXMU184278V4 | 460 x 1070 x 1980 |
| EXMU184878V4 | 460 x 1220 x 1980 |
| EXMU185478V4 | 460 x 1375 x 1980 |
| EXMU186078V4 | 460 x 1525 x 1980 |

## 540 mm DEPTH

| | |
|---|---|
| EXMU213678V4 | 540 x 915 x 1980 mm |
| EXMU214278V4 | 540 x 1070 x 1980 |
| EXMU214878V4 | 540 x 1220 x 1980 |
| EXMU215478V4 | 540 x 1375 x 1980 |
| EXMU216078V4 | 540 x 1525 x 1980 |

## 610 mm DEPTH

| | |
|---|---|
| EXMU243678V4 | 610 x 915 x 1980 mm |
| EXMU244278V4 | 610 x 1070 x 1980 |
| EXMU244878V4 | 610 x 1220 x 1980 |
| EXMU245478V4 | 610 x 1375 x 1980 |
| EXMU246078V4 | 610 x 1525 x 1980 |


# CAMSHELVING® ELEMENTS XTRA SERIES

## Corner Connectors

Unique clasp design ensures maximum shelf space utilization without loss of weight bearing in corners and increased weight bearing on middle shelves between units. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf).

| CODE | DESCRIPTION |
|---|---|
| EXCC1 | 1 Set for 1 shelf |
| EXCC4 | 4 Sets for 4 shelves |
| EXCC5 | 5 Sets for 5 shelves |

**Color:** Speckled Gray (480).



## Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1375 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.


**Bottom Shelf with Dunnage Stand**

| UNIT LENGTH | WEIGHT BEARING |
|---|---|
| **Standard Unit** | |
| 610 to 1220 mm | 545 kg |
| 1375 to 1830 | 410 |
| **Corner Unit with 2 Dunnage Stands** | |
| 610 to 1525 | 545 |

| CODE | DIMENSIONS D x H |
|---|---|
| **Dunnage Stand – Low** (bottom shelf installed on lowest set of open post locations for dovetails) | |
| CSDS18H6 | 460 x 165 mm |
| CSDS21H6 | 540 x 165 |
| CSDS24H6 | 610 x 165 |
| **Dunnage Stand – Tall** (bottom shelf installed up on 2nd set of open post locations for dovetails) | |
| CSDS18H10 | 460 x 267 |
| CSDS21H10 | 540 x 267 |
| CSDS24H10 | 610 x 267 |

**Case Pack:** 1 **Color:** Speckled Gray (480).






## Shelf Traverses

Available in single or double packs. Use two traverses to add an open shelf for divider bars or drying cradles. Add one traverse onto back posts of a stationary unit for extra support when placing rolling equipment under the first shelf. Traverse dovetails included.

| LENGTH | SINGLE PACK CODE* | DOUBLE PACK CODE** |
|---|---|---|
| 610 mm | EXTR24 | EXTR242PK |
| 765 | EXTR30 | EXTR302PK |
| 915 | EXTR36 | EXTR362PK |
| 1070 | EXTR42 | EXTR422PK |
| 1220 | EXTR48 | EXTR482PK |
| 1375 | EXTR54 | EXTR542PK |
| 1525 | EXTR60 | EXTR602PK |
| 1830 | EXTR72 | — |

***Case Pack:** 1 ****Case Pack:** 2
**Color:** Speckled Gray (480).



Elements XTRA Shelf Traverses covered by U.S. Patent D 989,612 S, 11,812,847 B2, 11,697,037 B2.

# CAMSHELVING® ELEMENTS XTRA SERIES

## High Density Full Track and Track Extension Kits

Each kit ships complete in 1 box with aluminum raised track rails and stainless steel hardware required to complete installation.

| CODE | DESCRIPTION | CASE PACK |
|---|---|---|
| **Full Track Kits** | | |
| CSMHDTK10 | 3,05 m Track for 3 Mobile Units* | 1 |
| CSMHDTK12 | 3,66 m Track for 4 Mobile Units* | 1 |
| CSMHDTK145 | 4,42 m Track for 5 Mobile Units* | 1 |


**Color:** Silver (000). *Based on 610 mm deep mobile units.
**Full Track Kits include:** Track rails, rail joiners, end plates, 8 stainless steel leveling feet (for stationary units) and required hardware.

| CODE | DESCRIPTION | CASE PACK |
|---|---|---|
| **Track Extension Kits** | | |
| CSMHDTKE4 | 1,38 m Track Extension | 1 |
| CSMHDTKE5 | 1,53 m Track Extension | 1 |
| CSMHDTKE6 | 1,83 m Track Extension | 1 |

**Color:** Silver (000). **Extension Track Kits include:** Track rails (1 set), 2 rail joiners, and required hardware.



Track rail (underside) shown with end plate installed.



Track rail (underside) shown with track rail joiner partially installed

**It is highly recommended to install a stationary starter unit every 4,5 m of track to further stabilize the system.**

## High Density Floor Fastener

Secure stationary unit front posts with rails directly to the floor for added safety and stability where required. Made of stainless steel. Bolts not included.

| CODE | DIMENSION D x L x H |
|---|---|
| CSHDFF | 35 x 108 x 13 mm |

**Case Pack:** 4 **Color:** Silver (000).





Hole diameter 16 mm.

## High Density Caster With Donut Bumper



| CODE | SIZE |
|---|---|
| CPMCHD | 127 mm |

**Case Pack:** 2 **Color:** Gray (000).





CAMSHELVING®

# BASICS PLUS

series

STATIONARY

- Posts and traverses made of a revolutionary, extremely strong, composite material with a smooth, easy to clean surface.
- Attach left and right traverse dovetails to each post to secure shelf traverses every 10,2 cm.
- Removable polypropylene shelf plates with permanent, molded-in Camguard®, an antimicrobial technology that inhibits the growth of mold, fungus, and bacteria.
- Sturdy reinforced threaded nylon foot adjusts easily to level units.
- Withstands storage temperatures from -38˚ to 88˚C.
- Lifetime warranty against rust and corrosion.



camguard
ANTIMICROBIAL SHELF PLATES

NSF COMPONENT





Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Shelf Rails, Single Shelf Security Cage, Shelf Divider Panels and Identification Tags are not NSF listed.

# CAMSHELVING® BASICS PLUS SERIES

## STARTER UNITS

Ship complete in 1 box. Includes factory assembled post frames for quicker assembly.




### Stationary

| 3 Depths | 6 Lengths | | 3 Heights |
|---|---|---|---|
| 460 mm | 765 mm | 1220 mm | 1630 mm |
| 540 | 915 | 1375 | 1830 |
| 610 | 1070 | 1525 | 2140 |

## Weight Bearing Capacity

**Weight must be evenly distributed across the entire shelf.**

| | | UNIT LENGTH 765 – 1220 MM | UNIT LENGTH 1375 – 1830 MM |
|---|---|---|---|
| **SINGLE UNIT** | Unit only | 800 kg (TUV) | 800 kg (TUV) |
| | Shelf only | 190 (TUV) | 180 (TUV) |
| | Unit with dunnage stand* | 885 | 880 |
| | Bottom shelf with dunnage stand* | 275 | 260 |
| **CORNER UNIT**** with 2 dunnage stands required | Unit only | 590 | — |
| | Shelf only | 130 | — |
| | Bottom shelf with dunnage stands* | 200 | — |

**TUV CERTIFICATION WEIGHT BEARING CAPACITY**

***Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1375 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads. (See Overall Length Quick Reference Guide).**
**** Corner connectors are for use only with shelves 765 – 1220 mm long.**






BASICS PLUS SERIES

**1630** mm HEIGHT


# V4
# 4-SHELF VENTED UNITS

Starter units include 2 factory assembled post kits and shelves. Add-on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter



Add-On



## 360 mm DEPTH

| CODE | DIMENSIONS D x L x H | CODE | DIMENSIONS D x L x H |
|---|---|---|---|
| **CBU143064V4** | 360 x 765 x 1630 mm | **CBA143064V4** | 360 x 718 x 1630 mm |
| **CBU143664V4** | 360 x 915 x 1630 | **CBA143664V4** | 360 x 870 x 1630 |
| **CBU144264V4** | 360 x 1070 x 1630 | **CBA144264V4** | 360 x 1023 x 1630 |
| **CBU144864V4** | 360 x 1220 x 1630 | **CBA144864V4** | 360 x 1175 x 1630 |

## 460 mm DEPTH

| | | | |
|---|---|---|---|
| **CBU183064V4** | 460 x 765 x 1630 mm | **CBA183064V4** | 460 x 718 x 1630 mm |
| **CBU183664V4** | 460 x 915 x 1630 | **CBA183664V4** | 460 x 870 x 1630 |
| **CBU184264V4** | 460 x 1070 x 1630 | **CBA184264V4** | 460 x 1023 x 1630 |
| **CBU184864V4** | 460 x 1220 x 1630 | **CBA184864V4** | 460 x 1175 x 1630 |
| **CBU185464V4** | 460 x 1375 x 1630 | **CBA185464V4** | 460 x 1328 x 1630 |
| **CBU186064V4** | 460 x 1525 x 1630 | **CBA186064V4** | 460 x 1480 x 1630 |
| **CBU187264V4** | 460 x 1830 x 1630 | **CBA187264V4** | 460 x 1785 x 1630 |

## 540 mm DEPTH

| | | | |
|---|---|---|---|
| **CBU213064V4** | 540 x 765 x 1630 mm | **CBA213064V4** | 540 x 718 x 1630 mm |
| **CBU213664V4** | 540 x 915 x 1630 | **CBA213664V4** | 540 x 870 x 1630 |
| **CBU214264V4** | 540 x 1070 x 1630 | **CBA214264V4** | 540 x 1023 x 1630 |
| **CBU214864V4** | 540 x 1220 x 1630 | **CBA214864V4** | 540 x 1175 x 1630 |
| **CBU215464V4** | 540 x 1375 x 1630 | **CBA215464V4** | 540 x 1328 x 1630 |
| **CBU216064V4** | 540 x 1525 x 1630 | **CBA216064V4** | 540 x 1480 x 1630 |
| **CBU217264V4** | 540 x 1830 x 1630 | **CBA217264V4** | 540 x 1785 x 1630 |

## 610 mm DEPTH

| | | | |
|---|---|---|---|
| **CBU243064V4** | 610 x 765 x 1630 mm | **CBA243064V4** | 610 x 718 x 1630 mm |
| **CBU243664V4** | 610 x 915 x 1630 | **CBA243664V4** | 610 x 870 x 1630 |
| **CBU244264V4** | 610 x 1070 x 1630 | **CBA244264V4** | 610 x 1023 x 1630 |
| **CBU244864V4** | 610 x 1220 x 1630 | **CBA244864V4** | 610 x 1175 x 1630 |
| **CBU245464V4** | 610 x 1375 x 1630 | **CBA245464V4** | 610 x 1328 x 1630 |
| **CBU246064V4** | 610 x 1525 x 1630 | **CBA246064V4** | 610 x 1480 x 1630 |
| **CBU247264V4** | 610 x 1830 x 1630 | **CBA247264V4** | 610 x 1785 x 1630 |


BASICS PLUS SERIES

**1830** mm HEIGHT


# V4
# 4-SHELF VENTED UNITS

Starter units include 2 factory assembled post kits and shelves. Add-on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter



Add-On



## 360 mm DEPTH

| CODE | DIMENSIONS D x L x H | CODE | DIMENSIONS D x L x H |
|---|---|---|---|
| **CBU143072V4** | 360 x 765 x 1830 mm | **CBA143072V4** | 360 x 718 x 1830 mm |
| **CBU143672V4** | 360 x 915 x 1830 | **CBA143672V4** | 360 x 870 x 1830 |
| **CBU144272V4** | 360 x 1070 x 1830 | **CBA144272V4** | 360 x 1023 x 1830 |
| **CBU144872V4** | 360 x 1220 x 1830 | **CBA144872V4** | 360 x 1175 x 1830 |

## 460 mm DEPTH

| | | | |
|---|---|---|---|
| **CBU183072V4** | 460 x 765 x 1830 mm | **CBA183072V4** | 460 x 718 x 1830 mm |
| **CBU183672V4** | 460 x 915 x 1830 | **CBA183672V4** | 460 x 870 x 1830 |
| **CBU184272V4** | 460 x 1070 x 1830 | **CBA184272V4** | 460 x 1023 x 1830 |
| **CBU184872V4** | 460 x 1220 x 1830 | **CBA184872V4** | 460 x 1175 x 1830 |
| **CBU185472V4** | 460 x 1375 x 1830 | **CBA185472V4** | 460 x 1328 x 1830 |
| **CBU186072V4** | 460 x 1525 x 1830 | **CBA186072V4** | 460 x 1480 x 1830 |
| **CBU187272V4** | 460 x 1830 x 1830 | **CBA187272V4** | 460 x 1785 x 1830 |

## 540 mm DEPTH

| | | | |
|---|---|---|---|
| **CBU213072V4** | 540 x 765 x 1830 mm | **CBA213072V4** | 540 x 718 x 1830 mm |
| **CBU213672V4** | 540 x 915 x 1830 | **CBA213672V4** | 540 x 870 x 1830 |
| **CBU214272V4** | 540 x 1070 x 1830 | **CBA214272V4** | 540 x 1023 x 1830 |
| **CBU214872V4** | 540 x 1220 x 1830 | **CBA214872V4** | 540 x 1175 x 1830 |
| **CBU215472V4** | 540 x 1375 x 1830 | **CBA215472V4** | 540 x 1328 x 1830 |
| **CBU216072V4** | 540 x 1525 x 1830 | **CBA216072V4** | 540 x 1480 x 1830 |
| **CBU217272V4** | 540 x 1830 x 1830 | **CBA217272V4** | 540 x 1785 x 1830 |

## 610 mm DEPTH

| | | | |
|---|---|---|---|
| **CBU243072V4** | 610 x 765 x 1830 mm | **CBA243072V4** | 610 x 718 x 1830 mm |
| **CBU243672V4** | 610 x 915 x 1830 | **CBA243672V4** | 610 x 870 x 1830 |
| **CBU244272V4** | 610 x 1070 x 1830 | **CBA244272V4** | 610 x 1023 x 1830 |
| **CBU244872V4** | 610 x 1220 x 1830 | **CBA244872V4** | 610 x 1175 x 1830 |
| **CBU245472V4** | 610 x 1375 x 1830 | **CBA245472V4** | 610 x 1328 x 1830 |
| **CBU246072V4** | 610 x 1525 x 1830 | **CBA246072V4** | 610 x 1480 x 1830 |
| **CBU247272V4** | 610 x 1830 x 1830 | **CBA247272V4** | 610 x 1785 x 1830 |

**Color:** Brushed Graphite (580).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL SIZES:** (580)




BASICS PLUS SERIES

**2140 mm HEIGHT**


# V5
# 5-SHELF VENTED UNITS

Starter units include 2 factory assembled post kits and shelves. Add on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

**Starter**



**Add-On**



## 460 mm DEPTH

| CODE | DIMENSIONS D x L x H |
|---|---|
| **CBU183084V5** | 460 x 765 x 2140 mm |
| **CBU183684V5** | 460 x 915 x 2140 |
| **CBU184284V5** | 460 x 1070 x 2140 |
| **CBU184884V5** | 460 x 1220 x 2140 |
| **CBU185484V5** | 460 x 1375 x 2140 |
| **CBU186084V5** | 460 x 1525 x 2140 |

| CODE | DIMENSIONS D x L x H |
|---|---|
| **CBA183084V5** | 460 x 718 x 2140 mm |
| **CBA183684V5** | 460 x 870 x 2140 |
| **CBA184284V5** | 460 x 1023 x 2140 |
| **CBA184884V5** | 460 x 1175 x 2140 |
| **CBA185484V5** | 460 x 1328 x 2140 |
| **CBA186084V5** | 460 x 1480 x 2140 |

## 540 mm DEPTH

| | |
|---|---|
| **CBU213084V5** | 540 x 765 x 2140 mm |
| **CBU213684V5** | 540 x 915 x 2140 |
| **CBU214284V5** | 540 x 1070 x 2140 |
| **CBU214884V5** | 540 x 1220 x 2140 |
| **CBU215484V5** | 540 x 1375 x 2140 |
| **CBU216084V5** | 540 x 1525 x 2140 |

| | |
|---|---|
| **CBA213084V5** | 540 x 718 x 2140 mm |
| **CBA213684V5** | 540 x 870 x 2140 |
| **CBA214284V5** | 540 x 1023 x 2140 |
| **CBA214884V5** | 540 x 1175 x 2140 |
| **CBA215484V5** | 540 x 1328 x 2140 |
| **CBA216084V5** | 540 x 1480 x 2140 |

## 610 mm DEPTH

| | |
|---|---|
| **CBU243084V5** | 610 x 765 x 2140 mm |
| **CBU243684V5** | 610 x 915 x 2140 |
| **CBU244284V5** | 610 x 1070 x 2140 |
| **CBU244884V5** | 610 x 1220 x 2140 |
| **CBU245484V5** | 610 x 1375 x 2140 |
| **CBU246084V5** | 610 x 1525 x 2140 |

| | |
|---|---|
| **CBA243084V5** | 610 x 718 x 2140 mm |
| **CBA243684V5** | 610 x 870 x 2140 |
| **CBA244284V5** | 610 x 1023 x 2140 |
| **CBA244884V5** | 610 x 1175 x 2140 |
| **CBA245484V5** | 610 x 1328 x 2140 |
| **CBA246084V5** | 610 x 1525 x 2140 |

**Color:** Brushed Graphite (580).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL SIZES:** (580)


# CAMSHELVING® BASICS PLUS SERIES

## Corner Connectors

Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf). Available as a single set or 8 or 10 set packs.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL SIZES:** (580)



| CODE | DESCRIPTION |
|---|---|
| CBCC1 | 1 Set for 1 shelf |
| CBCC8 | 8 Sets for 4 shelves |
| CBCC10 | 10 Sets for 5 shelves |

**Color:** Brushed Graphite (580).

## Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1375 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.


| CODE | DIMENSIONS D x H |
|---|---|
| **Dunnage Stand – Low** | |
| CBDS14H6 | 360 x 171 mm |
| CBDS18H6 | 460 x 171 |
| CBDS21H6 | 540 x 171 |
| CBDS24H6 | 610 x 171 |
| **Dunnage Stand – Tall** | |
| CBDS14H10 | 360 x 273 mm |
| CBDS18H10 | 460 x 273 |
| CBDS21H10 | 540 x 273 |
| CBDS24H10 | 610 x 273 |

**Case Pack:** 1
**Color:** Brushed Graphite (580).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CBDS18H6, CBDS21H6, CBDS24H6:** (151)







## Shelf Traverses

Available in single or double packs. Use a single set to add an open shelf for divider bars or drying racks. Add single traverses onto back posts for extra support when placing rolling equipment under the first shelf. Traverse dovetails included.

| LENGTH | SINGLE PACK CODE* | DOUBLE PACK CODE** |
|---|---|---|
| 765 mm | CBTR30 | CBTR302PK |
| 915 | CBTR36 | CBTR362PK |
| 1070 | CBTR42 | CBTR422PK |
| 1220 | CBTR48 | CBTR482PK |
| 1375 | CBTR54 | CBTR542PK |
| 1525 | CBTR60 | CBTR602PK |
| 1830 | CBTR72 | CBTR722PK |

***Case Pack:** 1 ****Case Pack:** 2
**Color:** Brushed Graphite (580).






HEAT LAMPS
SMALL EQUIPMENT

# CAMSHELVING® ACCESSORIES

## Identification Tags

Clip onto shelf traverses to clearly identify stored product. Made of highly durable plastic with a clear slide in front panel. 14 labels included: 12 color-coded, pre-printed and 2 blank.

| CODE | DESCRIPTION | DIMENSION L x H |
|---|---|---|
| **Premium and Elements XTRA Series** | | |
| CSID6 | 152 mm ID Tag | 152 x 25 mm |
| CSID3 | 76 mm ID Tag | 76 x 25 |
| **Basics Plus Series** | | |
| CBID6 | 152 mm ID Tag | 152 x 25 |

**Case Pack:** 12
**Color:** White / Clear.




**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**
**CSID6, CBID6:** (000)




## Wall Fastener

Use to secure stationary shelving unit to a wall for added safety and stability where required. Made of stainless steel. Screws not included.

| CODE | DIMENSION D x L x H |
|---|---|
| CSWF | 73 x 238 x 48 mm |

**Case Pack:** 4 **Color:** Silver (000).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**
**CSWF:** (000)



Hole diameter 1,11 cm.



## Floor Fastener


Secure stationary unit posts directly to the floor for added safety and stability where required. Made of stainless steel. Bolts not included.

| CODE | DIMENSION D x L x H |
|---|---|
| **Premium, Elements XTRA & Basics Plus Series** | |
| CSFF | 38 x 165 x 89 mm |
| **Premium Series High Density** | |
| CSHDFF | 35 x 108 x 13 |

**CSFF Case Pack:** 2
**CSHDFF Case Pack:** 4
**Color:** Silver (000).




Hole diameter 1,43 cm.




## Premium Caster

Ideal in all areas of storage, especially coolers, freezers and/or wet areas. Made of highly durable, non-corrosive plastic with a 127 mm swivel, non-marking thermoplastic rubber wheel. Total locking brake locks both swivel motion and the wheel.

| CODE | SIZE |
|---|---|
| **Premium Series with Bumper** | |
| MPMCWB | 127 mm |
| **Elements XTRA Series** | |
| EMCWB | 127 mm |

**Case Pack:** 2 **Color:** Grey (000).




**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**
**MPMCWB:** (000)

## Donut Bumper

Offers added protection during transport and when maneuvering mobile units into place against walls or alongside other units for storage.

| CODE | DIAMETER |
|---|---|
| CSMHDDB | 127 mm |

**Case Pack:** 4 **Color:** Grey (000).





# CAMSHELVING® ACCESSORIES

## Shelf Divider

Stack and separate items stored on shelves. Made of highly durable ABS plastic. Installs directly onto solid or vented shelves. Easily removable for relocating or washing. Use with Shelf Rails to prevent contents from falling off shelves.

| CODE | DIMENSION D x H |
|---|---|
| CSSD188 | 460 x 203 mm |
| CSSD218 | 540 x 203 |
| CSSD248 | 610 x 203 |

**Case Pack:** 1 **Color:** Soft Grey (151).





**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL SIZES:** (151)

## Shelf Rails

Use to prevent contents from falling off shelves. Protect individual sides or ends or wrap a full shelf. Rods are made from a strong composite material that is highly durable and will never rust or corrode.

Fits Premium Shelving Units 680 to 1780 mm wide and 300 to 600 mm deep, or Elements XTRA and Basics Plus Unit 765 to 1830 mm wide and 360 to 610 mm deep.

Full or three-quarter shelf kits help to streamline installations and significantly reduces carton waste.

Shelf Rail kits are available in all depths and all lengths. To see the entire selection of Full & 3/4 kits, see the Camshelving Product Specification and Price List.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL SHELF RAIL KITS:** (151)

### Full Shelf Rail Kits

| PREMIUM CODE | DIMENSION D x L | ELEMENTS XTRA CODE | BASICS PLUS CODE | DIMENSION D x L |
|---|---|---|---|---|
| **Full Shelf Rail Kits (2 sides, 2 ends)** | | | | |
| MPR600900 | 600 x 900 mm | ESR2436 | CBR2436 | 610 x 910 mm |
| MPR6001000 | 600 x 1000 | ESR2442 | CBR2442 | 610 x 1070 |
| MPR6001100 | 600 x 1100 | ESR2448 | CBR2448 | 610 x 1220 |
| **3/4 Shelf Rail Kits (1 side, 2 ends)** | | | | |
| MPR6009003 | 600 x 900 | ESR24363 | CBR24363 | 610 x 910 |
| MPR60010003 | 600 x 1000 | ESR24423 | CBR24423 | 610 x 1070 |
| MPR60011003 | 600 x 1100 | ESR24483 | CBR24483 | 610 x 1220 |

**Case Pack:** 1 **Color:** Soft Gray (151).

### Single Side Rail Kits

| PREMIUM CODE | LENGTH | ELEMENTS XTRA CODE | BASICS PLUS CODE | LENGTH |
|---|---|---|---|---|
| MPR600S | 600 mm | ESR24S | — | 610 mm |
| MPR700S | 700 | ESR30S | CBR30S | 760 |
| MPR800S | 800 | ESR36S | CBR36S | 910 |
| MPR900S | 900 | ESR42S | CBR42S | 1070 |
| MPR1000S | 1000 | ESR48S | CBR48S | 1220 |
| MPR1100S | 1100 | ESR54S | CBR54S | 1380 |
| MPR1200S | 1200 | ESR60S | CBR60S | 1530 |
| MPR1300S | 1300 | ESR72S | — | 1830 |
| MPR1400S | 1400 | | | |
| MPR1500S | 1500 | | | |
| MPR1600S | 1600 | | | |
| MPR1700S | 1700 | | | |

**Case Pack:** 1 **Color:** Soft Gray (151).

### Single End Rail Kits

| PREMIUM CODE | DEPTH | ELEMENTS XTRA CODE | BASICS PLUS CODE | DEPTH |
|---|---|---|---|---|
| MPR300E | 300 mm | ESR14E | — | 360 mm |
| MPR400E | 400 | ESR18E | CBR18E | 460 |
| MPR500E | 500 | ESR21E | CBR21E | 540 |
| MPR600E | 600 | ESR24E | CBR24E | 610 |

**Case Pack:** 1 **Color:** Soft Gray (151).





# CAMSHELVING® ACCESSORIES

## Shelf Divider Bars (for 600/610 mm deep shelf only)

Create a custom service or storage station for food pans, boxes or dish racks. Install straight or angled dividers directly onto shelf traverses.

| CODE | DESCRIPTION |
|---|---|
| **Premium Series** | |
| CSDBA | Angled Divider Bar |
| CSDBS | Straight Divider Bar |
| **Elements XTRA Series** | |
| EDBA | Angled Divider Bar |
| EDBS | Straight Divider Bar |

**Case Pack:** 4
**Color:** Speckled Gray (480).





## Ultimate Sheet Pan Rack for Single Shelf

The lightweight, durable Ultimate Sheet Pan Rack for Single Shelf will transform your storage capabilities. Designed to fit securely on a 600 mm deep Premium Shelving Unit or 610 mm deep Elements XTRA and Basics Plus unit, this single shelf rack holds 6 full size 60 x 40 cm sheet pans in a compact space. Use to stage and hold prepped ingredients, defrost product in the cooler or quickly cool baked goods. Designed to accept pans directly out of a 176˚C oven. Ships knockdown.

| CODE | DESCRIPTION | DIMENSION D x L x H |
|---|---|---|
| **Premium or Elements XTRA Series** | | |
| CSUPR6040S6 | 60 x 40 rack | 612 x 465 x 514 mm |
| CSUPR1826S6 | 66 x 46 rack | 603 x 514 x 514 |
| **Basics Plus Series** | | |
| CBUPR6040S6 | 60 x 40 rack | 612 x 465 x 514 |
| CBUPR1826S6 | 66 x 46 rack | 603 x 514 x 514 |

**Case Pack:** 1 **Color:** Brushed Graphite (580).
Patent Pending.







**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CSUPR6040S6, CBUPR6040S6:** (580)

## Single Shelf Security Cage (for 610 mm deep shelf only)

Securely store valuable products on a single shelf. Made of heavy duty, 304 stainless steel for use in any environment. Requires 457 mm height between shelves. Install on vented shelves only. Lock not included.

| CODE | DIMENSION D x L x H |
|---|---|
| CSSC244818 | 640 x 1080 x 460 mm |

**Case Pack:** 1 **Color:** Silver (000).




# Camshelving® Wine Rack

## Full Wine Rack Units & Kits

- > Unit holds up to 144 bottles.
- > Add kits to customize existing shelving.
- > Holds standard size wine bottles.
- > Available in 360 or 460 mm depth.

**Easy to Clean**
**Ultra Hygienic**
**Highly Durable**





NSF

Store Safe

PATENT APPLIED FOR

COMPONENTS (WINE CRADLES & CONNECTORS NOT INCLUDED)

# UTILITY SHELVING — CAMSHELVING® WINE RACK UNITS & KITS




Four Cradle Shelf Kits, Single Stack




Eight Cradle Shelf Kits, Double Stack




Twelve Cradle Shelf Kits, Triple Stack




Single Cradle Add On Kits

## Camshelving® Wine Rack Units

| CODE | DESCRIPTION | DIMENSIONS | HOLDING CAPACITY |
|---|---|---|---|
| CBUWR144872PKG | Basics Plus Series Stationary Wine Rack Unit | 360 x 1220 x 1830 mm | 144 Standard Bottles of Wine (750 ml) |
| CBUWR184872PKG | Basics Plus Stationary Wine Rack Unit | 460 x 1220 x 1830 mm | 144 Standard Bottles of Wine (750 ml) |

**Color**: Brushed Graphite (580). **Each UNIT includes**: Unassembled Stationary Post Kits, 8 Traverses, 48 each Wine Cradles, 32 Bags of Cradle Connectors.

## Camshelving® Wine Cradle Kits

| CODE | DESCRIPTION | DIMENSIONS D x W x H* | HOLDING CAPACITY |
|---|---|---|---|
| **Single Cradle Add On Kits** (Single Cradle with Bag of Connectors) | | | |
| CSWRKIT14P1 | Wine Cradle Kit 360 mm Deep 1PK | 33,7 x 28,3 x 3,8 cm | 3 Bottles |
| CSWRKIT18P1 | Wine Cradle Kit 460 mm Deep 1PK | 43,9 x 28,3 x 3,8 cm | 3 Bottles |
| **Four Cradle Shelf Kits, Single Stack** (Four Cradles, No Connectors) | | | |
| CSWRC14P4 | Wine Cradles Only 360 mm Deep 4 EA | 33,7 x 113,4 x 3,8 cm | 12 Bottles |
| CSWRC18P4 | Wine Cradles Only 460 mm Deep 4 EA | 43,9 x 113,4 x 3,8 cm | 12 Bottles |
| **Eight Cradle Shelf Kits, Double Stack** (Eight Cradles with 4 Bags of Connectors) | | | |
| CSWRKIT14P8 | Wine Cradle Kit 360 mm Deep 8PK | 33,7 x 113,4 x 16 cm | 24 Bottles |
| CSWRKIT18P8 | Wine Cradle Kit 460 mm Deep 8PK | 43,9 x 113,4 x 16 cm | 24 Bottles |
| **Twelve Cradle Shelf Kits, Triple Stack** (Twelve Cradles with 8 Bags of Connectors) | | | |
| CSWRKIT14P12 | Wine Cradle Kit 360 mm Deep 12PK | 33,7 x 113,4 x 28,6 cm | 36 Bottles |
| CSWRKIT18P12 | Wine Cradle Kit 460 mm Deep 12PK | 43,9 x 113,4 x 28,6 cm | 36 Bottles |

**Color**: Soft Gray (151). *Overall length is based on 4 cradles installed side by side along 1220 mm traverses.

## Optional Accessories

| CODE | DESCRIPTION | DIMENSIONS D x L x H |
|---|---|---|
| CSFF | Floor Fastener | 3,8 x 16,5 x 9,5 cm |
| CSWF | Wall Fastener | 7,4 x 8,6 x 4,8 cm |
| CBDS14H6 | Dunnage Stand for Basics Plus | 35,6 x 16,5 cm |
| CSID6 | Identification Tag | 15,3 x 2,5 cm |
| CSID3 | Identification Tag | 7,6 x 2,5 cm |

**Colors**: Floor and Wall Fastener Stainless Steel (000), Dunnage Stand Brushed Graphite (580), Identification Tags White/Clear (000).

### STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

**ALL WINE CRADLE KITS** in 580
**CBDS14H6:** (580)
**CBDS18H6:** (580)
**CSID6:** (000)

CAMSHELVING®

# UNIVERSAL STORAGE RACK




NSF COMPONENT

Store Safe

## A Unique Way to Create VERTICAL STORAGE SPACE

Easily create individual storage sections with rail panels.

Available for Camshelving Premium, Elements XTRA and Basics Plus, 530 or 600 mm deep.

**HOLDS EVERYTHING**
food pans, boxes, sheet pans, trays, and even pizza dough boxes



**CREATE "DRAWER" STORAGE**



**VERTICAL STORAGE**
between shelves eliminates unused space



**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

ALL UNIVERSAL STORAGE RACKS in 580

| | | |
|---|---|---|
| Premium® Series | 600 mm depth | MPUNVR600 |
| | | MPUNVRA600 |
| Basics Plus® Series | 530 mm depth | CBUNVR21 |
| | | CBUNVRA21 |
| | 600 mm depth | CBUNVR24 |
| | | CBUNVRA24 |

# UTILITY SHELVING – CAMSHELVING® ULTIMATE #10 CAN RACK SYSTEM

Create the can storage system your operation needs with the Ultimate #10 Can Rack. This first ever plastic can rack makes storing and inventorying #10 and #5 cans so much easier.

- Front-loading, gravity-fed system supports FIFO organization and food rotation with no need to move the rack for loading or unloading.
- Made with easy to clean, smooth surfaces. Can be completely disassembled and run through the dishwasher.
- Lifetime warranty against rust and corrosion. Made from durable, reinforced plastic material.
- Single, Add-on Can Racks and Full-Size Can Rack Units each ship complete in 1 box. Units include pre-assembled post kits.

**Color:** Brushed Graphite (580).


Ultimate #10 Can Rack is covered by U.S. Patents D828,145 S and D827,421 S.

NSF Component on shelving only.

NSF COMPONENT







Easy to assemble, a few simple parts click together to build single and add-on racks.



## Storage Capacity

| | #10 Can | #5 Can |
|---|---|---|
| **SINGLE OR ADD-ON CAN RACK** | 8 each | 12 each |
| **FULL-SIZE CAN RACK UNIT** (660 x 915 x 1830, 3 tiers) | 96 | 144 |

Holds #10 and #5 cans 170 to 179 mm tall.

# UTILITY SHELVING – CAMSHELVING® ULTIMATE #10 CAN RACK SYSTEM

## Full Size Stationary Can Rack Unit

This free-standing can rack holds up to 96 cans in a compact space. Install on the end of a Camshelving High Density unit for maximum space utilization. Ships knockdown in 1 box with 2 factory-assembled post kits.

### Premium Series



### Elements XTRA Series



## Full Size Stationary Add-on Can Rack Unit

Maximize every inch of linear space in your kitchen or dry storage area with an in-line can rack. With just 1 factory assembled post kit, connect a can rack to standard shelving units in a straight line by sharing posts.





## Partial Can Rack Storage

Install a single row of can storage on any 610 mm deep Camshelving unit, utilizing shelf space above or below for standard storage items.







# UTILITY SHELVING – CAMSHELVING® ULTIMATE #10 CAN RACK SYSTEM

NSF
COMPONENT
Shelving only









| CODE | CPU243672C96* | ESU243672C96* | CPA243672C96** | EA243672C96** |
|---|---|---|---|---|
| DESCRIPTION | Premium Series Full-Size Stationary Can Rack Unit (Free Standing) | Elements XTRA Series Full-Size Stationary Can Rack Unit (Free Standing) | Premium Series Full-Size Add-On Can Rack Unit (Shared Post) | Elements XTRA Series Full-Size Add-On Can Rack Unit (Shared Post) |
| DIMENSIONS D x L x H | 660 x 915 x 1830 mm | 660 x 915 x 1830 mm | 660 x 870 x 1830 mm | 660 x 864 x 1830 mm |

**Case Pack:** 1 Ships in 1 box. **Premium Series Color:** Speckled Gray (480). **Elements XTRA Series Color:** Brushed Graphite (580).
*Unit includes: 2 pre-assembled post kits, 9 traverses, 15 panels and 72 brackets. **Unit includes: 1 pre-assembled post kit, 9 traverses, 15 panels and 72 brackets.

## Single and Add-on Can Racks





| CODE | UCR10R8 | UCR10AR8 |
|---|---|---|
| DESCRIPTION | Single Can Rack, 2 panels and 6 brackets | Add-on Can Rack, 1 panel and 6 brackets |
| DIMENSIONS D x L x H | 660 x 235 x 394 mm | 660 x 191 x 394 mm |

**Case Pack:** 1 **Color:** Brushed Graphite (580).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**


**UCR10R8, UCR10AR8:** (580)



## Can Racks Per Length

| SHELF LENGTH | NUMBER OF CAN RACKS PER TIER* | LEFTOVER SHELF SPACE | #10 CAN HOLDING CAPACITY |
|---|---|---|---|
| 610 mm | 2 | 89 mm | 16 |
| 765 | 3 | 51 | 24 |
| 915 | 4 | 0 | 32 |
| 1070 | 4 | 165 | 32 |
| 1220 | 5 | 127 | 40 |
| 1375 | 6 | 89 | 48 |
| 1525 | 7 | 51 | 56 |

*1 Single Rack plus Add-on Racks.




**NOTE:** Each tier of can racks requires 3 traverses, 2 front and 1 rear. Leave two open dovetails above top traverse before installing the next traverse/tier. This allows space to load cans.

# CAMSHELVING®
# ULTIMATE SHEET PAN RACK

**Designed for durability.**
**Buy once. Use forever.**

## Molded-in Rails = No Broken Welds



Low maintenance,
Easy to clean.

**Quiet, smooth glide,**
**swivel casters.**
**All with brakes.**

KD Ships knockdown

NSF COMPONENT

Store Safe

EASY TO Assemble

# CAMSHELVING®
# ULTIMATE
# SHEET PAN RACK
## for 46 x 66 cm Sheet Pans



**Full Size** **Half Size** **Undercounter**

| CODE | DIMENSIONS L x W x H* | RAIL SPACING | HOLDING CAPACITY | CASTER TYPE |
|---|---|---|---|---|
| **Full Size Knockdown (KD) Units** | | | | |
| UPR1826FP20 | 84,8 x 64,6 x 181,9 cm | 7,62 cm | 20 Sheet pans/trays | Plastic |
| UPR1826FP40 | 84,8 x 64,6 x 181,9 cm | 3,81 cm | 40 Sheet pans/trays | Plastic |
| **Full Size Factory Assembled (FA) Units** | | | | |
| UPR1826FPA20 | 84,8 x 64,6 x 181,9 cm | 7,62 cm | 20 Sheet pans/trays | Plastic |
| UPR1826FPA40 | 84,8 x 64,6 x 181,9 cm | 3,81 cm | 40 Sheet pans/trays | Plastic |

**Color:** Brushed Graphite (580). *Dimensions include 12,7 cm plastic casters. **Weight capacity:** 158,75 kg. per rack, 24,95 kg. per rail set.

| | | | | |
|---|---|---|---|---|
| **Half Size Knockdown (KD) Units** | | | | |
| UPR1826HP12 | 81,4 x 64,8 x 120,6 cm | 7,62 cm | 12 Sheet pans/trays | Plastic |
| UPR1826HP20 | 84,8 x 64,6 x 105,1 cm | 3,81 cm | 20 Sheet pans/trays | Plastic |

**Color:** Brushed Graphite (580). *Dimensions include 12,7 cm plastic casters. **Weight capacity:** 79,38 kg. per rack, 24,95 kg. per rail set.

| | | | | |
|---|---|---|---|---|
| **Undercounter Knockdown (KD) Units** | | | | |
| UPR1826U8 | 78,4 x 59,1 x 84,1 cm | 7,62 cm | 8 Sheet pans/trays | Metal |
| UPR1826U15 | 78,4 kg x 59,1 x 80 cm | 3,81 cm | 15 Sheet pans/trays | Metal |

**Color:** Brushed Graphite (580). *Dimensions include 7,62 cm metal casters. **Weight capacity:** 40,82 kg. per rack, 24,95 kg. per rail set.

MORE INFO

CAMSHELVING®

# GN FOOD PAN TROLLEYS



Accepts hot pans from oven
up to 200˚C

## Use in Kitchen, Freezer or Cooler



**Highly Durable**

**Low Maintenance**

Quiet, smooth glide, swivel casters. All with brakes.

KD Ships knockdown

NSF COMPONENT

Store Safe

EASY TO Assemble

# GN 1/1 Trolleys

1 full-size pan
per rail set, end load



**UGNPR11H9**
**D** 73,03 x **L** 43,8 x **H** 101,6 cm

| | |
|---|---|
| 6,5 cm | **x9** |
| 10 cm | **x4** |



**UGNPR11F18**
**D** 73,03 x **L** 43,8 x **H** 170,7 cm

| | |
|---|---|
| 6,5 cm | **x18** |
| 10 cm | **x9** |

# GN 2/1 Trolleys

2 full-size pans
per rail set, side load



**UGNPR21H18**
**D** 83,5 x **L** 64,5 x **H** 101,6 cm

| | |
|---|---|
| 6,5 cm | **x18** |
| 10 cm | **x8** |



**UGNPR21F36**
**D** 83,5 x **L** 64,5 x **H** 170,7 cm

| | |
|---|---|
| 6,5 cm | **x36** |
| 10 cm | **x18** |



Unique top frame holds a full size food pan or cutting board. Use to protect contents below or create a light duty work space.

MORE INFO

# PAN STOPS

Lock and secure pans on rails, especially during transport.



## For GN Food Pan Trolleys

**UGNPRPSF** (Full Size)

**UGNPRPSH** (Half Size)

## For Sheet Pan Racks

**UPRPSF** (Full Size)

**UPRPSH** (Half Size)

MORE INFO


Store Safe



# UTILITY SHELVING

## Premium Series Full-Wrap Security Cage for D 610 x L 1220 mm shelf and H 1700 mm stationary or H 1778 mm mobile

Store valuable products behind locked doors. Made of heavy-duty 304 stainless steel for use in any environment. Stationary or mobile units ship complete with factory assembled post kits, 2 vented shelves, 4 premium swivel casters with total locking brake for mobile unit and 1 full wrap security cage. Can be used with Divider Panels. Assembly requires bottom vented shelf. Additional shelves can be ordered separately. Cage and Units ship knockdown. Lock not included.







| CODE | CPFWSC244860 | CPU244864SUPKG | CPMU244867SUPKG |
|---|---|---|---|
| **DESCRIPTION** | Full-wrap Security Cage only | Full-wrap Stationary Security Unit | Full-wrap Mobile Security Unit |
| **DIMENSION** D x L x H | 680 x 1276 x 1562 mm | 680 x 1276 x 1638 mm | 680 x 1276 x 1721 mm |
| **COLOR** | Silver (000) | Speckled Gray (480) | Speckled Gray (480) |

**Case Pack:** 1 Cage only ships in 1 box. Units ship in 2 boxes.
Fit only Camshelving Premium Series made in the USA. Special Order. Allow 10 to 12 weeks for delivery for International delivery.

## Vertical Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient storage for trays, sheet pans, cutting boards and lids. Can be used with Shelf Rails to prevent contents from sliding off.

Units ship complete with factory assembled mobile post kits, 6 traverses, 12 or 15 vertical drying cradles and premium swivel casters with total locking brake. Assembly required.



Modular 7-slot rack can be ordered separately to customize a drying and storage rack. Made of highly durable ABS plastic. Slots are spaced 3,33 cm wide and dividers are 6,35 cm high.



| CODE | DIMENSIONS D x L x H | HOLDING CAPACITY | CASE PACK |
|---|---|---|---|
| **Premium Series Vertical Drying and Storage Rack** | | | |
| MPMU61117DRPKG | 600 x 1180 x 1790 mm | 84 Trays | 1 |
| MPMU61317DRPKG | 600 x 1380 x 1790 | 105 Trays | 1 |
| **Vertical Drying and Storage Cradle for 600 mm deep shelf only** (Fits all Camshelving® lines) | | | |
| CSDR7 | 597 x 260 x 95 | — | 1 |
| CSDR73 | 597 x 260 x 95 | — | 3 |

**Drying Rack Color:** Speckled White (490). **Drying Cradle Color:** Soft Gray (151).
1220 mm long unit ships in 5 boxes. 1530 mm long unit ships in 6 boxes.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**MPMU61117DRPKG, MPMU61317DRPKG:** (490)
**CSDR7, CSDR73:** (151)

# UTILITY SHELVING

## Angled Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient product organization with easy access to product.

Unit ships complete with factory assembled mobile post kits, 8 traverses, 16 angled drying cradles and premium swivel casters with total locking brake. Assembly required.



Uniquely designed cradle holds up to 8 each meal delivery pellets or use to dry, store and transport food pans and other commercial kitchen ware. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Slots are spaced 6,03 cm apart.



| CODE | DIMENSIONS D x L x H | HOLDING CAPACITY | CASE PACK |
|---|---|---|---|
| **Premium Series Angled Drying and Storage Rack** | | | |
| MPMU61217PDPKG | 600 x 1280 x 1790 mm | 128 Pellets and Bases or 16 GN 1/1 Food Pans | 1 |
| **Angled Drying and Storage Cradle for 600 mm deep shelf only** (Fits all Camshelving® lines) | | | |
| CSDR8 | 592 x 263 x 160 | — | 1 |
| CSDR84 | 592 x 263 x 160 | — | 4 |

**Drying Rack Color:** Speckled White (490). MPMU61217PDPKG Ships in 5 boxes.
**Drying Cradle Color:** Soft Gray (151).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**MPMU61217PDPKG:** (490)
**CSDR8, CSDR84:** (151)

## Dome Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient product organization with easy access to product.

Unit ships complete with factory assembled mobile post kits, 10 traverses, 10 dome drying cradles and premium swivel casters with total locking brake. Assembly required.



Use to dry and safely store up to 10 patient meal delivery domes or plate covers upright. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Slots are spaced 7,78 cm apart.



| CODE | DIMENSIONS D x L x H | HOLDING CAPACITY | CASE PACK |
|---|---|---|---|
| **Premium Series Dome Drying and Storage Rack** | | | |
| MPMU6917DDPKG | 600 x 980 x 1790 mm | 100 Domes | 1 |
| **Dome Drying and Storage Cradle for 600 mm deep shelf only** (Fits all Camshelving® lines) | | | |
| CSDDC24 | 597 x 415 x 86 | — | 1 |
| CSDDC245 | 597 x 415 x 86 | — | 5 |

**Drying Rack Color:** Speckled White (490). MPMU6917DDPKG Ships in 3 boxes.
**Drying Cradle Color:** Soft Gray (151).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CSDDC24, CSDDC245:** (151)

# UTILITY SHELVING

## Elements® XTRA Series 2-Shelf Vented Undercounter Units

Create storage in underutilized or hard-to-reach undercounter areas. Ideal for storing condiments, to-go containers, and paper disposables.

Stationary units include 2 factory assembled stationary post kits, 4 stationary traverses, stationary traverse dovetails and shelf plates.

Mobile units include 2 factory assembled mobile post kits, 4 mobile traverses, mobile traverse dovetails, shelf plates, and 4 premium swivel casters with total locking brake.





| CODE | DIMENSIONS D x L x H* |
|---|---|
| **Stationary Units** | |
| EXU183630V2 | 460 x 915 x 765 mm |
| EXU184830V2 | 460 x 1220 x 765 |
| **Mobile Units** | |
| EXMU142427V2 | 360 x 610 x 685 |
| EXMU143627V2 | 360 x 915 x 685 |
| EXMU144827V2 | 360 x 1220 x 685 |

**Color:** Brushed Graphite (580). Ships in 1 box. *Height includes casters.

## Premium Series Flex Stations

This versatile unit can serve as a convenient Grab and Go station, product merchandiser, or use for delivery staging area, utensil storage and much more.

Unit Includes: 2 factory assembled mobile post kits, 8 traverses, 36 angled divider bars (4 extra) 4 total locking casters and 24 identification tags. Assembly required.

Food pans, food boxes and other accessories sold separately.



| CODE | DESCRIPTION | DIMENSIONS D x L x H* |
|---|---|---|
| CPMU244867FXPKG | Premium Series Flex Station | 610 x 1220 x 1778 mm |

**Color:** Speckled Gray (480). Ships in 1 box. *Height includes casters.

# CAMSHELVING® WALL SHELVES AND SHELF EXTENDERS

## Wall Shelves

- Expand storage space in kitchens, above work stations and sinks.
- Features virtually indestructible I-beam supports that hold up to 68 kg per shelf.
- Durable polypropylene withstands temperatures up to 88˚C, and will not rust or corrode.
- Snap fit rail design allows shelves to snap on and off for easy cleaning.
- 5 cm backsplash and marine front edge controls spills and cross contamination.

## Shelf Extenders

- Convert empty wall space into a functional storage area.
- Use with or without Camshelving Wall Shelves.
- Peg strips withstand temperatures up to 88˚C, and will not rust or corrode.

**Wall Shelf Color:** Speckled Grey (480).

**Extender Peg Strip Color:** Black (110).

COMPONENT





Shelf Extenders ship in one carton and include:

| LENGTH | PEG STRIPS | BRACKETS | HOOKS |
|---|---|---|---|
| **910 mm** | 3 | 2 | 6 |
| **1220 mm** | 3 | 3 | 9 |

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CSWS1436SK, CSWS1448SK, CSWS1836SK, CSWS1848SK:** (480)


## Wall Shelves 360 mm Depth



| CODE | CSWS1436SK | CSWS1448SK | CSWS1436VK | CSWS1448VK |
|---|---|---|---|---|
| **DESCRIPTION** | 910 mm wall shelf, solid | 1220 mm wall shelf, solid | 910 mm wall shelf, vented | 1220 cm wall shelf, vented |
| **EXTERIOR DIMENSIONS** | **L** 915 x **D** 360 x **H** 340 mm | **L** 1220 x **D** 360 x **H** 340 mm | **L** 915 x **D** 360 x **H** 340 mm | **L** 1220 x **D** 360 x **H** 340 mm |

**Case Pack:** 1


## Wall Shelves 460 mm Depth



| CODE | CSWS1836SK | CSWS1848SK |
|---|---|---|
| **DESCRIPTION** | 910 mm wall shelf, solid | 1220 mm wall shelf, solid |
| **EXTERIOR DIMENSIONS** | **L** 915 x **D** 460 x **H** 340 mm | **L** 1220 x **D** 460 x **H** 340 mm |

**Case Pack:** 1

## Shelf Extenders



| CODE | CSWS36EK | CSWS48EK |
|---|---|---|
| **DESCRIPTION** | 910 mm Shelf Extender | 1220 mm Shelf Extender |
| **EXTERIOR DIMENSIONS** | **L** 900 x **D** 50 x **H** 390 mm | **L** 1220 x **D** 50 x **H** 390 mm |

**Case Pack:** 1

# S-SERIES DUNNAGE RACKS AND CAMLINK®





## S-Series Dunnage Racks

- Keep frozen, cold or dry inventory 30,5 cm safely off the floor.
- One piece construction and sturdy legs provide strength and stability.
- Heavy duty polypropylene is safe to -38˚C, and will not rust, corrode or bend.
- Choose slotted tops for maximum air circulation around perishable products.
- Solid tops catch spills for easy clean up.

**Colors:** Dark Brown (131), Speckled Gray (480).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**DRS300, DRS360, DRS480, DRS600:** (480)




| CODE | EXTERIOR DIM. H x D x W | LOAD CAPACITY |
|---|---|---|
| **Solid Top** | | |
| DRS30 | 300 x 533 x 760 mm | 680 kg |
| DRS36 | 300 x 533 x 915 | 680 |
| DRS48 | 300 x 533 x 1220 | 1,360 |
| DRS60 | 300 x 533 x 1525 | 1,360 |
| **Slotted Top** | | |
| DRS300 | 300 x 533 x 760 | 680 |
| DRS360 | 300 x 533 x 915 | 680 |
| DRS480 | 300 x 533 x 1220 | 1,360 |
| DRS600 | 300 x 533 x 1525 | 1,360 |

**Case Pack:** 1

## Camlink

Camlink connectors securely lock dunnage racks together for greater stability.



| CODE | CASE PACK |
|---|---|
| DRLNK | 6 |

**Color:** Black (110).

Camlink fits all sizes and styles. One free Camlink supplied with every Dunnage Rack.

# CAMBRO® FOOD STORAGE

Commitment to food safety relies on durable, consistent food storage products. Prep, store and serve across a wide range of temperatures and environments. All of our food storage products resist acid, oils, stains, and odors. That means years of service in a commercial kitchen without compromising quality.



FRESH PRO | CamSquares®

# STORAGE 2

## SEVEN SIZES
from 1,9 - 20,8 L

## 2 MATERIALS
Polycarbonate & Polypropylene




Virtually unbreakable.
Withstands temperatures from
Polycarbonate: -40˚ to 99˚C
Polypropylene: -40˚ to 85˚C

## RECESSED HANDLES

## 25% MORE Storage Capacity

## HELPFUL MARKS

Color graduations are printed on the outside for quick inventory management.

Graduation marks are both engraved and color-printed to ensure long-term readability.



with 11,3 to 20,8 L CamSquares FreshPro containers

**Note:** All graduations are approximate.

# FRESHPRO CAMSQUARES® FOOD STORAGE CONTAINERS

FRESHNESS²

## Secure-fit seal cover






Easy on/off seal cover





Prevents spills

## Maximizes Freshness

Extends shelf life by
**2 DAYS**



**INDUSTRY-FIRST**
Drain shelves for square food storage containers



# FRESHPRO CAMSQUARES® FOOD STORAGE CONTAINERS

## FOOD SAFETY²



Cross stacking allows sanitary drying



Easy Seal Cover prevents cross-contamination



Peg holes on drain shelves and covers promote sanitary drying

Drain holes in handles promote sanitary drying




## EFFICIENCY²

### Color-Coded Efficiency

Matching seal covers, drain shelves and graduation marks for easy inventory management



# FRESHPRO CAMSQUARES® FOOD STORAGE CONTAINERS

# ERGONOMICS

## Curved Corners & Recessed Handles



Curved corners for safe 4-sided pouring



Ergonomic handling



Textured grip



Easy to carry



# POLYCARBONATE FRESHPRO CAMSQUARES®
# FOOD STORAGE CONTAINERS





FRESH PRO


## Polycarbonate FreshPro CamSquares




| CODE | 2SFSPROCW | 4SFSPROCW | 6SFSPROCW | 8SFSPROCW | 12SFSPROCW | 18SFSPROCW | 22SFSPROCW |
|---|---|---|---|---|---|---|---|
| CAPACITY | 1,9 L | 3,8 L | 5,7 L | 7,6 L | 11,4 L | 17 L | 19 L |
| DIM. L x W x H (CM) | 19 x 19 x 10 | 19 x 19 x 18 | 23 x 23 x 18 | 23 x 23 x 24 | 29 x 29 x 22 | 29 x 29 x 33 | 29 x 29 x 41 |

**Case Pack:** 6 **Color:** Clear (135).

## FreshPro Seal Covers










| CODE | SFC2FPPP | SFC6FPPP | SFC12FPPP |
|---|---|---|---|
| DESCRIPTION | Fits 2 & 3,8 L | Fits 5,7 & 7,5 L | Fits 11, 17 & 19 L |
| COLOR | Translucent Green (265) | Translucent Red (266) | Translucent Blue (267) |

**Case Pack:** 6. FreshPro Easy Seal Covers not compatible with CamSquares Classic Series Containers.

## CamSquare Drain Shelves







| CODE | 2SFSFPDPP | 6SFSFPDPP | 12SFSFPDPP |
|---|---|---|---|
| DESCRIPTION | Fits 2 & 3,8 L | Fits 5,7 & 7,5 L | Fits 11, 17 & 19 L |
| COLOR | Translucent Green (265) | Translucent Red (266) | Translucent Blue (267) |

**Case Pack:** 6. FreshPro Drain Shelves not compatible with CamSquares Classic Series Containers.

**Note:** All graduations are approximate.

**Patent Applied For**

# POLYPROPYLENE FRESHPRO CAMSQUARES®
# FOOD STORAGE CONTAINERS





FRESH PRO


## Translucent FreshPro CamSquares




| CODE | 2SFSPROPP | 4SFSPROPP | 6SFSPROPP | 8SFSPROPP | 12SFSPROPP | 18SFSPROPP | 22SFSPROPP |
|---|---|---|---|---|---|---|---|
| CAPACITY | 1,9 L | 3,8 L | 5,7 L | 7,6 L | 11,4 L | 17 L | 19 L |
| DIM. L x W x H (CM) | 19 x 19 x 10 | 19 x 19 x 18 | 23 x 23 x 18 | 23 x 23 x 24 | 29 x 29 x 22 | 29 x 29 x 33 | 29 x 29 x 41 |

**Case Pack:** 6 **Color:** Translucent (190).

## FreashPro Seal Covers










| CODE | SFC2FPPP | SFC6FPPP | SFC12FPPP |
|---|---|---|---|
| DESCRIPTION | Fits 2 & 3,8 L | Fits 5,7 & 7,5 L | Fits 11, 17 & 19 L |
| COLOR | Translucent Green (265) | Translucent Red (266) | Translucent Blue (267) |

**Case Pack:** 6. FreshPro Easy Seal Covers not compatible with CamSquares Classic Series Containers.

## CamSquare Drain Shelves







| CODE | 2SFSFPDPP | 6SFSFPDPP | 12SFSFPDPP |
|---|---|---|---|
| DESCRIPTION | Fits 2 & 3,8 L | Fits 5,7 & 7,5 L | Fits 11, 17 & 19 L |
| COLOR | Translucent Green (265) | Translucent Red (266) | Translucent Blue (267) |

**Case Pack:** 6. FreshPro Drain Shelves not compatible with CamSquares Classic Series Containers.

**Note:** All graduations are approximate.

Patent Applied For

# POLYPROPYLENE CAMSQUARES® REUSABLE MINI STORAGE CONTAINERS

Ideal for Fresh herbs
Spice blends
Condiments
Mise en place



**INDUSTRY-FIRST**
Commercial Grade
One Liter and Half Liter Sizes

**TWO SIZES**
16 and 32 oz.

# The Reusable and Sustainable Solution



Reusable replacement for single-use containers



# POLYPROPYLENE CAMSQUARES®
# REUSABLE MINI STORAGE CONTAINERS

## Seal Cover





Stays firmly in place
Prevents spills
Easy on/off cover
Peg hole for sanitary drying
Prevents cross-contamination

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL FRESHPRO PRODUCTS: (190)**



## One-Handed Carry



## One Cover Fits Both Container Sizes



1 L

1/2 L

## Personalization




## Polypropylene CamSquares Reusable Mini Storage Containers



**HFSFSPROPP**
**CAPACITY:** ½ L
**DIMENSIONS L x W x H:** 12 cm x 12 cm x 6,5 cm
**Case Pack:** 6 **Color:** Translucent (190).



**1SFSPROPP**
**CAPACITY:** 1 L
**DIMENSIONS L x W x H:** 12 cm x 12 cm x 11,8 cm
**Case Pack:** 6 **Color:** Translucent (190).

## Easy Seal Cover



**SFC1FPPP**
**DESCRIPTION:** Fits ½ & 1 L
**Case Pack:** 6 **Color:** Translucent (190).

**Patent Applied For**

FRESH PRO

# CamRounds™



## Ergonomics

Handle Food. Not Fatigue.

## SEVEN SIZES
from 2 - 22 qt.

## 1 MATERIAL
POLYPROPYLENE

Virtually unbreakable.
Withstands
temperatures from
-40˚ to 185˚F (-40˚ to 85˚C)

MADE IN USA




Perfect for immersion blenders



Easy to wing it



Smooth stirring



Easy-to-carry handles



Curved corners for safe 4-sided pouring

## POLYPROPYLENE FRESHPRO CAMROUNDS™ FOOD STORAGE CONTAINERS

# Storage




CamSquares® can stack on top of CamRounds™ for maximum space-saving storage





Spill-proof seal cover



# Efficiency

Share the same seal covers as FreshPro CamSquares



Color-coded matching seal covers, drain shelves, and graduation marks for easy inventory management

# Hygienic Washing, Drying and Storage



Peg holes on drain shelves and seal covers



Cross stacking for sanitary drying




Commercial dishwasher safe




Drain holes in handles

# Freshness Extension



Industry-first drain shelves

Seal covers keep oxygen out and extend product shelf life by twice as long



Drain shelves lift ingredients out of juices, preserving freshness and quality

# Personalization

Maintain recipe consistency and simplify training with personalized instructions for staff







Scan or Click for More Information

Easily identify contents and usage to streamline kitchen operations

**POLYPROPYLENE FRESHPRO CAMROUNDS™**
**FOOD STORAGE CONTAINERS**

# Pail with Bail

Carry Confidently. Pour Precisely.








**Heavy duty construction**



**Precise pour control**






## THREE SIZES

11,4•17,2•20,8L

# POLYPROPYLENE FRESHPRO CAMROUNDS™ FOOD STORAGE CONTAINERS

FRESH PRO

## Translucent FreshPro CamRounds



| CODE | 2RFSPROPP | 4RFSPROPP | 6RFSPROPP | 8RFSPROPP | 12RFSPROPP | 18RFSPROPP | 22RFSPROPP |
|---|---|---|---|---|---|---|---|
| CAPACITY | 1,9 L | 3,9 L | 5,7 L | 7,6 L | 11,4 L | 17,2 L | 20,8 L |
| DIM. L x W x H (CM) | 19,1 x 19,1 x 10,7 | 19,1 x 19,1 x 20,6 | 22,9 x 22,9 x 20,6 | 22,9 x 22,9 x 26,4 | 28,9 x 28,9 x 22,6 | 28,9 x 28,9 x 33,8 | 28,9 x 28,9 x 41,2 |

**Case Pack:** 6 **Color:** Translucent (190).

## Translucent FreshPro CamRounds Pails With Bails



| CODE | PWB12PROPP | PWB18PROPP | PWB22PROPP |
|---|---|---|---|
| CAPACITY | 12 qt. | 18 qt. | 22 qt. |
| DIM. L x W x H | 28,9 x 28,9 x 22,6cm | 28,9 x 28,9 x 33,8 cm | 28,9 x 28,9 x 41,2 cm |

**Case Pack:** 6 **Color:** Translucent (190).


## FreshPro Seal Covers



| CODE | SFC2FPPP | SFC6FPPP | SFC12FPPP |
|---|---|---|---|
| DESCRIPTION | Fits 1,9 / 3,9 L | Fits 5,7 / 7,6 L | Fits 11,4 / 17,2 / 20,8 L |
| COLOR | Translucent Green (265) | Translucent Red (266) | Translucent Blue (267) |

**Case Pack:** 6. FreshPro Easy Seal Covers not compatible with CamSquares Classic Series Containers.

## CamRounds Drain Shelves



| CODE | 2RFSFPDPP | 6RFSFPDPP | 12RFSFPDPP |
|---|---|---|---|
| DESCRIPTION | Fits 1,9 / 3,9 L | Fits 5,7 / 7,6 L | Fits 11,4 / 17,2 / 20,8 L |
| COLOR | Translucent Green (265) | Translucent Red (266) | Translucent Blue (267) |

**Case Pack:** 6. FreshPro Drain Shelves not compatible with CamSquares Classic Series Containers.


**Note:** All graduations are approximate.

**Patent Applied For**

# POLYCARBONATE CAMSQUARE® CLASSIC FOOD STORAGE CONTAINERS



## Polycarbonate CamSquares Classic Series



| CODE | 2SFSCW | 4SFSCW | 6SFSCW | 8SFSCW | 12SFSCW** | 18SFSCW** | 22SFSCW** |
|---|---|---|---|---|---|---|---|
| CAPACITY | 1,9 L | 3,8 L | 5,7 L | 7,6 L | 11,4 L | 17,2 L | 20,8 L |
| DIM. L x W x H (CM) | 18,5 x 18,5 x 10 | 18,5 x 18,5 x 18,7 | 21,5 x 21,5 x 18,5 | 21,5 x 21,5 x 23 | 25,6 x 31 x 21 | 25,6 x 31 x 32 | 25,6 x 31 x 40 |

**Case Pack:** 6 **Color:** Clear (135). Height includes covers. **Dimensions include handles.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL CAMWEAR:** (135)

## Seal Covers for Polycarbonate CamSquare Classic Series*



| CODE | SFC2SCPP | SFC6SCPP | SFC12SCPP |
|---|---|---|---|
| DESCRIPTION | Fits 1,9 & 3,8 L | Fits 5,7 & 7,6 L | Fits 11,4, 17,2 & 20,8 L |

**Case Pack:** 6 **Color:** Translucent (190).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**SFC2SCPP, SFC6SCPP, SFC12SCPP:** (190)

**Note:** All graduations are approximate.

*Seal Covers fit Camwear CamSquare Classic containers only and are not airtight.

Personalization available on non-food contact areas only. See cresting section for information, ordering and pricing.

PRORATED

# CAMSQUARES® CLASSIC SERIES TRANSLUCENT POLYPROPYLENE & POLYETHYLENE FOOD STORAGE CONTAINERS

## Translucent Polypropylene

- Translucent material provides some content visibility and high chemical resistance.
- Withstands temperatures from -40˚ to 70˚C.
- Easy to read graduations are printed on the outside for at a glance inventory management.

**Note:** All graduations are approximate.



## Polyethylene

- Economical storage choice.
- Made of impact, stain and chemical resistant opaque material.
- Withstands temperatures from -40˚ to 70˚C.

**Note:** All graduations are approximate.



## Covers for Camwear® CamSquares Classic Series Translucent and Poly CamSquares

- Snap-tight polyethylene covers feature thumb tabs for easy removal.
- Colored covers match up with colored graduation marks on containers.



## Personalization

Personalize food storage products to identify menu items, add fill lines for recipes, or use personalization in multiple languages to help ensure product quality and consistency.


For more information see the "Promote Your Brand" page located in the Table section of this catalog.



# CAMSQUARES® CLASSIC SERIES TRANSLUCENT POLYPROPYLENE & POLYETHYLENE FOOD STORAGE CONTAINERS



## Translucent Polypropylene



| CODE | 2SFSPP | 4SFSPP | 6SFSPP | 8SFSPP | 12SFSPP** | 18SFSPP** | 22SFSPP** |
|---|---|---|---|---|---|---|---|
| CAPACITY | 1,9 L | 3,8 L | 5,7 L | 7,6 L | 11,4 L | 17,2 L | 20,8 L |
| DIM. L x W x H (CM) | 18,5 x 18,5 x 10 | 18,5 x 18,5 x 18,7 | 21,5 x 21,5 x 18,5 | 21,5 x 21,5 x 23 | 25,6 x 31 x 21 | 25,6 x 31 x 32 | 25,6 x 31 x 40 |

**Case Pack:** 6 **Color:** Translucent (190). Height includes covers. **Dimensions include handles.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**2SFSPP, 4SFSPP, 6SFSPP, 8SFSPP, 12SFSPP, 18SFSPP, 22SFSPP:** (190)

## Polyethylene



| CODE | 2SFSP | 4SFSP | 6SFSP | 8SFSP | 12SFSP** | 18SFSP** | 22SFSP** |
|---|---|---|---|---|---|---|---|
| CAPACITY | 1,9 L | 3,8 L | 5,7 L | 7,6 L | 11,4 L | 17,2 L | 20,8 L |
| DIM. L x W x H (CM) | 18,5 x 18,5 x 10 | 18,5 x 18,5 x 18,7 | 21,5 x 21,5 x 18,5 | 21,5 x 21,5 x 23 | 25,6 x 31 x 21 | 25,6 x 31 x 32 | 25,6 x 31 x 40 |

**Case Pack:** 6 **Color:** Natural White (148). Height includes covers. **Dimensions include handles.

## Universal Covers*



| CODE | SFC2 | SFC6 | SFC12 |
|---|---|---|---|
| COLOR | Kelly Green (452) | Winter Rose (451) | Midnight Blue (453) |
| DESCRIPTION | Fits 1,9 & 3,8 L | Fits 5,7 & 7,6 L | Fits 11,4, 17,2 & 20,8 L |

**Case Pack:** 6

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**SFC2:** (452)
**SFC6:** (451)
**SFC12:** (453)

**Note:** All graduations are approximate.

*Fit all Camsquares Classic Series.

Personalization available on non-food contact areas only. See cresting section for information, ordering and pricing.

# POLYPROPYLENE CAMROUNDS™ CLASSIC SERIES FOOD STORAGE CONTAINERS

- Translucent material offers some product visibility.
- Rounds are durable and resistant to stains.
- Withstands temperatures from -40˚ to 70˚C.
- Snap on covers fit tightly to protect contents and extend product freshness.

**Note:** All graduations are approximate.

**Note:** To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.



## Polypropylene CamRounds Classic Series



| CODE | RFS1PP | RFS2PP | RFS4PP | RFS6PP | RFS8PP | RFS12PP | RFS18PP | RFS22PP |
|---|---|---|---|---|---|---|---|---|
| **CAPACITY** | 0,9 L | 1,9 L | 3,8 L | 5,7 L | 7,6 L | 11,4 L | 17,2 L | 20,8 L |
| **TOP DIAMETER** (CM) | 15,4 | 20,8 | 20,8 | 25,2 | 25,2 | 37,8 | 37,8 | 37,8 |
| **HEIGHT** (CM) | 12,7 | 11,1 | 21,8 | 20,2 | 27,6 | 21,3 | 30,5 | 38,1 |
| **CASE PACK** | 12 | 12 | 12 | 12 | 12 | 6 | 6 | 6 |

**Color:** Translucent (190). Top diameter dimension includes handle. Height dimension includes cover.



## Covers for Polypropylene CamRounds Classic Series

| DESCRIPTION | CASE PACK | CODE |
|---|---|---|
| Fits 0,9 L | 12 | RFSC1PP |
| Fits 1,9 L & 3,8 L | 12 | RFSC2PP |
| Fits 5,7 L & 7,6 L | 12 | RFSC6PP |
| Fits 11,4 L, 17,2 L & 20,8 L | 6 | RFSC12PP |

**Color:** Translucent (190).

# POLYCARBONATE CAMROUNDS™ CLASSIC SERIES FOOD STORAGE CONTAINERS



## Polycarbonate CamRounds
## Classic Series



| CODE | RFSCW1 | RFSCW2 | RFSCW4 | RFSCW6 | RFSCW8 | RFSCW12 | RFSCW18 | RFSCW22 |
|---|---|---|---|---|---|---|---|---|
| **CAPACITY** | 0,9 L | 1,9 L | 3,8 L | 5,7 L | 7,6 L | 11,4 L | 17,2 L | 20,8 L |
| **TOP DIAMETER** (CM) | 15,4 | 20,8 | 20,8 | 25,2 | 25,2 | 37,8 | 37,8 | 37,8 |
| **HEIGHT** (CM) | 12,7 | 11,1 | 21,8 | 20,2 | 27,6 | 21,3 | 30,5 | 38,1 |
| **CASE PACK** | 12 | 12 | 12 | 12 | 12 | 6 | 6 | 6 |

**Color:** Clear (135). Top diameter dimension includes handle. Height dimension includes cover. Two year warranty on Camwear Rounds.





## Polycarbonate Covers for CamRounds
## Classic Series

| DESCRIPTION | CASE PACK | CODE |
|---|---|---|
| Fits 0,9 L | 12 | RFSCWC1 |
| Fits 1,9 L & 3,8 L | 12 | RFSCWC2 |
| Fits 5,7 L & 7,6 L | 12 | RFSCWC6 |
| Fits 11,4 L, 17,2 L & 20,8 L | 6 | RFSCWC12 |

**Color:** Clear (135).

## Seal Covers for Polycarbonate CamRounds
## Classic Series

| DESCRIPTION | CASE PACK | CODE |
|---|---|---|
| Fits 0,9 L | 12 | RFS1SCPP |
| Fits 1,9 L & 3,8 L | 12 | RFS2SCPP |
| Fits 5,7 L & 7,6 L | 12 | RFS6SCPP |
| Fits 11,4 L, 17,2 L & 20,8 L | 6 | RFS12SCPP |

**Color:** Translucent (190).

# TRANSLUCENT POLYPROPYLENE & POLYETHYLENE ROUND FOOD STORAGE CONTAINERS

## Polyethylene CamRounds Classic Series

- Impact, stain and chemical resistant material.
- An affordable storage choice.
- Safe from -40˚ to 70˚C.
- Snap on covers fit tightly yet are easily removed.

**Note:** All graduations are approximate.

**Note:** To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.



## Polyethylene



| CODE | RFS1 | RFS2 | RFS4 | RFS6 | RFS8 | RFS12 | RFS18 | RFS22 |
|---|---|---|---|---|---|---|---|---|
| **CAPACITY** | 0,9 L | 1,9 L | 3,8 L | 5,7 L | 7,6 L | 11,4 L | 17,2 L | 20,8 L |
| **TOP DIAMETER** (CM) | 15,4 | 20,8 | 20,8 | 25,2 | 25,2 | 37,8 | 37,8 | 37,8 |
| **HEIGHT** (CM) | 12,7 | 11,1 | 21,8 | 20,2 | 27,6 | 21,3 | 30,5 | 38,1 |
| **CASE PACK** | 12 | 12 | 12 | 12 | 12 | 6 | 6 | 6 |

**Color:** Natural White (148). Top diameter dimension includes handle. Height dimension includes cover.



## Covers for Polyethylene Rounds

| DESCRIPTION | CASE PACK | CODE |
|---|---|---|
| Fits 0,9 L | 12 | RFSC1 |
| Fits 1,9 L & 3,8 L | 12 | RFSC2 |
| Fits 5,7 L & 7,6 L | 12 | RFSC6 |
| Fits 11,4 L, 17,2 L & 20,8 L | 6 | RFSC12 |

**Color:** Natural White (148).

# CAMWEAR® FOOD STORAGE BOXES

## ELIMINATE THE HAZARD OF CROSS CONTAMINATION

Extend the freshness of ingredients and eliminate points of cross contamination by transferring product into food boxes at the receiving dock. A safe solution for storing bulk fruits and vegetables. Clear Camwear allows visibility for product identification. Snap tight Camwear Flat Lids or SlidingLids, sold separately, remain in place and won't come off during transport.


Camwear and Poly Lids are not interchangeable.

SlidingLids are covered by the following U.S. Patents D 447,906 S & 6,540,098 B1.

2
PRORATED



Available in Safety Red or Yellow to reduce the risk of cross contamination.



Molded-in handles ease carrying.

SlidingLid provides easy access to contents without removing the lid.

Withstands temperatures from -40˚ to 99˚C for use in coolers and freezers.


Crystal clear, durable Camwear allows for easy product identification.

Smooth surface is easy to clean. Stain and odor resistant.

Texturing on bottom of boxes reduces scratching.

## Camwear Flat Lids

- Snap-tight covers won't come off during transport.
- Top molded-in rails for safer, more secure stacking.
- Durable Camwear is safe from -40˚ to 99˚C.



## Camwear SlidingLids™

- Lid slides back to easily access contents, minimizing handling.
- Reduces the risk of cross contamination since lid remains on food box.
- Made of virtually unbreakable Camwear.



# CAMWEAR® FOOD STORAGE BOXES



## Camwear Food Storage Boxes





| CODE | 18263CW | ✣ ● 18266CW | 18269CW |
|---|---|---|---|
| **DIMENSIONS** (CM) | 46 x 66 x 9 | 46 x 66 x 15 | 46 x 66 x 23 |
| **APPROX. CAPACITY** (L) | 18,9 | 33,1 | 49,2 |
| **CASE PACK** | 6 | 6 | 4 |










| CODE | 182612CW | 182615CW | 12183CW | ✣ ● 12186CW | ✣ 12189CW |
|---|---|---|---|---|---|
| **DIMENSIONS** (CM) | 46 x 66 x 30 | 46 x 66 x 38 | 30,5 x 46 x 9 | 30,5 x 46 x 15 | 30,5 x 46 x 23 |
| **APPROX. CAPACITY** (L) | 64,4 | 83,3 | 6,6 | 11,4 | 18 |
| **CASE PACK** | 4 | 3 | 6 | 6 | 6 |

**Color:** Clear (135). **18266CW & 12186CW available in:** ● Safety Red (467), ✣ Safety Yellow (464). Please contact customer service for more information.

## Camwear Covers

| CODE | ✣ ● 1826CCW FLAT LID | 1826SCCW SLIDINGLID™ | ✣ ● 1218CCW FLAT LID | 1218SCCW SLIDINGLID |
|---|---|---|---|---|
| **DIMENSIONS** (CM) | 45,7 x 66 | 45,7 x 66 | 30,5 x 45,7 | 30,5 x 45,7 |

**Case Pack:** 6 **Color:** Clear (135). **1826CCW & 1218CCW available in:** ● Safety Red (467), ✣ Safety Yellow (464).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**18263CW, 18266CW, 18269CW, 182612CW, 182615CW, 12183CW, 12186CW, 12189CW, 1826CCW, 1218CCW:** (135)

# CAMWEAR® FOOD STORAGE BOX ACCESSORIES

## ColanderKit™

- A complete food safety system packaged in one carton.
- Store raw meats, fish on ice or bulk produce safely.
- Juices and liquids drip into the food box below for quick and easy disposal.
- Reduces handling and risk of cross contamination.
- ColanderKit Includes:

  1 - 20 cm Deep Colander

  1 - 46 x 66 x 23 cm Food Box


  1 - 46 x 66 cm SlidingLid™






## Camwear Colanders

- Enhances food quality and reduces risk of cross contamination.
- Liquids and juices drain directly into food box for improved food safety.
- Ideal for draining fruits and vegetables, thawing meat or poultry, or storing seafood on ice.
- Fits Camwear 46 x 66 cm Food Storage Boxes only.





Drain hole dimension: 9,5 mm


## Camwear Drain Shelves

- Lifts contents out of liquids to enhance food quality and freshness.
- Made of virtually unbreakable Camwear.
- Camwear drain shelves fit in both Camwear boxes and white poly boxes.



## Accessories




| CODE | 1826DSCW | 1218DSCW | 1826CLRCW (12,7 CM DEEP) | 18268CLRCW (20 CM DEEP) | 18268CLRKIT |
|---|---|---|---|---|---|
| DESCRIPTION | Drain shelf | Drain shelf | Colander | Colander | ColanderKit |
| DIMENSIONS | Fits all 46 x 66 cm food storage boxes | Fits all 30,5 x 46 cm food storage boxes | Fits Camwear food storage boxes only 46 x 66 x 15 cm and deeper | Fits Camwear food storage boxes only 46 x 66 x 23 cm and deeper | One 20 cm deep colander one 46 x 66 x 23 cm food box one 46 x 66 cm SlidingLid™ |
| CASE PACK | 6 | 6 | 6 | 4 | 1 Kit |

**Color:** Clear (135).

# POLYETHYLENE FOOD STORAGE BOXES & CAMWEAR® ACCESSORIES



## Polyethylene Food Storage Boxes

BPA FREE

- Economical choice for storing bulk produce and ingredients.
- Impact, stain and chemical resistant material.
- Withstands temperatures from -40˚ to 70˚C.





| CODE | 18263P | 18266P | 18269P |
|---|---|---|---|
| DIMENSIONS (CM) | 46 x 66 x 9 | 46 x 66 x 15 | 46 x 66 x 23 |
| APPROX. CAPACITY | 18,9 L | 33,1 L | 49,2 L |
| CASE PACK | 6 | 6 | 6 |







| CODE | 182612P | 182615P | 12183P | 12186P | 12189P |
|---|---|---|---|---|---|
| DIMENSIONS (CM) | 46 x 66 x 30 | 46 x 66 x 38 | 30,5 x 46 x 9 | 30,5 x 46 x 15 | 30,5 x 46 x 23 |
| APPROX. CAPACITY | 64,4 L | 83,3 L | 6,6 L | 11,4 L | 18 L |
| CASE PACK | 4 | 3 | 6 | 6 | 6 |

**Color:** Natural White (148).

## Polyethylene Covers

BPA FREE




| CODE | 1826CP FLAT LID | 1218CP FLAT LID |
|---|---|---|
| DIMENSIONS (CM) | 45,7 x 66 | 30,5 x 45,7 |

**Color:** Natural White (148). **Case Pack:** 6

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**1826DSCW, 1826CLRCW, 18268CLRCW:** (135)
**1826CP, 18269P, 182615P:** (148)

Camwear and Polyethylene Lids are not interchangeable.

## Camchiller®

- Extend cold holding time or enhance safe holding below 5˚C when frequent access is required.

| CODE | CP814 (20 x 36 CAMCHILLER) |
|---|---|
| FITS INTO FOOD BOXES | 12189CW, 12189P, 12186CW, 12186P |
| DIMENSIONS L x W x H | 35,56 x 20,32 x 3,8 cm |

**Case Pack:** 1 **Color:** Cold Blue (159).



# STORESAFE®
# FOOD ROTATION LABELS

- Label and adhesive dissolve in less than 30 seconds.
- Run under hot or cold water or through the dishwasher.
- Safe for all sewer and septic systems and will not build up in drains.
- Withstands freezing temperatures as low as -40˚C.
- Withstands high heat temperatures up to 93˚C for 4 hours.
- Microwave safe.
- Leaves behind no sticky residue which can be a breeding ground for bacteria.
- Assists in a proper First In First Out (FIFO) food storage system.
- 100% dissolvable and biodegradable.

**Label color:** White (148).

*Available for ordering in cases only. No broken cartons.

100% biodegradable. FDA approved material.

BPA FREE



Eliminates sticky residue and prevents cross contamination! No more scraping!



Dissolves completely off all containers when placed through dishwasher or under running water.


100% DISSOLVABLE & BIODEGRADABLE

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**1252SLB250, 1252SLINB250, 23SLINB6250, 23SLB250, 23SLINB250**




## Retail Blister Pack





| CASE CODE | 23SL |
|---|---|
| LABEL SIZE | 5 x 7,6 cm |
| CASE PACK | 20 rolls, 100 labels per roll |

StoreSafe Label Blister Pack is covered by U.S. Patent 690,589 S.

## Bulk Dispenser Pack – Half Size Labels









| CASE CODE | 1252SLB250 | 1252SLINB250 |
|---|---|---|
| LABEL SIZE | 3 x 5 cm | 3 x 5 cm |
| CASE PACK | 24 rolls, 250 labels per roll | 24 rolls, 250 labels per roll |

## Bulk Dispenser Pack







| CASE CODE | 23SLB250 | 23SLB6250 |
|---|---|---|
| LABEL SIZE | 5 x 7,6 cm | 5 x 7,6 cm |
| CASE PACK | 24 rolls, 250 labels per roll | 6 rolls, 250 labels per roll |

## Bulk Dispenser Pack – Blank Labels







| CASE CODE | 23SLINB250 | 23SLINB6250 |
|---|---|---|
| LABEL SIZE | 5 x 7,6 cm | 5 x 7,6 cm |
| CASE PACK | 24 rolls, 250 labels per roll | 6 rolls, 250 labels per roll |

## Laser Sheet



| BOX CODE | SLL30 (Avery® 5160) |
|---|---|
| LABEL SIZE | 2,54 x 6,35 cm |
| CASE PACK | 100 sheets, 30 labels per sheet 21,6 x 27,9 cm sheet size |



# CAMWEAR® GASTRONORM FOOD PANS

NSF · CA PROP 65 · 2 PRORATED · Store Safe

**Store, transport, and serve all in one pan. Precisely designed by Gastronorm GN specifications, with a large radius bottom to reduce food waste.**

Camwear GN pans are not recommended for steam table or microwave use. See H-Pan™ section for high heat applications.


# CLEARLY THE BEST





## UNBREAKABLE

The Gastronorm Food Pan is virtually unbreakable for a lasting storage solution.



## CLARITY

Check contents while reducing handling and cross contamination.

## HOT or NOT

Withstands a wide range of temperatures: -40˚C to 99˚C



## NO REACTION

Polycarbonate Food Pans will not react or stain with acids or oils.









## COLD TEST



STAINLESS STEEL PAN

CAMWEAR FOOD PAN

# CAMWEAR® GASTRONORM FOOD PANS SIZE, & ORDERING INFORMATION

| CONFIGURATIONS | PAN CODE | PAN DEPTH | APPROXIMATE CAPACITY |
|---|---|---|---|
|  GN 1/1 32,5 x 53 cm | 12CW | 6,5 cm | 8,5 L |
| | 14CW | 10 | 13 |
| | 16CW | 15 | 19,5 |
| | 18CW | 20 | 25,6 |
| | 10CWD | — | Drain shelf |
|  GN 1/2 Long 16,2 x 53 cm | 22LPCW | 6,5 | 3 |
| | 24LPCW | 10 | 5 |
| | 20LPCWD | — | Drain shelf |
|  GN 1/2 26,5 x 32,5 cm | 22CW | 6,5 | 3,9 |
| | 24CW | 10 | 5,9 |
| | 26CW | 15 | 8,9 |
| | 28CW | 20 | 11,7 |
| | 20CWD | — | Drain shelf |
|  GN 1/3 17,6 x 32,5 cm | 32CW | 6,5 | 2,4 |
| | 34CW | 10 | 3,6 |
| | 36CW | 15 | 5,3 |
| | 38CW | 20 | 6,9 |
| | 30CWD | — | Drain shelf |
|  GN 1/4 16,2 x 26,5 cm | 42CW | 6,5 | 1,7 |
| | 44CW | 10 | 2,5 |
| | 46CW | 15 | 3,7 |
| | 40CWD | — | Drain shelf |
|  GN 1/6 16,2 x 17,6 cm | 62CW | 6,5 | 1 |
| | 64CW | 10 | 1,5 |
| | 66CW | 15 | 2,2 |
| | 60CWD | — | Drain shelf |
|  GN 1/8 16,12 x 13,17 cm | 82CW* | 6,5 | 0,7 |
| | 84CW | 10 | 1 |
| | 86CW | 15 | 1,5 |
| | 80CWD | — | Drain shelf |
|  GN 1/9 10,8 x 17,6 cm | 92CW | 6,5 | 0,57 |
| | 94CW | 10 | 0,85 |
| | 96PCW | 15 | 1,4 |
| | 90CWD | — | Drain shelf |

**Case Pack:** 6

**Colors:** Clear (135), White (148), Black (110). *82CW is not available in Black (110). 18CW and 28CW available in Clear (135) only.
**Drain Shelf Color:** Clear (135).
**Colander Color:** Clear (135).

All Camwear GN Food Pans are made of FDA approved materials. All Camwear GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.

Personalization available on non-food contact areas only. See cresting section for information and ordering.

NSF

2 PRORATED

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**10CWD, 18CW, 20CWD, 28CW, 30CWD, 40CWD, 60CWD, 90CWD, 92CW, 96CW:** (135)
**12CW, 14CW, 16CW, 22LPCW, 24LPCW, 22CW, 24CW, 26CW, 32CW, 42CW, 44CW, 46CW, 62CW, 94CW:** (135), (110)
**36CW, 64CW, 66CW:** (135), (110), (148)
**34CW, 38CW:** (135), (148)

## Drain Shelves

- Keeps products out of liquids and promotes drainage.
- Available for all food pan sizes.



96PCW

# CAMWEAR® LID SIZES & ORDERING INFORMATION

## Flat Cover

Available in all pan sizes.



## Cover with Handle

Deep molded handle provides secure grip and also includes a peg hole for sanitary drying. Available in black to help block light, reducing discoloration of meats and cheeses.




## Notched Cover with Handle

Notched cover allows utensils to remain in pan and off of potentially contaminated counters. Includes peg hole for sanitary drying.



## Seal Cover

Designed to fit Camwear and translucent food pans, Seal Covers feature an inner seal that provides superior spill resistance and extends shelf life up to 3 days.



## FlipLid®

Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields. Reduces points of cross contamination.



## Notched FlipLid

Flip Lid with notch to rest spoon in contents with lid closed.



## GripLid®

Molded-in polyurethane gasket on the lid grips the side of the food pan airtight, reducing spills and points of cross contamination.



| FITS PANS | LID CODE | DESCRIPTION |
|---|---|---|
| GN 1/1 32,5 x 53 cm | 10CWC | Flat cover |
| | 10CWCH* | Cover with handle |
| | 10CWCHN* | Notched cover with handle |
| | 10CWGL | GripLid |
| | 10PPCWSC | Seal cover |
| GN 1/2 Long 16,2 x 53 cm | 20LPCWC | Flat cover |
| GN 1/2 26,5 x 32,5 cm | 20CWC | Flat cover |
| | 20CWCH* | Cover with handle |
| | 20CWCHN* | Notched cover with handle |
| | 20CWL | FlipLid |
| | 20CWLN | Notched FlipLid |
| | 20CWGL | GripLid |
| | 20PPCWSC | Seal cover |
| GN 1/3 17,6 x 32,5 cm | 30CWC | Flat cover |
| | 30CWCH* | Cover with handle |
| | 30CWCHN* | Notched cover with handle |
| | 30CWL | FlipLid |
| | 30CWLN | Notched FlipLid |
| | 30CWGL | GripLid |
| | 30PPCWSC | Seal cover |
| GN 1/4 16,2 x 26,5 cm | 40CWC | Flat cover |
| | 40CWCH* | Cover with handle |
| | 40CWCHN* | Notched cover with handle |
| | 40PPCWSC | Seal cover |
| GN 1/6 16,2 x 17,6 cm | 60CWC | Flat cover |
| | 60CWCH* | Cover with handle |
| | 60CWCHN* | Notched cover with handle |
| | 60CWL | FlipLid |
| | 60CWLN | Notched FlipLid |
| | 60CWGL | GripLid |
| | 60PPCWSC | Seal cover |
| GN 1/8 16,12 x 13,17 cm | 80CWC | Flat cover |
| | 80CWCH | Cover with handle |
| | 80CWCHN | Notched cover with handle |
| | 80PPCWSC | Seal cover |
| GN 1/9 10,8 x 17,6 cm | 90CWC | Flat cover |
| | 90CWCN | Flat notched cover |
| | 90CWL* | FlipLid cover |
| | 90CWLN* | Notched FlipLid cover |
| | 90PPCWSC | Seal cover |

**Case pack for all lids:** 6 *Includes peg hole.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**10PPCWSC, 20PPCWSC, 30PPCWSC, 40PPCWSC, 60PPCWSC, 90PPCWSC:** (190)
**10CWC, 10CWCH, 10CWCHN, 10CWGL, 20LPCWC, 20CWC, 20CWCH, 20CWCHN, 20CWGL, 30CWC, 30CWCH, 30CWCHN, 30CWGL, 40CWC, 40CWCH, 60CWC, 60CWCH, 60CWCHN, 60CWGL, 90CWC:** (135)

**Color:** Clear (135).
**Seal Cover Color:** Translucent (190).
**Cover with Handle Colors:** Clear (135), Black (110).

Personalization available on non-food contact areas only. See cresting section for information and ordering.

FlipLids are covered by U.S. Patent Des. 420,849, 422,838 & 427,012. GripLids are covered by U.S. Patent D 446,076 & Utility Patent 6,273,288 B1.

# CAMWEAR® COLANDER PANS

- Rinse, drain and store all in one pan.
- Liquids drain easily into the food pan below for enhanced food quality and reduced handling.
- Colanders simply lift out of the food pan for safe and quick disposal of liquids.
- Ideal for prepped produce, storing seafood on ice, and defrosting and storing meats and poultry.
- Camwear flat covers, covers with handles and notched covers with handles fit on pans with colanders.

Colander Pans are covered by U.S. Patent D 569 ,169 S.

PRORATED



Drain hole dimension: 6 mm

13CLRCW with 14CW Food Pan



**Rinse**



**Drain**



**Store**

| CONFIGURATIONS | PAN CODE | COLANDER DEPTH | FITS CAMWEAR PAN DEPTH* |
|---|---|---|---|
| GN 1/1 32,5 x 53 cm | 13CLRCW | 7,6 cm | 10 cm |
| | 15CLRCW | 12,7 | 15 |
| GN 1/2 26,5 x 32,5 cm | 23CLRCW | 7,6 | 10 |
| | 25CLRCW | 12,7 | 15 |
| GN 1/3 17,6 x 32,5 cm | 33CLRCW | 7,6 | 10 |
| | 35CLRCW | 12,7 | 15 |
| GN 1/6 16,2 x 17,6 cm | 63CLRCW | 7,6 | 10 |
| | 65CLRCW | 12,7 | 15 |

**Case Pack for all Pans:** 6 *Fits this pan depth & deeper. Lids listed on previous page.



# H-PAN™ HIGH HEAT FOOD PANS

CA PROP 65

Store Safe

Store, transport, and serve all in one pan. Precisely designed by Gastronorm GN specifications, with a large radius bottom to reduce food waste.




191°C

-40°C

Withstands temperatures from -40°C to 191°C

## ONE PAN THAT DOES IT ALL



## GOES FROM...











PREP › OVEN › FREEZER › MICROWAVE › STEAM TABLE



Pan edges are COOL to the touch for safe handling

PANS STACK

# GASTRONORM HIGH HEAT H-PANS™
# SIZES & ORDERING INFORMATION

| CONFIGURATIONS | PAN CODE | PAN DEPTH | APPROXIMATE CAPACITY |
|---|---|---|---|
|  GN 1/1 32,5 x 53 cm | 12HP | 6,5 cm | 8,5 L |
| | 14HP | 10 | 13 |
| | 16HP | 15 | 19,5 |
| | 10HPD | — | Drain shelf |
|  GN 1/2 Long 16,2 x 53 cm | 22LPHP | 6,5 | 3 |
| | 24LPHP | 10 | 5 |
| | 20LPHPD | — | Drain shelf |
|  GN 1/2 26,5 x 32,5 cm | 22HP | 6,5 | 3,9 |
| | 24HP | 10 | 5,9 |
| | 26HP | 15 | 8,9 |
| | 20HPD | — | Drain shelf |
|  GN 1/3 17,6 x 32,5 cm | 32HP | 6,5 | 2,4 |
| | 34HP | 10 | 3,6 |
| | 36HP | 15 | 5,3 |
| | 30HPD | — | Drain shelf |
|  GN 1/4 16,2 x 26,5 cm | 42HP | 6,5 | 1,7 |
| | 44HP | 10 | 2,5 |
| | 46HP | 15 | 3,7 |
| | 40HPD | — | Drain shelf |
|  GN 1/6 16,2 x 17,6 cm | 62HP | 6,5 | 1 |
| | 64HP | 10 | 1,5 |
| | 66HP | 15 | 2,2 |
| | 60HPD | — | Drain shelf |
|  GN 1/8 16,12 x 13,17 cm | 82HP | 6,5 | 0,7 |
| | 84HP | 10 | 1 |
| | 86HP | 15 | 1,5 |
| | 80HPD | — | Drain shelf |
|  GN 1/9 10,8 x 17,6 cm | 92HP | 6,5 | 0,57 |
| | 94HP | 10 | 0,85 |
| | 96PHP | 15 | 1,4 |
| | 90HPD | — | Drain shelf |

**Case Pack:** 6

**Colors:** Amber (150), Black (110).
**Drain Shelf Color:** Amber (150).


H-Pans are made of FDA approved materials and are designed to CEN Gastronorm Standard EN 631-1. Amber color may vary.

Personalization available on non-food contact areas only. See cresting section for information and ordering.

Microwave safe.

## Drain Shelf

- Supports product and promotes drainage.
- Available to fit all food pan sizes.







86HP
Shown with Optional Drain Shelf.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**14HP, 16HP, 34HP, 30HPD, 36HP, 64HP, 66HP:** (150)
**22LPHP, 24LPHP:** (110)
**12HP, 22HP, 24HP, 26HP:** (110), (150)

# LIDS FOR GASTRONORM H-PAN™ FOOD PANS AND ORDERING INFORMATION

| FITS PANS | LID CODE | DESCRIPTION |
|---|---|---|
| GN 1/1 32,5 x 53 cm | 10HPC* | Flat cover |
| | 10HPCH* | Cover with handle |
| | 10HPCHN* | Notched cover w/handle |
| GN 1/2 Long 16,2 x 53 cm | 20LPHPC | Flat cover |
| GN 1/2 26,5 x 32,5 cm | 20HPC* | Flat cover |
| | 20HPCH* | Cover with handle |
| | 20HPCHN* | Notched cover w/handle |
| | 20HPL | Fliplid |
| | 20HPLN | Notched FlipLid |
| GN 1/3 17,6 x 32,5 cm | 30HPC* | Flat cover |
| | 30HPCH* | Cover with handle |
| | 30HPCHN* | Notched cover w/handle |
| | 30HPL | FlipLid |
| | 30HPLN | Notched FlipLid |
| GN 1/4 16,2 x 26,5 cm | 40HPC* | Flat cover |
| | 40HPCH* | Cover with handle |
| | 40HPCHN* | Notched cover w/handle |
| GN 1/6 16,2 x 17,6 cm | 60HPC* | Flat cover |
| | 60HPCH* | Cover with handle |
| | 60HPCHN* | Notched cover w/handle |
| | 60HPL | Fliplid |
| | 60HPLN | Notched FlipLid |
| GN 1/8 16,12 x 13,17 cm | 80HPC* | Flat cover |
| | 80HPCH* | Cover with handle |
| | 80CHPCHN* | Notched cover w/handle |
| GN 1/9 10,8 x 17,6 cm | 90HPC* | Flat cover |

**Case pack:** 6 *Includes peg hole.

### Notched FlipLid®

Flip Lid with notch to rest spoon in contents with lid closed.




### FlipLid®

Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields.




### Flat Cover

Available in all pan sizes.



### Cover with Handle

Deep molded handle gives secure grip.



### Notched Cover with Handle

Easy access for ladles or spoons.

**Color:** Amber (150).
**Amber color may vary.**

FlipLids are covered by U.S. Patent D 420,849, D 422,838, D 427,012 & D 6,273,288 B1.

Microwave safe.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**10HPC, 10HPCH, 20HPC, 20HPCH, 30HPC, 30HPCH, 30HPCHN, 60HPC, 60HPCH, 60HPCHN:** (150)

# H-PAN™ HIGH HEAT COLANDER PANS

- Colanders drain liquids and grease away from hot foods, improving food quality.
- Ideal for reheating in microwaves and holding applications such as steam tables and buffet lines.
- Reduces handling and improves food safety.
- H-Pan High Heat Flat Covers, Covers with Handles and Notched Covers with Handles fit on pans with colanders.





**Microwave/Steam**



**Hold Hot Foods**



**Drain**

| CONFIGURATIONS | PAN CODE | COLANDER DEPTH | FITS H-PAN DEPTH* |
|---|---|---|---|
| GN 1/1 32,5 x 53 cm | 13CLRHP | 7,6 cm | 10 cm |
| | 15CLRHP | 12,7 | 15 |
| GN 1/2 26,5 x 32,5 cm | 23CLRHP | 7,6 | 10 |
| | 25CLRHP | 12,7 | 15 |
| GN 1/3 17,6 x 32,5 cm | 33CLRHP | 7,6 | 10 |
| | 35CLRHP | 12,7 | 15 |
| GN 1/6 16,2 x 17,6 cm | 63CLRHP | 7,6 | 10 |
| | 65CLRHP | 12,7 | 15 |

**Case Pack for all Pans:** 6 *Fits this pan depth & deeper. Lids listed on previous page.



# HIGH HEAT H-PAN™ WITH HANDLE(S)

- Flat base to maximize contact with heating element.
- High Heat Material withstands temperatures from -40˚ to 190˚C.
- Fits all leading manufacturer's hot holding bins, including single-sided and pass-through models.
- Reinforced textured handle design with finger grip feature for a secure grasp.
- Handle designed with drain holes to avoid water build-up after warewashing process.
- Two handles allow employees to reach the pan from either side of the unit for safe handling.
- Can be used with high heat lids and drain shelves.

**Color:** Amber (150).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**32HP1H, 32HP2H:** (150)





34HP2H



32HP1H

| CONFIGURATIONS | PAN CODE | DESCRIPTION | PAN DEPTH |
|---|---|---|---|
| 1/3<br>17,6 x 32,5 cm | 32HP1H | Single Handle | 6,5 cm |
| | 32HP2H | Double Handle | 6,5 |
| | 34HP1H | Single Handle | 10 |
| | 34HP2H | Double Handle | 10 |

**Case Pack:** 6 **Color:** Amber (150).

High Heat Flat Cover, Cover with Handle and Notched Cover with Handle fit on pan.

Full size 6,5 cm deep food pan with handles fits all leading manufacturers' hot holding bins.



12HPH

| CONFIGURATIONS | PAN CODE | PAN DEPTH | APPROX. CAPACITY |
|---|---|---|---|
| 1/1<br>32,5 x 53 cm | 12HPH | 6,5 cm | 8,42 L |

**Case Pack:** 6 **Color:** Amber (150).
Lids listed on previous page.

# TRANSLUCENT POLYPROPYLENE GASTRONORM FOOD PANS

- An economical choice for storing food.
- Translucent polypropylene material provides content visibility and high chemical resistance.
- Withstands temperature ranges from -40˚ to 70˚C.
- Meets Gastronorm GN food pan specifications EN-631-1.
- Non-stick smooth interior surface promotes easy cleaning.

**Color:** Translucent (190).

Graduation marks and capacities are approximate.

Translucent food pans are made of FDA approved materials.

Translucent food pans interstack with other Cambro food pans.

Translucent pans are not designed for steam table use.

BPA FREE






Ideal for transporting in Cambro top loading carriers. (UPC100, UPCS140, 100MPC, UPC140, UPCS160, 240MPC, UPC160, EPP160SW, EPP180SW, EPP260SW, EPP280SW)



Seal covers protect food quality while eliminating the expense of plastic wrap.



Uniform 1,27 cm flange width ensures the right fit in prep tables and food bars.



Use Cambro StoreSafe® food rotation labels on translucent food pans to manage inventory and reduce waste.

# POLYPROPYLENE GASTRONORM COLANDER PANS

- Rinse, drain and store all in one pan.
- Liquids drain easily into the food pan below for enhanced food quality and reduced handling.
- Translucent Cover w/Handle and Notched Cover with Handle fit on pans with colanders.
- Drain hole diameter is approximately 6 mm.

**Color:** Translucent (190).

Translucent colander pans are made of FDA approved materials.

Translucent pans are not designed for steam table use.


NSF BPA FREE




| CONFIGURATIONS | PAN CODE | COLANDER DEPTH | FITS POLYPROPYLENE PAN DEPTH* |
|---|---|---|---|
| GN 1/3 17,6 x 32,5 cm | 33CLRPP | 7,6 cm | 10 cm |
| | 35CLRPP | 12,7 | 15 |
| GN 1/6 16,2 x 17,6 cm | 63CLRPP | 7,6 | 10 |
| | 65CLRPP | 12,7 | 15 |

**Case Pack for all Pans:** 6 *Fits this pan depth & deeper.
Lids listed on following page.


# TRANSLUCENT FOOD PANS




| CONFIGURATIONS | PAN CODE | PAN DEPTH | APPROXIMATE CAPACITY |
|---|---|---|---|
| GN 1/1<br>32,5 x 53 cm | 12PP* | 6,5 cm | 8,5 L |
| | 14PP | 10 | 13 |
| | 16PP | 15 | 19,5 |
| | 18PP* | 20 | 25,6 |
| | 10PPD | — | Drain shelf |




| | | | |
|---|---|---|---|
| | 22PP* | 6,5 | 3 |
| | 24PP | 10 | 5,9 |
| | 26PP | 15 | 8,9 |
| | 28PP* | 20 | 11,7 |
| | 20PPD | — | Drain shelf |




| | | | |
|---|---|---|---|
| GN 1/3<br>17,6 x 32,5 cm | 32PP | 6,5 | 2,4 |
| | 34PP | 10 | 3,6 |
| | 36PP | 15 | 5,3 |
| | 38PP* | 20 | 6,9 |
| | 30PPD | — | Drain shelf |



| | | | |
|---|---|---|---|
| GN 1/4<br>16,2 x 26,5 cm | 42PP | 6,5 | 1,7 |
| | 44PP | 10 | 2,5 |
| | 46PP | 15 | 3,7 |
| | 40PPD | — | Drain shelf |



| | | | |
|---|---|---|---|
| GN 1/6<br>16,2 x 17,6 cm | 62PP | 6,5 | 1 |
| | 64PP | 10 | 1,5 |
| | 66PP | 15 | 2,2 |
| | 60PPD | — | Drain shelf |



| | | | |
|---|---|---|---|
| GN 1/9<br>10,8 x 17,6 cm | 92PP | 6,5 | 0,57 |
| | 94PP | 10 | 0,85 |
| | 90PPD | — | Drain shelf |

**Case Pack:** 6 *Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.

**Color:** Translucent (190).

All Translucent Gastronorm Food Pans are made of FDA approved materials.

All polypropylene GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**10PPD, 12PP, 14PP, 16PP, 18PP, 20PPD, 22PP, 24PP, 26PP, 28PP, 30PPD, 32PP, 34PP, 36PP, 38PP, 40PPD, 42PP, 44PP, 46PP, 60PPD, 62PP, 64PP, 66PP, 90PPD, 92PP, 94PP:** (190)

## Drain Shelves

- Keeps products out of liquids and promotes drainage.
- Available for all pan sizes.



# TRANSLUCENT FOOD PAN LIDS

## Seal Cover

Designed to fit Camwear® and translucent food pans, Seal Covers feature an inner seal that provides superior spill resistance and extends shelf life up to 3 days. Available for all food pan sizes.



## Cover with Handle

Deep molded handle gives secure grip. Available for all food pan sizes except 1/9.



## Notched Cover with Handle

Easy access for ladles or spoons. Available for 1/3 and 1/6 food pans.



## Flat Cover

Only available for 1/9 food pans.



| FITS PAN | LID CODE | DESCRIPTION |
|---|---|---|
| GN 1/1 32,5 x 53 cm | 10PPCH | Cover with handle |
| | 10PPCWSC | Seal cover |
| GN 1/2 26,5 x 32,5 cm | 20PPCH | Cover with handle |
| | 20PPCWSC | Seal cover |
| GN 1/3 (17,6 x 32,5 cm) | 30PPCH | Cover with handle |
| | 30PPCHN | Notched cover w/handle |
| | 30PPCWSC | Seal cover |
| GN 1/4 16,2 x 26,5 cm | 40PPCH | Cover with handle |
| | 40PPCWSC | Seal cover |
| GN 1/6 16,2 x 17,6 cm | 60PPCH | Cover with handle |
| | 60PPCHN | Notched cover w/handle |
| | 60PPCWSC | Seal cover |
| GN 1/9 10,8 x 17,6 cm | 90PPC | Flat cover |
| | 90PPCWSC | Seal cover |

**Case Pack:** 6

**Color:** Translucent (190).

All Translucent Gastronorm Food Pan lids are made of FDA approved materials.

All polypropylene GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.

BPA FREE

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**20PPCH, 30PPCH, 40PPCH, 60PPCH, 10PPCWSC, 20PPCWSC, 30PPCWSC, 40PPCWSC, 60PPCWSC, 90PPCWSC:** (190)



# COLDFEST® GASTRONORM FOOD PANS, CROCKS, COVERS & PUMPS

- Keeps contents chilled at or below HACCP guidelines of 4˚C without the use of messy ice.
- Freeze upside down for eight hours or overnight before filling with pre-chilled product.
- Half and third-size pans hold contents cold for up to eight hours. Sixth size pans and crocks hold contents cold for up to six hours.
- Conforms to Gastronorm exterior dimensions to fit standard food bars or make tables.
- Stackable to save space when freezing and storing.
- Can be used for direct food contact with all types of food products.

**Colors:** Black (110), White (148).
**Flat Cover Color:** Clear (135).
**Seal Cover Color:** White (148).
**Pump with Cover Color:** Clear (135).

Suggested holding times are based on tests with ambient room conditions of up to 23˚C.

ColdFest is covered under U.S. Patent D 419,364.

*Pumps and round covers not NSF listed.

All ColdFest GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**66CF:** (110)
**CFR18:** (110), (148)
**60CFC:** (135)






Ideal for use with Cambro Versa Food Bars® to keep perishable items chilled.

## Pans / Crock






| CODE | 26CF‡ | 36CF‡ | 66CF‡ | CFR18‡ |
|---|---|---|---|---|
| CONFIGURATIONS | GN 1/2 – 26,5 x 32,5 cm | GN 1/3 – 17,6 x 32,5 cm | GN 1/6 – 16,2 x 17,6 cm | ø 17,3 cm |
| DEPTH | 15 cm | 15 cm | 15 cm | 17 cm |
| APPROX. CAPACITY | 6 L | 3,5 L | 1,4 L | 1,6 L |

**Case Pack:** 1



ColdFest Food Pans are made with high-impact resistant ABS shells and non-toxic refrigerant gel cores.

## Covers







| CODE | 20CFC | 30CFC | 60CFC | CFRC18* | CFRSC18 |
|---|---|---|---|---|---|
| DESCRIPTION | Flat cover | Flat cover | Flat cover | Flat cover | Seal cover |
| FITS COLDFEST | GN 1/2 | GN 1/3 | GN 1/6 | Crock | Crock |

**Case Pack:** 2

## Pumps with Clear Covers





| CODE | CFPSRC10* | CFPMRC10* | CFPFRC10* |
|---|---|---|---|
| DESCRIPTION | Standard pump for 29,5 mL portions | Maxi pump for chunky condiments | Fixed nozzle pump for controlled dispensing |
| DIMENSIONS W x D x H | 18,4 x 22,8 x 28,5 cm | 18,4 x 26 x 31,4 cm | 18,4 x 29,5 x 29,8 cm |

**Case Pack:** 1



# PIZZA DOUGH BOXES




## Polypropylene

- Ideal for storing, transporting, proofing and cooling dough.
- Lightweight, durable, and break resistant.
- Chemical resistant won't absorb odors and is easy to clean.
- Boxes nest tightly together to keep out dirt and contaminants, extending product freshness.
- Each box acts as a tight lid for the box below, reducing the need and expense of covers.
- Withstands temperatures from -40˚ to 70˚C.
- Cover can be used as an 46 x 66 cm tray.
- Available in 7,6 cm depth only.

**Color:** White (148).

Camwear & Polypropylene dough boxes do not inter stack.

**CD1826PDB Color:** Coffee Beige (157), Brown(131), Black (110), Slate Blue (401), Grey (180).

*Polypropylene dough boxes are safe for use in high temperature dishwashers.

**Camdolly Caster:** 12,7 cm Casters: 2 fixed, 2 swivel, 1 with brake.



CD1826PDB
**Weight Capacity:** 136 kg

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**DB18263P, DB18263CW:** (148)

## Camwear®

- Prevents crusting to increase the storage life of dough.
- Virtually unbreakable Camwear construction is reinforced on all sides.
- Boxes won't bend or lose their shape.
- Withstands temperatures from -40˚ to 99˚C.
- Available in 7,62 and 15,24 cm depths.



DB18266CW

DB18263CW

| CODE | OUTSIDE DIMENSIONS | INSIDE DIMENSIONS |
|---|---|---|
| **Polypropylene Pizza Dough Box** | | |
| DB18263P‡ | 46 x 66 x 7,6 cm | 40,6 x 60,9 cm |
| **Polypropylene Cover** | | |
| DBC1826P‡ | 46 x 66 | — |
| **Camwear Pizza Dough Boxes** | | |
| DB18263CW | 46 x 66 x 7,6 | 40,6 x 60,9 |
| DB18266CW | 46 x 66 x 15,3 | 40,6 x 60,9 |
| **Camwear Cover** | | |
| DBC1826CW | 46 x 66 | — |

**Case Pack:** 6 **Color:** White (148).

| | | |
|---|---|---|
| **Camdolly® For Pizza Dough Boxes** | | |
| CD1826PDB** | 50,5 x 71 x 26 | 44,5 x 64,5 |

**Case Pack:** 1 **Optional straps (400STP or UTHSTP) sold separately.

# INGREDIENT BINS AND CAMWEAR® DRY SCOOPS

## Ingredient Bins

- Store bulk dry ingredients such as flour and grain.
- Hygienic clear sliding lid reduces handling and allows for quick content identification.
- Bin made of FDA-accepted material so no liners are needed.
- Designed to fit under standard work tables.

**7,6 cm Casters:** 2 rear fixed, 2 front swivel.

**Color:** White (148).

Scoops sold separately.

IBSH24 Scoop Holder comes with IBS20, IBS27 and IBSF27 Ingredient Bins only.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**IBS20, IBS27, IBS37:** (148)



IBSF27



**IBSH24**

Holder for IBS20, IBS27 & IBSF27

**CAPACITY:** Up to 28,35g



IBS20



IBS27



IBS37



IBSF27



IB32



IB36



IB44

| CODE | DIMENSIONS W x L x H | LIQUID CAPACITY | LID TYPE | DRY CAPACITY (SUGAR) | DRY CAPACITY (FLOUR) |
|---|---|---|---|---|---|
| IBS20 | 33 x 75 x 71 cm | 81 L | Two Piece Sliding Lid | 77 kg | 63 kg |
| IBS27 | 42 x 75 x 71 | 102 | Two Piece Sliding Lid | 103 | 68 |
| IBS37 | 55 x 75 x 71 | 140 | Two Piece Sliding Lid | 143 | 102 |
| IBSF27 | 33 x 76,5 x 72,5 | 102 | Two Piece Sliding Lid | 98 | 68 |
| IB32 | 56 x 61 x 58,5 | 121 | Single Flat Lid | 98 | 73 |
| IB36 | 39 x 75 x 74 | 129 | Single Flat Lid | 114 | 82 |
| IB44 | 47 x 75 x 74 | 161 | Single Flat Lid | 145 | 104 |

**Case Pack:** 1

## Camwear Dry Scoops

- Virtually unbreakable Camwear will not dent, chip or rust.
- Molded-in sure grip handle includes a hole for hanging.
- Ideal for use with Cambro Ice Caddies and Ingredient Bins.

**Color:** Clear (135).

Personalization not available.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**ALL SCOOPS:** (135)

| CODE | APPROX. CAPACITY | CASE PACK |
|---|---|---|
| SCP6CW | 170 g | 12 |
| SCP12CW | 340 | 12 |
| SCP24CW | 680 | 12 |
| SCP64CW | 1814 | 6 |



SCP64CW

SCP24CW

SCP12CW

SCP6CW

# SOAK AND BRINE TANK AND CAMCRISPER®

## Soak and Brine Tank

- Designed for complete submersion of meats or poultry in brining solution for enhanced moisture retention, texture and flavor.
- Can also be used as a pre-soak tank for smallwares and dishes in sanitation solution to help reduce labor in pre-scrubbing.
- Clear sliding lid always stays on to help reduce the risk of cross-contamination.
- Withstands temperatures from -40˚ to 70˚C.

**7,6 cm Casters:** 2 rear fixed, 2 front swivel.

**Colors:** White (148), Yellow (229).
**Cover Color:** Clear (135).

Some assembly required.







Maneuverable drain elbow can be positioned in any direction as needed. Use with or without drain hose based on available access to floor drain.

Tank drains easily in 4 minutes when completely full and features an easy to turn 45˚ ball valve.

Maneuverable drain elbow and clear hose allow drainage even with hard to access drains.

| CODE | DIMENSIONS W x L x H | CAPACITY | CUBIC METER |
|---|---|---|---|
| IBSD37 | 54,6 x 74,9 x 71,7 cm | 140 L | 0,14 |

**Case Pack:** 1

## Camcrisper

- A self-contained system for brining or storing, washing and transporting bulk produce.
- Prevents cross contamination and minimizes unnecessary handling.
- Transfer dry produce out of cartons into bin, cover and roll into cooler for safe storage.
- Wash and rinse produce for easy and safe prep.

**7,6 cm Casters:** 2 rear fixed, 2 front swivel.

**Color:** White (148).
**Cover Color:** Clear (135).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CC32:** (148)



| CODE | DIMENSIONS W x L x H | CAPACITY | CUBIC METER | LOAD CAPACITY |
|---|---|---|---|---|
| CC32 | 56 x 61 x 58,5 cm | 121 L | 0,123 | 24 lettuce heads (unfinished)<br>42 lettuce heads (finished) |

**Case Pack:** 1

# HIGH HEAT MEASURING CUPS AND CAMWEAR® MEASURING CUPS

## High Heat Measuring Cups and Cover

- Use to heat liquids or sauces in the microwave, collect hot water from a dispenser, fill steam tables or chafing dishes or rehydrate food products.
- Withstands temperatures ranging from -40˚ to 190˚C.
- Will not crack or shatter from regular use with hot liquids/ ingredients.
- Molded-in standard and metric graduations ensure accuracy and will hold up to the rigors of foodservice.
- Molded-in handle is positioned for both comfort and safety, and stays cool to the touch out of the microwave or oven.
- Optional Splatter-Proof Cover fits both 2 and 4 L measuring cups.

**Color:** Amber (150).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**200MCH, 400MCH, MCCH:** (150)



Cups shown with Optional Universal Cover.

| CODE | DESCRIPTION | DIMENSIONS H x DIA. |
|---|---|---|
| 200MCH | 2 L Measuring Cup | 16,2 x 19,4 cm |
| 400MCH | 4 L Measuring Cup | 26,4 x 19,4 |
| MCCH | Universal Cover (fits both cups) | 19 x 2,4 |

**Case Pack:** 1

## Camwear Liquid Measuring Cups

- Externally marked graduations are molded in and imprinted in red for American standard and blue for metric for easy measurement.
- Durable, virtually unbreakable Camwear will not dent, ensuring an accurate measurement every time.
- Molded-in handle will not break off.

**Color:** Clear (135).

Personalization available on non-food contact areas only. See cresting section for information and ordering.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**100MCCW, 200MCCW, 400MCCW:** (135)



Graduations are molded-in and imprinted in Blue for metric and Red for standard American measurements.

| CODE | CAPACITY | CASE PACK |
|---|---|---|
| 25MCCW | 225 mL (dry measure) | 12 |
| 50MCCW | 0,5 L | 12 |
| 100MCCW | 1 | 12 |
| 200MCCW | 2 | 12 |
| 400MCCW | 4 | 1 |

# CAMWEAR® DINNERWARE

5 YEAR PRORATED WARRANTY AGAINST BREAKAGE

- Durable Camwear resists stains, odors and scratches.
- Textured surface on salad and dinner plates for long wear.
- Ideal for schools, cafeterias, day care centers and healthcare facilities.
- Mug and stacking cup can be personalized.

Not recommended for microwave use.









133 Beige

110 Black

148 White

401 Slate Blue

## Oval Platters & Compartment Plates






| CODE | 90SPCW | 120CWP | 93CW | HK93BCW |
|---|---|---|---|---|
| DIAMETER | 22,9 x H 4 cm | 30,5 x 22,9 cm | 22,9 cm | 24,1 cm |
| DESCRIPTION | Round, soup bowl | Oval, narrow rim | Narrow rim | Narrow rim |
| CASE PACK | 48 | 24 | 48 | 12 |

*HK93BCW is available in Beige (133) only. Not recommended for microwave use.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**90SPCW, 10CWNR, 9CWNR, 825CWNR, 50CW, 60CW, 75CW:** (148), (401)
**96CW:** (148), (401)
**10CWL:** (135)
**725CWNR, 65CWNR, 10CW, 45CW, 100CW, 150CW:** (148)








| CODE | 10CWNR | 9CWNR | 825CWNR | 725CWNR | 65CWNR | 55CWNR |
|---|---|---|---|---|---|---|
| DIAMETER | 25,4 cm | 22,9 cm | 21 cm | 18,4 cm | 16,5 cm | 14 cm |
| DESCRIPTION | Narrow rim | Narrow rim | Narrow rim | Narrow rim | Narrow rim | Narrow rim |
| CASE PACK | 48 | 48 | 48 | 48 | 48 | 48 |

Not recommended for microwave use.

## Bowls










| CODE | 10CW* | 10CWL | 35CW | 45CW | 50CW | 60CW | 100CW | 150CW |
|---|---|---|---|---|---|---|---|---|
| APPROX. CAPACITY | 278 mL | — | 252 mL | 150 mL | 452 mL | 322 mL | 370 mL | 494 mL |
| DESCRIPTION | Square bowl | Lid for 10CW bowl | Bouillon | Fruit cup | Nappie bowl | Grapefruit bowl | Nappie bowl | Square bowl |
| CASE PACK | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 |
| SHAPE | Square | Square | Round | Round | Round | Round | Round | Top/round bottom/square |
| OUTSIDE DIAMETER | 10,2 x 10,2 cm | — | 9,8 cm | 11,7 cm | 13,3 cm | 15,2 cm | 12,5 cm | Top: 13,3 cm Bottom: 6,4 x 6,4 cm |
| HEIGHT | 4,8 cm | 2,2 cm | 5,4 cm | 3,3 cm | 5,4 cm | 4 cm | 4,3 cm | 5,7 cm |

Not recommended for microwave use. *Optional lid available.

## Mug & Cup




| CODE | 75CW | 96CW |
|---|---|---|
| APPROX. CAPACITY | 239 mL | 288 mL |
| DESCRIPTION | Stacking cup | Mug |
| CASE PACK | 48 | 48 |
| MAX DIA./HEIGHT | 10,3* cm / 8 cm | 10,6* cm / 9,5 cm |
| FULL SIZE CAMRACK® | 16C414 | 16C414 |

*Maximum diameter includes handles.
Not recommended for microwave use.

## Heat Keepers




| CODE | HK93CW | HK39 |
|---|---|---|
| DESCRIPTION | 3 compartment base and cover | Heat Keeper base and cover for 22,9 cm plate |
| CASE PACK | 6 | 6 |

HK93CW is available in Beige (133).
HK39 is available in Antique White (148).
Not recommended for microwave use.

# VERSA CAMCOVERS®

Serve hot food hot with the Versa Camcover, an elegant and efficient alternative to traditional metal covers.

- Microwave safe plate covers withstands temperatures up to 149˚C*.
- Covers remain cool to the touch for easy handling.
- Lighter and quieter than metal covers.
- Elegant appearance without polishing.
- Keeps food warm longer than metal covers.
- Available in a variety of sizes in round and square.
- Made of fiberglass material.

**Colors:** Granite Gray (191), Antique Parchment (101).

*Can be used in heated carts.

Microwave safe.

For help selecting the correct size plate cover, refer to the Camcover Sizing Guide on our website at www.cambro.com. Or, send one of your plates to Cambro Customer Service for sizing.

| CODE | INSIDE DIAMETER | OUTSIDE HEIGHT | CASE PACK |
|---|---|---|---|
| **Square** | | | |
| 85SFVS | 20,91 cm | 7 cm | 12 |
| 978SFVS | 25,4 | 7 | 12 |
| **Round** | | | |
| 68VS | 16,5 | 5,6 | 12 |
| 86VS | 21 | 6,7 | 12 |
| 91VS | 23,2 | 6,8 | 12 |
| 913VS | 24,9 | 6,8 | 12 |
| 95VS | 23,7 | 6,8 | 12 |
| 99VS | 24,3 | 6,7 | 12 |
| 911VS | 24,6 | 7 | 12 |
| 100VS | 25,4 | 6,8 | 12 |
| 103VS | 25,9 | 6,8 | 12 |
| 105VS | 26,2 | 6,8 | 12 |
| 106VS | 26,4 | 7,2 | 12 |
| 1010VS | 27 | 6,8 | 12 |
| 1012VS | 27,3 | 6,8 | 12 |
| 1014VS | 27,6 | 6,8 | 12 |
| 116VS | 28,9 | 8,1 | 12 |
| 120VS | 30,5 | 7,3 | 12 |
| 124VS | 31,1 | 7,3 | 12 |









# CAMWEAR® CAMCOVERS®

- Food stays hot and appetizing without re-heating.
- Ideal for use in heated carts up to 99˚C.*
- Made of durable Camwear, will not dent or scratch.
- Lightweight for quiet service.
- Saves on labor with no polishing required.

**Colors:** Clear (152), Amber (153), Beige (133), Silver (486).
**MDCPC9CW Colors:** Clear (135), Amber (153), Beige (133), Silver (486).

For help selecting the correct size plate cover, refer to the Camcover Sizing Guide on our website at www.cambro.com. Or, send one of your plates to Cambro Customer Service for sizing.

*Not recommended for microwave use.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**9011CW, 1000CW, 1007CW, 1013CW, 1101CW:** (152)

| CODE | INSIDE DIAMETER | OUTSIDE HEIGHT | CASE PACK |
|---|---|---|---|
| **Camwear Camcovers** | | | |
| 806CW | 21,4 cm | 6,8 cm | 12 |
| 900CW | 23,2 | 7 | 12 |
| 901CW | 23,7 | 7,2 | 12 |
| 905CW | 24,1 | 7,2 | 12 |
| 909CW | 24,8 | 7 | 12 |
| 9011CW | 25,4 | 7,3 | 12 |
| 9013CW | 25,4 | 7 | 12 |
| 1000CW | 25,9 | 6,8 | 12 |
| 1005CW | 26,8 | 7,2 | 12 |
| 1007CW | 27 | 7 | 12 |
| 1013CW | 27,5 | 6,8 | 12 |
| 1101CW | 27,9 | 6,8 | 12 |
| 1202CW | 30,8 | 7 | 12 |
| **Camwear Low Profile Camcovers** | | | |
| MDCPC9CW | 23,2 | 5 | 12 |

# PROMOTE YOUR BRAND – PERSONALIZED TABLE SERVICE AND FOOD STORAGE PRODUCTS

Personalize tumblers, barware, pitchers, decanters and dinnerware to promote a brand, business or enhance customer satisfaction. Use to identify inventory for multiple service locations. Personalize food storage products to identify contents, add fill lines with recipe instructions to ensure product quality and consistency. Personalized product orders are full case quantities only, no broken cartons.

Look for this icon that identifies items that can be personalized.




## PAD PRINT PERSONALIZATION

- One color. Two color available for table service products only.
- Choose from 12 standard imprint colors.
- Print area is 6 mm to 10 cm, based on printable area specific to product. Order minimum 72 each.

## PERSONALIZATION CHARGES

- Custom Personalization Plate Charge
- *** Net (one-time charge, billed on first purchase order)
- Set Up Charge
  *** Net per order
- Color Imprint Charge
  *** Net per side, per color

## HOW TO ORDER A SAMPLE

1. **Request a Sample**
   Contact your local Cambro representative to complete and submit your sample request to Cambro. Form MUST BE submitted with artwork.
2. **Artwork**
   Must be ready to use, digital format only. Email to Cambro Representative or to Cambro at letsgetpersonal@cambro.com. Title email subject with logo name. Provide contact info. If artwork is incomplete, graphic services are available for *** per hour.
   File Dimensions: 100% reproduction size, 300 dpi resolution
   File Type: Adobe® Illustrator®, Photoshop®
   File Format: jpeg, tiff, eps
3. **Sample Turnaround**
   7 – 10 business days from approval of artwork.
4. **Sample Approval**
   Approval form included with each sample. Form must be completed and faxed to Cambro prior to processing purchase order.
5. **Sample Charge (net)**
   *** per sample (charge billed on sample order, credited back on first purchase order).
6. **Questions**
   Contact Kristie Patterson at 714-230-4125 direct, 800-854-7631 Ext. 4125 or
   email kpatterson@cambro.com.

***Contact your Cambro representative for pricing.

### CHOOSE ONE OR TWO STANDARD IMPRINT COLORS

Due to the catalog printing process, the colors shown may not be exact.

Red, Yellow, Light Blue, Dark Blue, Green, Orange

Violet, Black, White, Grey, Gold, Silver

# CAMWEAR® PITCHERS

- Lightweight for easy handling.
- Exclusive ice-control contoured lip and pour spout reduce spills.
- Slotted base allows for complete and sanitary drying.

**Color:** Clear (135).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.

PC34CW Stackable Pitcher is covered by the following U.S. Patent D 682,002 S.

P600CW (135) Only

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**P320CW, P34CW, P34LCW, P480CW, P600CW, P60CW, PL60CW, PE600CW, P64CW, PC64CW:** (135)



**P320CW, P480CW and P600CW**
An industry standard. Broad base for stability, prevents tipping.



**P320CW**
**CAPACITY:** 0,95 L
**HEIGHT WITH SPOUT:** 17 cm
**DIAMETER WITH HANDLE:** 14,5 cm
**Case Pack:** 6



**P480CW**
**CAPACITY:** 1,4 L
**HEIGHT WITH SPOUT:** 20 cm
**DIAMETER WITH HANDLE:** 16 cm
**Case Pack:** 6



**P600CW**
**CAPACITY:** 1,8 L
**HEIGHT WITH SPOUT:** 20,5 cm
**DIAMETER WITH HANDLE:** 17 cm
**Case Pack:** 6



**P60CW**
**CAPACITY:** 1,8 L
**HEIGHT WITH SPOUT:** 23 cm
**DIAMETER WITH HANDLE:** 18,5 cm
**Case Pack:** 6

**PL60CW**
Laguna® pitcher with hammered texture that hides scratches. Pour liquids from front or ice and liquid from sides. Matching tumblers available.



**PL60CW**
**CAPACITY:** 1,8 L
**HEIGHT WITH SPOUT:** 20 cm
**DIAMETER WITH HANDLE:** 17 cm
**Case Pack:** 6

**PE600CW**
Economy and lightweight design. Pour liquids from front or ice and liquid from sides.



**PE600CW**
**CAPACITY:** 1,8 L
**HEIGHT WITH SPOUT:** 20 cm
**DIAMETER WITH HANDLE:** 18,7 cm
**Case Pack:** 6

**P64CW**
Tapered design and drip-proof spout.



**P64CW**
**CAPACITY:** 1,9 L
**HEIGHT WITH SPOUT:** 23,5 cm
**DIAMETER WITH HANDLE:** 18,5 cm
**Case Pack:** 6

**PC64CW**
Three position lid can strain ice, free pour or close to protect contents.



**PC64CW**
**CAPACITY:** 1,9 L
**HEIGHT WITH SPOUT:** 24,8 cm with lid
**DIAMETER WITH HANDLE:** 18,5 cm
**Case Pack:** 6

**PC34CW**
Stackable pitchers and lid with frosted design to hide scratches.



**PC34CW**
**CAPACITY:** 1 L
**HEIGHT WITH SPOUT:** 19 cm with lid
**DIAMETER WITH HANDLE:** 17 cm
**Case Pack:** 6

**P34CW**
Stackable pitcher only.

**P34LCW**
Stackable pitcher lid only.



**P34CW / P34LCW**
**CAPACITY:** 1 L / —
**HEIGHT WITH SPOUT:** 16,8 cm / 5,1 cm
**DIAMETER WITH HANDLE:** 17 cm / 11,4 cm
**Case Pack:** 6

# LIDO® - SAN TUMBLERS AND CAMWEAR® TUMBLERS

## Lido® – San Tumblers

- Easy to clean internal stacking ring promotes stable and space-efficient storage.
- Made of impact resistant SAN plastic that resists chips and breaks, minimizing replacement costs.

**Color:** Clear (152).
**Disposable CamLid Color:** Translucent (190).

Capacity is to the top fill-line.

Lido Tumblers are covered by U.S. Patent D720,963 S.

*177 and 266 mL. tumblers feature subtle graduation markings intended for use in healthcare operations.





| CODE | LDT5 | LDT6 | LDT9 | LDT10 | LDT12 | LDT16 | LDT22 |
|---|---|---|---|---|---|---|---|
| FITS LID | CLJ6 | CLST6 | CL900P | CLNT10 | CLNT12 | CLST9 | CLSM8B5** |
| DIAMETER | 5,9 cm | 6,8 cm | 8,1 cm | 7,3 cm | 7,6 cm | 8,4 cm | 8,9 cm |
| HEIGHT | 9,4 cm | 9,4 cm | 9,4 cm | 11,4 cm | 12,5 cm | 13,5 cm | 16,8 cm |
| FULL SIZE CAMRACK® | 49S318 | 36S318 | 25S318 | 36S418 | 30S434 | 25S534 | 20S638 |
| CAPACITY TO RIM | 150 mL | 177 mL* | 266 mL* | 300 mL | 355 mL | 480 mL | 650 mL |
| CASE PACK TUMBLER / LID | 36 / 1,000 | 36 / 1,000 | 36 / 1,000 | 36 / 1,000 | 36 / 1,000 | 36 / 1,000 | 36 / 1,500 |

**Excludes a cross-slot for straws.

## Camwear Tumblers

- The look and feel of glass but made of durable Camwear.
- Textured exterior surface resists scratching.
- Smooth interior promotes easy cleaning.
- Designed with a Sani-Rim lip for sanitary drinking.

**Color:** Clear (152).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -40˚ to 99˚C.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**500CW, 800CW:** (152)





| CODE | 500CW | 800CW | 850CW | 950CW | 1200CW | 1600CW |
|---|---|---|---|---|---|---|
| FITS LID | — | — | — | CLNT10 | — | CL900P |
| MAX DIAMETER | 5,7 cm | 6,7 cm | 8,6 cm | 7 cm | 7,5 cm | 7,9 cm |
| MAX HEIGHT | 9,2 cm | 10,2 cm | 9,7 cm | 11,1 cm | 13,2 cm | 14,6 cm |
| FULL SIZE CAMRACK® | 49S318 | 36S418 | 25S418 | 36S418 | 36S434 | 25S534 |
| CAPACITY TO RIM | 160 mL | 237 mL | 269 mL (heavy wall) | 284 mL | 384 mL | 503 mL |
| CASE PACK TUMBLER / LID | 48 / — | 48 / — | 48 / — | 48 / 1,000 | 48 / — | 48 / 1,000 |

# CAMWEAR® HUNTINGTON® & NEWPORT – SAN TUMBLERS



## Huntington Tumblers

- Feature the elegant look and feel of glass without the high replacement costs.
- Made of durable Camwear.
- Lightweight.
- Stacking lugs to prevent sticking.
- Three sided drain bottom for easy washing and drying.

**Colors:** Azure Blue (196), Clear (135).
**Lid Color:** Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -40˚ to 99˚C.

*Excludes a cross-slot for straws.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**HT5CW, HT8CW, HT12OCW, HT10CW, HT12CW:** (135)



| CODE | HT5CW | HT8CW | HT10CW | HT120CW | HT12CW | HT14CW | HT16CW | HT22CW |
|---|---|---|---|---|---|---|---|---|
| FITS LID | — | CLNT8 | — | CLNT12 | — | — | CLAM8B5* | CLSM8B5* |
| MAX DIAMETER | 6 cm | 6,8 cm | 7,1 cm | 7,6 cm | 8,6 cm | 8,3 cm | 8,4 cm | 8,9 cm |
| MAX HEIGHT | 9 cm | 11,3 cm | 12,2 cm | 12,8 cm | 9,5 cm | 12,4 cm | 14 cm | 17 cm |
| FULL SIZE CAMRACK® | 49S318 | 36S418 | 36S434 | 25S434 | 25S418 | 25S434 | 25S534 | 25S638 |
| CAPACITY TO RIM | 148 mL | 237 mL | 296 mL | 355 mL | 355 mL | 414 mL | 473 mL | 652 mL |
| CASE PACK TUMBLER / LID | 36 / — | 36 / 1,000 | 36 / — | 36 / 1,000 | 36 / — | 36 / — | 36 / 2,000 | 36 / 1,500 |

## Newport Tumblers

- Fluted design features the upscale look of glass with the safety benefits and cost savings of plastic.
- Impact resistant SAN plastic resists chips and breaks.
- Stacking lugs prevent sticking.
- Sani-Rim lip provides a sanitary drinking surface.

**Colors:** Clear (152), Amber (153), Slate Blue (401).
**Lid Color:** Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -20˚ to 85˚C.

*Excludes a cross-slot for straws.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**NT5, NT8, NT9, NT10, NT12:** (152)





| CODE | NT5 | NT8 | NT9 | NT10 | NT12 | NT14 | NT16 | NT20 |
|---|---|---|---|---|---|---|---|---|
| FITS LID | CLNT5 | CLNT8 | CLNT9 | CLNT10 | CLNT12 | — | — | CLSM8B5* |
| MAX DIAMETER | 6,4 cm | 6,8 cm | 8,3 cm | 7,1 cm | 7,6 cm | 7,9 cm | 8,3 cm | 8,7 cm |
| MAX HEIGHT | 9,4 cm | 10,2 cm | 8,4 cm | 11,6 cm | 13 cm | 12,7 cm | 14,6 cm | 16,5 cm |
| FULL SIZE CAMRACK | 36S318 | 36S418 | 25S318 | 36S434 | 25S434 | 25S434 | 25S534 | 25S638 |
| CAPACITY TO RIM | 189 mL | 228 mL | 275 mL | 300 mL | 373 mL | 414 mL | 485 mL | 650 mL |
| CASE PACK TUMBLER / LID | 36 / 1,500 | 36 / 1,000 | 36 / 1,000 | 36 / 1,000 | 36 / 1,000 | 36 / — | 36 / — | 36 / 2,000 |

# LAGUNA® – SAN & DEL MAR® TUMBLERS

## Laguna Tumblers

- Hammered texture hides water spots and scratches.
- Made of impact resistant SAN.
- Lightweight and easy to carry.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**LT8, LT10, LT12, LT22:** (152)

**Colors:** Clear (152), Spanish Green (427).
**Lid Color:** Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.

Withstands temperatures from -20˚ to 85˚C.

*Excludes a cross-slot for straws.





| CODE | LT6 | LT8 | LT10 | LT12 | LT14 | LT16 | LT22 |
|---|---|---|---|---|---|---|---|
| FITS LID | CLLT6 | CLLT8 | CLLT10 | CLLT12 | — | CLAM8B5* | — |
| MAX DIAMETER | 6,3 cm | 6,9 cm | 7,4 cm | 7,9 cm | 8,3 cm | 8,4 cm | 9,3 cm |
| MAX HEIGHT | 10,7 cm | 10,9 cm | 12,1 cm | 12,7 cm | 13,1 cm | 14 cm | 15,4 cm |
| FULL SIZE CAMRACK® | 36S418 | 36S418 | 30S434 | 25S434 | 25S434 | 25S534 | 16S534 |
| CAPACITY TO RIM | 177,4 mL | 236,6 mL | 295,7 mL | 354,9 mL | 414 mL | 473,2 mL | 650,6 mL |
| CASE PACK TUMBLER / LID | 36 / 1,500 | 36 / 2,000 | 36 / 1,000 | 36 / 1,000 | 36 / — | 36 / 2,000 | 36 / — |

## Del Mar Tumblers

- Crackled glass look features the lightweight handling of plastic.
- Thick sturdy base and rolled rim edge for added stability.
- Made of impact resistant SAN plastic.

**Colors:** Clear (152), Ruby Red (156), Sapphire Blue (608), Light Amber (609).
**Lid Color:** Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.

Del Mar Tumblers are covered by the following U.S. Patent D 478,778 S.

Withstands temperatures from -20˚ to 85˚C.





| CODE | D8 | D12 | D14 | D16 | D24 |
|---|---|---|---|---|---|
| FITS LID | — | — | CLST9 | — | — |
| MAX DIAMETER | 6,7 cm | 7,5 cm | 8,3 cm | 7,8 cm | 8,7 cm |
| MAX HEIGHT | 10,6 cm | 12 cm | 8,3 cm | 15,1 cm | 16,8 cm |
| FULL SIZE CAMRACK | 36S418 | 25S434 | 25S318 | 25S534 | 25S638 |
| CAPACITY TO RIM | 237 mL | 355 mL | 414 mL | 473 mL | 710 mL |
| CASE PACK TUMBLER / LID | 36 / — | 36 / — | 36 / 1,000 | 36 / — | 36 / — |

# COLORWARE – SAN TUMBLERS & COCA-COLA® TUMBLERS

- A classic value tumbler ideal for casual dining.
- Textured on the outside to resist scratching.
- Made of impact resistant SAN.
- Interior stacking lugs for easy storing.
- Sani-Rim lip provides a sanitary drinking surface.

**Colors:** Slate Blue (401), Clear (152), Amber (153), Ruby Red (156).
**Lid Color:** Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -20˚ to 85˚C.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**1200P:** (152)





| **CODE** (72 PACK) | **500P** | **800P** | **900P** | **950P** | **1200P** | **1600P** | **2000P** | — |
|---|---|---|---|---|---|---|---|---|
| **CODE** (24 PACK) | **500P2** | **800P2** | **900P2** | **950P2** | **1200P2** | **1600P2** | **2000P2** | **3200P2** |
| **FITS LID** | CLJ6 | CL800P | CL900P | CL950P | — | — | — | — |
| **MAX DIAMETER** | 5,7 cm | 6,7 cm | 8,1 cm | 7 cm | 7,5 cm | 8 cm | 8,6 cm | 10 cm |
| **MAX HEIGHT** | 9,2 cm | 10,2 cm | 8,25 cm | 11,1 cm | 13,2 cm | 14,6 cm | 16,5 cm | 18,4 cm |
| **FULL SIZE CAMRACK®** | 49S318 | 36S418 | 25S318 | 36S418 | 25S434 | 25S534 | 25S638 | 16S738 |
| **CAPACITY TO RIM** | 154 mL | 231 mL | 287 mL | 290 mL | 373 mL | 485 mL | 650 mL | 976 mL |
| **P CODE-CASE PACK** | 72 | 72 | 72 | 72 | 72 | 72 | 72 | — |
| **P2 CODE-CASE PACK** | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| **LID CASE PACK** | 1,000 | 1,000 | 1,000 | 1,000 | — | — | — | — |

## *Coca-Cola®* Tumblers

- Colorware Tumblers featuring the Coca-Cola trademark logo in White.
- Available only to Coca-Cola fountain customers for foodservice use.

**Color:** Clear (152).

Coca-Cola Logo is imprinted in white only.

These trademarked vessels may not be resold at retail and are available only for distribution to Coca-Cola Fountain customers for foodservice use.

Withstands temperatures from -20˚ to 85˚C.



| **CODE** | **20CC** | **32CC** |
|---|---|---|
| **MAX DIAMETER** | 8,6 cm | 10 cm |
| **MAX HEIGHT** | 16,5 cm | 18,4 cm |
| **FULL SIZE CAMRACK** | 25S638 | 16S738 |
| **CAPACITY TO RIM** | 650 mL | 976 mL |
| **CASE PACK** | 72 | 24 |

# CAMWEAR® DESSERT GLASS AND LIDO® – SAN TUMBLERS

## Dessert Glass

- Large, heavy bases for stability.
- Bases designed for fast draining and complete drying.
- Chill or frost barware without concerns of thermal shock damage.

**Color:** Clear (135).

Personalization available. See cresting section for information, ordering and pricing.



| **CODE** | **DG3CW** |
|---|---|
| **MAX DIAMETER** | 5,8 cm |
| **MAX HEIGHT** | 7,7 cm |
| **FULL SIZE CAMRACK®** | 49S318 |
| **CAPACITY TO RIM** | 100 mL |
| **CASE PACK** | 72 |

Available for ordering in cases only.
No broken cartons.

# CAMLITER® BEVERAGE DECANTERS

## Camliter Beverage Decanters

- Ideal for serving beverages at restaurants, buffets, and outdoor events.
- Spill-proof, snap tight flat lids included to protect content from cross contamination.
- Flip lid design to seal beverages and make it easy to pour.
- Pour spout lid available to protect content while allowing free pour.
- Light weight; dent, impact, and scratch resistant material.
- NSF Listed (bottles only; lids not listed).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**WW1000, WW1000T, WW500, WW250, WW750, WW750T:** (135)
**WW1000L, WW1000LS:** (148)
**WW1000LT:** (190)

**Color:** Clear (135).
**Lid Color:** White (148).
**Flip Lid Color:** White (190).

Personalize with a logo to promote your brand. For information please refer to the Table Service Personalization page.

Lids not NSF listed.








WW1000LT - Flip Lid®



WW1000L - Flat Lid



WW1000LS - Pour Spout

| CODE | | CAPACITY | HEIGHT |
|---|---|---|---|
| **Camliters with Flat Lids** | | | |
| WW1500 | | 1,5 L | 25,4 cm |
| WW1000 | | 1 | 24,8 |
| WW750 | ***New!*** | 0,75 | 22,17 |
| WW500 | | 0,5 | 20 |
| WW250 | | 0,25 | 15,9 |
| **Camliters with Flip Lids** | | | |
| WW1000T | ***New!*** | 1 | 24,61 |
| WW750T | ***New!*** | 0,75 | 22,17 |
| **Lids** | | | |
| WW1000LS (Pour spout lid for 1,5 L, 1L, 0,75 L and 0,5 L) | | | |
| WW1000L (Replacement lid for 1,5 L, 1L, 0,75 L and 0,5 L) | | | |
| WW1000LT (Flip lid for WW750T and WW1000T) | | | |
| WW250L (Replacement lid for 0,25 L) | | | |

**Case Pack:** 12 **In Stock Color:** Clear (135) or White (190) for Flip Lid.

# BEVERAGE DISPENSER, PAIL WITH BAIL & SWIRL BOWLS®

## 21 L Beverage Dispenser

- Perfect for mixing and serving concentrated beverages.
- Standard and metric graduations are printed on dispenser.
- Impact resistant polyethylene withstands temperatures from -40˚ to 70˚C.

| CODE | CAPACITY |
|---|---|
| DSPR6 | 21 L |

**Case Pack:** 1

**Color:** White (148).

Personalization available. See cresting section for information and ordering.




DSPR6
Capacity: 21 L

## Pail with Bail – Poly

- A large, multi-purpose, 21 L pail, ideal for mixing, storing and transporting.
- Durable polyethylene withstands temperatures from -40˚ to 70˚C, and is stain resistant.
- Snap-tight, thumb tab cover sold separately.

| CODE | CASE PACK |
|---|---|
| PWB22 | 6 |
| RFSC12 (cover) | 6 |

**Color:** White (148).




All graduations are approximate.

## Swirl Bowls

- Ideal for hot or cold side dishes, desserts, dips, or fruit.
- Fits on a plate or stacks in place on a buffet station.
- Available in durable Camwear® or break resistant SAN.

**Colors:**
SRB5CW and SRB13CW: Clear (135), Black (110), White (148).
SRB5 and SRB13: Clear (152), Black (110), White (148).

Made of (P.E.T.) material.

CLSRB5 Disposable lid not NSF.





Disposable lid available



SRB13CW SRB5CW

| CODE | CAPACITY | CASE PACK |
|---|---|---|
| **Camwear** | | |
| SRB5CW | 148 mL | 24 |
| SRB13CW | 384 | 24 |
| **SAN‡** | | |
| SRB5 | 148 | 24 |
| SRB13 | 384 | 24 |
| **Disposable Lid** | | |
| CLSRB5 | — | 1,000 |

**Disposable Lid Color:** Clear (152).

# CAMWEAR® WINE BUCKETS, PUNCH BOWLS & BUD VASE

## Wine Buckets

- Chill and showcase wine or champagne.
- Tough Camwear won't crack or break and is easy to clean.

**Color:** Clear (135).

Personalization available. See cresting section for information and ordering.

| CODE | DIMENSION DIA. x H |
|---|---|
| WC100CW | 20,3 x 23,2 cm |
| WC100CWNH (w/o handles) | 20,3 x 22,9 |

**Case Pack:** 1



WC100CW

## Bud Vase

- Ideal for dining rooms, cafeteria tables and patient or room service trays.
- Made of durable Camwear.
- Fill with a fresh rose bud or a colorful faux flower.

**Colors:** Black (110), Clear (135), White (148).

| CODE | DESCRIPTION | CASE PACK |
|---|---|---|
| BV6CW | 15,24 cm bud vase | 12 |



Black (110) Clear (135) White (148)

# DELI CROCKS & PLATTER

- Prep, store and serve all in one with contemporary style at an economical price.
- Crocks and platter are made of SAN, making them impact, stain and chip resistant.
- Ideal for supermarket delis, sandwich shops, buffets and catered events.
- Handled covers are made of crystal clear, virtually unbreakable Camwear®.

**Crock and Platter Colors:** Clear (152), Black (110), White (148), Red (404).

**Crock Cover Color:** Clear (135).

Deli Crocks are covered by the following U.S. Patents D 504,283 S, D 503,871 S & D 494,419 S. Scalloped Food Service Cover is covered by the following U.S. Patent D 509,705 S.

DCC5, DCC10 are NSF Component.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**DC5, DC10:** (110), (148)
**DCC5, DCC10:** (135)




Prep, stack, store and serve all in one.



Interstacking saves storage space.



Avoid cross contamination and keep food fresh by using clear cover with handle.



Lid can be used as a riser to provide additional height on the buffet table or in a deli display case.



Cover doubles as a false bottom for presentation and to reduce waste.

## Crocks & Platter (BPA FREE)





| CODE | DC5 | DC10 | DP15 |
|---|---|---|---|
| DESCRIPTION | Crock | Crock | Platter |
| DIMENSIONS L x D x H | 26 x 17,5 x 8 cm | 33,5 x 26,5 x 8 cm | 40 x 30,5 x 5,5 cm |
| APPROXIMATE CAPACITY | 2 L | 4,6 L | 3,2 L |

**Case Pack:** 6

## Covers




| CODE | DCC5 fits DC5 | DCC10 fits DC10 |
|---|---|---|
| DIMENSIONS L x D x H | 23,8 x 15 x 3,5 cm | 31 x 24 x 3,5 cm |
| APPROXIMATE CAPACITY | 0,85 L | 1,9 L |

**Case Pack:** 6



# SHOWFEST® DISPLAY TRAYS

- Made from virtually unbreakable polycarbonate material
- Present hot and cold items side-by-side.

**Color:** Black (110).

Personalization not available.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**SFG1012CW, SFG820CW:** (110)



**SFG1012CW**

Display Trays — Octagonal

**DIMENSIONS** L x D x H:
30,5 x 25,4 x 5 cm

**APPROX. CAPACITY:** 2,8 L

**Case Pack:** 6



**SFG820CW**

Display Trays — Octagonal

**DIMENSIONS** L x D x H:
50,8 x 20,3 x 5 cm

**APPROX. CAPACITY:** 3,7 L

**Case Pack:** 6

# CAMWEAR® BOWLS

## Round Pebbled Bowls

- Textured on the outside for an elegant look, smooth on the inside for easy cleaning.
- Made of virtually unbreakable Camwear for years of dependable service.
- Ideal for fruit, salads, snacks and desserts.

**Color:** Pebbled (176).

Capacities are calculated to rim.



## Ribbed Bowls

- Stylish, contemporary appearance for a dramatic presentation.
- Made of virtually unbreakable Camwear that won't break like glass.
- Bowls are durable and lightweight. Will not chip and crack like acrylic.
- Resistant to stains, acids and odors.

**Colors:** Clear (135), Black (110), White (148).

Rectangular Ribbed Bowls are not available in White (148).

Capacities are calculated to rim.



## Round Pebbled Bowls



| CODE | PSB6 | PSB8 | PSB10 | PSB12 |
|---|---|---|---|---|
| INSIDE DIAMETER | 15,2 cm | 20,3 cm | 25,4 cm | 30,5 cm |
| APPROXIMATE CAPACITY | 556 mL | 1,5 L | 3 L | 5,5 L |
| CASE PACK | 12 | 12 | 12 | 12 |

# CAMWEAR® BOWLS

## Round Pebbled Bowls





| CODE | PSB15 | PSB18 | PSB23 |
|---|---|---|---|
| INSIDE DIAMETER | 38,1 cm | 45,7 cm | 58,4 cm |
| APPROXIMATE CAPACITY | 10,6 L | 19,1 L | 37,8 L |
| CASE PACK | 4 | 4 | 4 |

**Color:** Pebbled (176).

## Rectangular Ribbed Bowls





| CODE | RSB912CW | RSB1014CW | RSB1419CW |
|---|---|---|---|
| DIMENSIONS L x D x H | 30,8 x 22,9 x 7,6 cm | 37 x 27,3 x 9 cm | 49,2 x 36,2 x 12 cm |
| APPROXIMATE CAPACITY | 2,7 L | 4,7 L | 11,3 L |
| CASE PACK | 12 | 4 | 4 |

Rectangular Ribbed Bowls are not available in White (148).

## Round Ribbed Bowls






| CODE | RSB6CW | RSB8CW | RSB10CW | RSB12CW |
|---|---|---|---|---|
| INSIDE DIAMETER | 15,2 cm | 20,3 cm | 25,4 cm | 30,5 cm |
| APPROXIMATE CAPACITY | 564 mL | 1,6 L | 3 L | 5,5 L |
| CASE PACK | 12 | 12 | 12 | 12 |





| CODE | RSB15CW | RSB18CW | RSB23CW |
|---|---|---|---|
| INSIDE DIAMETER | 38,1 cm | 45,7 cm | 58,1 cm |
| APPROXIMATE CAPACITY | 10,6 L | 19,1 L | 37,8 L |
| CASE PACK | 4 | 4 | 4 |

# BUDGET & FIBERGLASS BOWLS

## Budget Salad Bowls

- An economical serving choice for fruit, salads, snacks and desserts.
- Impact resistant FDA approved material resists stains, acids and odors.

**Colors:** Birch (174), Black (110).

Personalization not available.

Capacities are calculated to rim.






| CODE | SB55 | SB60 | SB80 |
|---|---|---|---|
| INSIDE DIAMETER | 14,5 cm | 15,2 cm | 20,3 cm |
| APPROX. CAPACITY | 325 mL | 375 mL | 925 mL |

**Case Pack:** 72

## Fiberglass Bowls

- Combines the look of warm wood grains with the durability of fiberglass.
- Colors won't fade even after years of service and washing.

**Color:** Dark Basketweave (301).

Personalization not available.

For a swatch of this color and pattern, see Camtray® group section.

Capacities are calculated to rim.





| CODE | 6F | 8F |
|---|---|---|
| INSIDE DIAMETER | 15,6 cm | 20,3 cm |
| APPROX. CAPACITY | 425 mL | 925 mL |

**Case Pack:** 12

# CAMWEAR® DISPLAY COVERS & TRAYS

- Display covers protect freshness of pastries, breads and desserts.
- Virtually unbreakable Camwear features the upscale look of glass.
- Openings on side or end provide quick and easy access to contents without removing cover.‡

**Display Covers**
**Color:** Clear (135).

Personalization available. See cresting section for information and ordering.

*Dimensions include handle(s). Handle height is 2,06 cm.

**Market Trays**
**Colors:** Salmon (149), Yellow (145), Blue (142), Green (140), White (148), Black (110).
**Colors NSF listed for food contact:** White (148), Blue (142), Green (140).

**Display Tray Colors:** Clear (135), Black (110).

Personalization not available.

**Special order item not carried in stock – non-returnable.

Display Trays are stackable. Refer to Market Tray for information.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**RD1200CW, DD1220ECW, DD1220BECW, DD1220SCW, RD1220CW, DD1826CW:** (135)



RD1220CW



RD1220CWH



RD1200CW



DD1220BECW‡



Dome with side cut – DD1220SCW‡



Display Tray – DT1220CW

| CODE | APPROXIMATE DIMENSIONS W x L x H* | DESCRIPTION | CASE PACK |
|---|---|---|---|
| **Display Covers** | | | |
| RD1200CW | 30,5 x 30,5 x 20,9 cm | Cake cover | 1 |
| DD1220CW | 55,6 x 37,5 x 20,3 | Dome cover | 1 |
| DD1220ECW | 55,6 x 37,5 x 20,3 | Dome w/end cut | 1 |
| DD1220BECW | 55,6 x 37,5 x 20,3 | Dome w/2 ends cut | 1 |
| DD1220SCW | 55,6 x 37,5 x 20,3 | Dome w/side cut | 1 |
| DD1826CW | 67,9 x 47,9 x 22,5 | Dome cover | 1 |
| RD926CW | 67,2 x 25,4 x 15,9 | Rectangular cover | 1 |
| RD1220CW | 55,6 x 35,9 x 14,9 | Rectangular cover | 1 |
| RD1220CWH | 55,6 x 35,9 x 12,7 | Rectangular w/hinge | 1 |
| RD1826CW | 67,2 x 47,9 x 15,9 | Rectangular cover | 1 |
| RD1826CWH | 67,9 x 47,6 x 13 | Rectangular w/hinge | 1 |
| **Display Tray – Fits with all 1220 covers** | | | |
| DT1220CW | 32,5 x 53 | Tray | 1 |
| **Market Tray – Fits with all 1826 covers** | | | |
| 1826MT** | 65,3 x 45,2 x 2,7 | Tray | 6 |

# CROCKS & LADLES

## Crocks

- Ideal for use with salad bars, on buffet tables or at food stations.
- Resists stains and odors caused by vinegar, salad oils, or mayonnaise.
- Made of high impact FDA accepted material.
- Smooth surface is easy-to-clean.
- Works in Salad Bar Holder SBH15 and Crock Holder CPH3.

**Solid Color Crock Colors:** Black (110), Beige (133), Reddish Brown (195).
**Clear Crock Color:** Clear (152).
**Lid Color:** White (148).

Personalization available.
See personalization section for details.

*Lids for Solid Color and Clear Crocks are not interchangeable.

## Camwear® Ladles

- Portion control bowls serve the perfect amount of dressing or food ingredient.
- Angled for easy handling.
- Designed with a side rest so ladles don't slip into crocks or serving bowls.
- Made of virtually unbreakable Camwear for years of dependable service.

**Colors:** Black (110), Beige (133), Clear (135), White (148).

*Cambro's assortment pack is available in black only. It offers 8 imprinted ladles and 4 with no imprinting. The 8 imprints include: 1 Thousand Island, 1 French, 1 House, 1 Italian, 1 Bleu Cheese, 1 Ranch, 1 Low Cal, 1 Caesar. This makes a perfect start-up set for a salad bar.

Custom Order Ladle Imprints – See cresting section for information and ordering. Maximum imprint area is 2,5 x 1,2 cm. Six dozen minimum.

No broken cartons on assortment pack or imprinted ladles. Special order item not carried in stock, non-returnable.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**LD85, LD105:** (135), (110)




| CODE | HEIGHT | TOP DIAMETER | CUT OUT DIAMETER |
|---|---|---|---|
| **Solid Color Crock with Lid** | | | |
| CP12 | 13,2 cm | 12,9 cm | 12,1 cm |
| CP15 | 11 | 16,8 | 15,7 |
| CP27 | 17,2 | 16,8 | 15,6 |
| **Clear Color Crock with Lid** | | | |
| CCP12 | 13,7 | 13,3 | 12,4 |
| CCP15 | 11,1 | 17,2 | 15,9 |
| CCP27 | 17,5 | 17,2 | 15,7 |

| CODE | CAPACITY | CASE PACK |
|---|---|---|
| **Solid Color Crocks** | | |
| CP12 | 1,1 L w/Lid | 12 |
| CP15 | 1,4 L w/Lid | 6 |
| CP27 | 2,4 L w/Lid | 6 |
| **Lids for Solid Color Crocks** | | |
| CPL12* | Fits Colored CP12 Crock | 12 |
| CPL27* | Fits Colored CP15 & CP27 | 12 |
| **Clear Crocks** | | |
| CCP12 | 1,1 L w/Lid | 12 |
| CCP15 | 1,4 L w/Lid | 6 |
| CCP27 | 2,4 L w/Lid | 6 |
| **Lids for Clear Crocks** | | |
| CCPL12* | Fits Clear CCP12 Crock | 12 |
| CCPL27* | Fits Clear CCP15 & CCP27 | 12 |






Imprinted Ladles shown.

| CODE | DESCRIPTION | LENGTH | CAPACITY |
|---|---|---|---|
| LD85 | Plain | 21,6 cm | 25 mL |
| LD85A* | Assortment | 21,6 | 25 |
| LD105 | Plain | 26,8 | 30 |
| LD105A* | Assortment | 26,8 | 30 |
| LD130 | Plain | 33 | 30 |

**Case Pack:** 12

# CAMWEAR® SERVING SPOONS, TONGS & HIGH HEAT CAMTENSILS®

## Serving Spoons

- Made of virtually unbreakable Camwear, spoons won't tarnish, bend or dent.
- A wide handle and molded in thumb rest ensure a solid, ergonomic grip.
- Spoons feature a notched back to rest on pans.
- Spoon capacities are approximate and are not intended for measuring.

**Colors:** Black (110), Beige (133), Clear (135), Red (404), White (148).

Personalization available. See cresting section for information, ordering and pricing.

*Cannot be personalized.



**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**SPO11CW, SPO13CW, SPOP13CW:** (110), (135)
**SPO8CW, SPO10CW, SPOP11CW:** (110)

### Perforated



**SPOP10CW**
**DESCRIPTION:** 25,5 cm Perforated buffet spoon
**DIMENSIONS:** 26 x 4,3 cm
**Case Pack:** 12



**SPOP11CW***
**DESCRIPTION:** 28 cm Perforated deli spoon
**DIMENSIONS:** 28,3 x 7,3 cm
**Case Pack:** 12



**SPOP13CW***
**DESCRIPTION:** 33 cm Perforated deli spoon
**DIMENSIONS:** 33,3 x 7,3 cm
**Case Pack:** 12

### Solid



**SPO8CW**
**DESCRIPTION:** 20,5 cm Salad spoon
**DIMENSIONS:** 20,6 x 3,8 cm
**Case Pack:** 12



**SPO10CW**
**DESCRIPTION:** 25,5 cm Buffet spoon
**DIMENSIONS:** 26 x 4,3 cm
**Case Pack:** 12



**SPO11CW***
**DESCRIPTION:** 28 cm Deli spoon
**DIMENSIONS:** 28,3 x 7,3 cm
**Case Pack:** 12



**SPO13CW***
**DESCRIPTION:** 33 cm Deli spoon
**DIMENSIONS:** 33,3 x 7,3 cm
**Case Pack:** 12

## High Heat Camtensils, Spoons and Turners

- Ideal for preparing and serving hot and cold foods.
- Made of a durable high heat material that withstands temperatures from -40˚ to 190˚C.
- Handle includes a hole for hanging when not in use and notches to rest on pans.



**SPO13**
**DESCRIPTION:** 33 cm Solid spoon
**DIMENSIONS:** 33,3 x 7,3 cm
**Case Pack:** 12



**SPA14**
**DESCRIPTION:** 35,5 cm Solid turner
**DIMENSIONS:** 35,9 x 8,9 cm
**Case Pack:** 12

**Colors:** Amber (150), Black (110).

Personalization not available.



**SPOP13 PERFORATED**
**DESCRIPTION:** 33 cm Perforated spoon
**DIMENSIONS:** 33,3 x 7,3 cm
**Case Pack:** 12



**SPASL14 SLOTTED**
**DESCRIPTION:** 35,5 cm Slotted turner
**DIMENSIONS:** 35,9 x 8,9 cm
**Case Pack:** 12

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**SP013, SPOP13, SPA14:** (150)



# LUGANO® TONGS

- Colored tongs are made from a durable heat resistant material that withstands temperatures up to 99˚C.
- Clear tongs are made from virtually unbreakable Camwear, which is safe to 99˚C.

FLAT GRIP



**TG6**
**LENGTH:** 15 cm
**Case Pack:** 12



**TG9**
**LENGTH:** 23 cm
**Case Pack:** 12

## Lugano Flat and Scallop Grip Tongs

- Flat Tongs are ribbed to provide a secure hold.
- Scallop Tongs feature an ergonomic design and secure finger grip.

**Colors:** Black (110), Beige (133), Clear (135), Red (404), White (148).

NSF · PRORATED

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**6TGS, 12TGS, TG9:** (135), (110)
**9TGS:** (135), (110), (148)
**TG6:** (110)

SCALLOP GRIP



**6TGS**
**LENGTH:** 15 cm
**Case Pack:** 12



**9TGS**
**LENGTH:** 23 cm
**Case Pack:** 12



**12TGS**
**LENGTH:** 30,5 cm
**Case Pack:** 12





## Lugano Angled and Easy-Grasp Tongs

- Angled tongs feature an ergonomic design that makes it easy to serve a variety of foods.
- Easy-Grasp Tongs provide a secure grip for hard to hold items.

**Angled Tong Color:** Black (110).
**Easy-Grasp Colors:** Black (110), Beige (133), Clear (135), White (148).

Angled and Easy-Grasp Lugano Tongs are covered under U.S. Patent D 530,994 S.

NSF · PRORATED

ANGLED TONG



**TGA8**
**LENGTH:** 21 cm
**Case Pack:** 12



**TGA11**
**LENGTH:** 27,5 cm
**Case Pack:** 12

EASY-GRASP



**TGG6**
**LENGTH:** 17 cm
**Case Pack:** 12



**TGG9**
**LENGTH:** 24 cm
**Case Pack:** 12



# CAMVIEW® SHAKERS/DREDGES & CAMWEAR® CONDIMENT JARS

## CamView Shakers/Dredges

- A staple in the kitchen, at the condiment station or on the dining table.
- Clear shatter-resistant CamView and color coded lids make it easy to identify contents.
- Dishwasher safe and unaffected by food acids.

**Shaker Color:** Clear (135).

Personalization available. See cresting section for information, ordering and pricing.








96SKRLD
Salt & Pepper



96SKRLM
Med. Ground



96SKRLC
Cheese



96SKRLP
Parsley

| CODE | LID COLOR |
|---|---|
| **Shakers complete with lids** (approx. capacity 300 mL) | |
| 96SKRP (w/parsley lid) | White (148) |
| 96SKRD (w/salt & pepper lid) | Beige (406) |
| 96SKRC (w/cheese lid) | Yellow (405) |
| 96SKRM (w/medium ground lid) | Rose (408) |
| **Shaker Replacement Lids** (Shaker Lids are not interchangeable with Camliter® Lids) | |
| 96SKRLP parsley lid | White (148) |
| 96SKRLD salt & pepper lid | Beige (406) |
| 96SKRLC cheese lid | Yellow (405) |
| 96SKRLM medium ground lid | Rose (408) |

**Case Pack:** 12

## Camwear Condiment Jar

- Use to hold condiments such as mustard, ketchup, dressings, jam or salsa.
- Made of clear, virtually unbreakable Camwear.
- Lids are slotted to hold serving spoons when not in use.

**Color:** Clear (135).

Personalization available. See cresting section for information, ordering and pricing.



| CODE | APPROXIMATE CAPACITY | SIZE H x DIA. | CASE PACK |
|---|---|---|---|
| **Condiment Jar Set** | | | |
| CJ80CW | 240 mL | 10,2 x 8,3 cm | 24 |

# CHOOSE THE RIGHT TRAY FOR YOUR BUSINESS

Cambro is the global leader in manufacturing trays for the food service industry, offering the largest selection of materials, sizes, colors, shapes and personalization processes. Cambro's breadth of assortment provides the clear choice for the right tray for every need and budget.

## Consider the following to select the right tray for your operation:

### Step 1: What Will the Tray Be Used For?

In order to choose the correct tray, first identify the correct application.

**Service Tray**

Used by employees to carry items to serve to guests:

**Non-Slip Tray**

**Patron Tray**

Used by customers to carry menu items:

**Smooth Surface Tray**

### Step 2: Who Will Be Using the Tray?

To determine the appropriate tray material, it is critical to identify who will be using the tray.

**Children**

**Students**

**Military**

**Office Employees**

**Wait Staff**

### Step 3: How Will the Tray Be Used and Washed?

Consider how the tray will be used, and whether it will endure mild or excessive use and abuse. Determine how often the trays will be washed per day.

**Extensive:**
Wash as often and as frequently as needed

**Normal:**
Wash up to 3 times per day

**Minimal:**
Wash once per day

### Step 4: Determine the Budget per Tray

Ensure that the correct tray has been selected for the right application. Selecting a low cost tray for a heavy application is not the most cost effective option. Tray pricing varies according to the following factors:

**Manufacturing process**

**Material type and grade**

**Tray size**

**Personalization options**

**Warranty**

### Step 5: Personalization

Cambro offers high quality personalization on most of the trays that we manufacture. Look for the personalization logo throughout the brochure.

### Step 6: Additional Features to Consider

Evaluate the importance of the following features to determine the best tray for your operation.

**Stacking lugs - Promote air circulation for fast drying and perfect stacking**

**Surface impact resistance**

**Edge breaking resistance**

**Scratch and stain resistance**

**Type of Warranty**

### Technical test descriptions

All Cambro trays are submitted to an array of tests described to the right. The results are indicated on each tray page under Technical Test Results.


Textured Wood Trays


Versa Trays Anitmicrobial


Versa Lite Trays


Laminated Capri Trays


Laminated Corfu Trays


Laminated Mykonos Trays


Fast Food Trays


Non-Slip Trays

**TESTS DESCRIPTIONS**

**Thermal Shock Resistance Test:**
Test consists of applying a radical temperature change during a short period of time to the tray, by taking out the tray from icy water (0˚C) and placing it into boiling water (100˚C) and measuring any deformation.

**Break Resistance Test:**
Test consists of dropping a metal ball from specific heights onto the tray and measuring any deformation.

**Scratch Resistance Test:**
Observe scratches and abrasions as a result of friction between porcelain dinnerware and the tray surface.

Test consists of moving a porcelain dish placed on tray from left to right under hand pressure and measuring any abrasion on tray surface.

**DISHWASHER SAFE DESCRIPTIONS**

**Extensive:** Wash as often and as frequently as needed.

**Normal:** Wash up to 3 times per day.

**Minimal:** Wash once per day.

# PERSONALIZATION

## Value Added Personalization

Promote business to customers and employees alike by placing your custom logo, trademark, slogan or design on our trays.

## How to Order

1) Select a tray size, color, pattern, or design.

2) Provide complete, camera-ready artwork and indicate positioning on the tray.

3) According to the tray type, Cambro can produce 1, 2, 3 and 4 color artwork as well as 4 color process artwork.

We require the following:

a. Electronic artwork file provided on CD-ROM for Mac or PC.

We accept the following file formats:

- Adobe Illustrator, Adobe Photoshop files in JPEG, TIFF or EPS formats.
- File dimensions must equal 100% of reproduction size at 300dpi resolution.

b. Illustration on paper: The quality of the art must be crisp and scannable. Please specify PANTONE number for each color or indicate if it is a four color process.

4) An artist's fee of *** per hour will be charged to any order submitted without complete, camera-ready artwork. Cambro will contact you if this fee will be charged and will give you an estimated cost.

5) Sample process:

a. For any new project, a finished sample will be submitted for the customer's approval.

b. The first sample with a firm purchase order is free. (Plus shipping cost.)

c. Samples not accompanied by a firm purchase order or requests for more than one sample will be charged a flat rate of:

– Polyester, Fiberglass and Laminated Trays:
*** Net per sample.
(Plus shipping cost.)

– Polypropylene Fast Food Trays:
*** Net per sample.
(Plus shipping cost.)

d. Upon receipt and shipment of a firm purchase order, a credit will be applied to your account for the cost of one sample.

6) Personalization charges apply to both original orders and returns.

## POLYESTER TRAYS



**Versa Trays VT/GP**
**Versa Lite Trays VL/GL**

- Only the following tray models are suitable for personalization:

**Versa Trays:**
VT1216, VT1418, VT2632, VT3253, VT3343, VT3343C, VT3646C, VT3753, VT3853, GP0540, GP1070, GP1080, GP3074, GP3980, GP4002, GP4210, GP4004, GP4701, GP4709, GP4853

**Versa Lite Trays:**
VL1014, VL1216, VL1418, VL2632, VL3253, VL3343, VL3343C, VL3646C, VL3753, GL0540, GL1070, GL1080, GL3074, GL3980, GL4002, GL4210, GL4701, GL4709

- **Minimum Quantity:** 120 trays per size.
- **Sample Production Time:** 10 business days + delivery and transit time from receipt of camera ready artwork.
- **Order Production Time:** Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

**Printing Process Applicable:**

**Digital Printing - Inside Trays Process:** allows printing of one color or multiple color artwork as well as photo reproduction.

**Tray Colors Recommended for Personalized Versa Trays VT/GP:**
Speckled Mocha (A21), Sahara (A22), Light Grey (A27), Pearl White (A33), Terrazzo (A86).

For the following colors, please call Cambro Customer Service for artwork review: Magic Yellow (A25), Magic Mint (A26).

**Tray Colors Recommended for Personalized Versa Lite Trays VL/GL:**
Speckled Smoke (A20), Speckled Mocha (A21), Sahara (A22), Light Grey (A27), Pearl White (A33) and Terrazzo (A86).

**Printable Area:**
The artwork can cover the flat surface of tray up to 1 cm from the internal tray edge.

**Personalization Charges Per Tray:**

| QUANTITY EACH | ADDITIONAL NET CHARGES |
|---|---|
| 120-300 | *** |
| 312-996 | *** |
| 1,008 and up | *** |

***Contact your Cambro representative for pricing.

If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application.

## FIBERGLASS TRAYS



**Camtray® Trays**

- All Camtray sizes can be personalized. (Except compartment trays shown in main Cambro catalog).
- **Minimum Quantity:** 144 trays per size.
- **Sample Production Time:** 10 business days + delivery and transit time from receipt of camera ready artwork.
- **Order Production Time:** Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

**Printing Process Applicable:**

**a. Digital Printing - Edge to Edge:** allows printing of one color or multiple color artwork as well as photo reproduction.

**Printable area:** Print area covers 100% of surface, edge to edge on top and bottom of the tray.Available for Decor Series Camtrays and select Camtrays.

**b. Digital Printing - Inside Trays:** allows printing of one color or multiple color artwork as well as photo reproduction. This process can only be used on light color trays. Darker tray color will make the artwork colors go darker.

**Tray Colors Recommended for Four Color Printing Process:**
Antique Parchment (101), Light Peach (106), Dark Peach (117), White (148), Sky Blue (177), Key Lime (429), Lemon Chiffon (536), Cameo Yellow (537), Cottage White (538).

**Printable area:** The artwork can cover the flat surface of tray up to 3,5 cm from the internal tray edge.

**c. Silkscreen Printing Personalization:** allows up to four colors. This process is best used with light color artwork on dark tray color.

**Printable area:** covers 100% of surface, edge to edge on top and bottom of the tray.

**Personalization Charges Per Tray:**

| QUANTITY EACH | ADDITIONAL NET CHARGES |
|---|---|
| 144-299 | *** |
| 300 and up | Free |

***Contact your Cambro representative for pricing.

# PERSONALIZATION

## LAMINATED TRAYS

**Corfu, Capri, Mykonos, Madeira**

- All Laminated tray sizes can be personalized or produced in any custom color. Custom color matching is treated as a personalization.
- Top and bottom parts of trays can be personalized with the exception of Corfu trays that can only be personalized on the backside of the tray. Personalization cost is per side of the tray.
- **Minimum Quantity:** 120 trays per size.



- **Sample Production Time:** 10 business days + delivery and transit time from receipt of camera ready artwork.
- **Order Production Time:** Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

**Printing Process Applicable:** Four color process and Custom Color Matching.

**a. Digital Printing - Inside Trays Process:** This process allows the printing of one color or multiple color artwork as well as photo reproduction.

**b. Custom Color Matching:** Custom color matching is treated as a personalization. To produce any color tray provide Cambro with PANTONE number.

**Printable area:** The artwork can cover the total surface of tray from one edge to the other. Artwork dimensions must be 4 cm bigger than tray sizes on each side due to trimming. (example: Tray size: 36 x 46 cm – Artwork size: 40 x 50 cm)

**Personalization Charges Per Tray:**

| QUANTITY EACH | ADDITIONAL NET CHARGES |
|---|---|
| 120 and up | *** |

***Contact your Cambro representative for pricing.

## POLYPROPYLENE TRAYS

**Fast Food Trays**

- All Fast Food trays sizes manufactured in the United States can be personalized. All Fast Food tray sizes manufactured in Europe and China cannot be personalized.
- **Minimum Quantity:** 288 trays per size.
- **Sample Production Time:** 10 business days + delivery and transit time from receipt of camera ready artwork.




- **Order Production Time:** Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

**Printing Process Applicable:**

Hot stamp 1 color process. Due to the application process onto textured tray surface, white can be selected but is not recommended.

**Printable area:** Artwork cannot exceed a maximum size of 15 x 15 cm.

**Personalization Cost:**

**One-time die charge:**
*** Net per order

**Additional Net Charges Per Tray:**

| QUANTITY EACH | ADDITIONAL NET CHARGES |
|---|---|
| 288-767 | *** |
| 768-1,199 | *** |
| 1,200-5,999 | *** |
| 6,000-11,999 | *** |
| 12,000 and up | *** |

***Contact your Cambro representative for pricing.

## CAMTREAD TRAYS

**Tray Back Personalization and Rubber Surface Embossing**

- **Camtread From USA:** Tray Back Personalization only on 1600CT. Rubber surface embossing all Camtread sizes.
- **Camtread From Europe:** Sizes Available: 1100CT, 1400CT, 1600CT and 1800CT.
- **Sample Production Time:** 10 business days + delivery and transit time from receipt of camera ready artwork.
- **Order Production Time:** Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

**Tray Back Personalization Printing Process Applicable:**
**Four Color Printing Process** allows printing of one color or multiple color artwork as well as photo reproduction.

Camtread From USA: White trays are recommended for tray back personalization.

**Printable area:** The artwork can cover the flat surface of tray up to 2,54 cm from the external tray edge.

**Personalization Charges Per Tray:**

| QUANTITY EACH | ADDITIONAL NET CHARGES |
|---|---|
| **Camtread From USA** | |
| 72-144 | *** |
| 145-288 | *** |
| 289-432 | *** |
| 433 and up | Free |
| **Camtread From Europe** | |
| 120 and up | *** |

**Rubber Surface Embossing**

- **Electronic File Format:** Adobe Illustrator EPS formats.

**Embossing Process Printable Area:** The artwork can cover the surface of the tray up to 2,54 cm from the internal tray of edge.

**Embossing Personalization Charge Per Tray:**

| QUANTITY EACH | ADDITIONAL NET CHARGES |
|---|---|
| **Camtread From USA** | |
| 72 and up | *** |
| **Camtread From Europe** | |
| 156 and up | *** |

***Contact your Cambro representative for pricing.

# TRAY PRODUCT GUIDE

| | POLYESTER TRAYS | | | | |
|---|---|---|---|---|---|
| |  |  |  |  |  |
| **RECOMMENDED USE** | | | | | |
| **TRAY DESCRIPTION** | **Century™ Textured Wood Trays** Page 216 | **Century™ Fun Trays: Versa Trays VT/GP Versa Lite Trays VL/GL** Page 217 | **Versa Tray Plus** Page 215 | **Versa Trays VT/GP** Pages 218-219 | **Versa Lite Trays VL/GL** Pages 220-221 |
| **MATERIAL** | SMC-High Performance Fiberglass | SMC-High or Standard Performance Fiberglass Reinforced Polyester | SMC-High Performance Fiberglass Reinforced Polyester | SMC-High Performance Fiberglass Reinforced Polyester | SMC-Standard Performance Fiberglass Reinforced Polyester |
| **SURFACE** | Textured / Textured Non-Slip | Smooth | Smooth | Smooth | Smooth |
| **PERFORMANCE** | Excellent | Excellent | Excellent | Excellent | Excellent |
| **PERSONALIZATION** | No | Yes Δ Heat resistance: 90˚C | No | Yes Δ Heat resistance: 90˚C | Yes Δ Heat resistance: 90˚C |
| **YEARS WARRANTIED**** | 5 | 3 | 5 | 5 | 3 |
| **STACKING LUGS*** | Yes | Yes | Yes | Yes | Yes |
| **DISHWASHER SAFE** | Yes – Extensive | Yes – Normal | Yes – Extensive | Yes – Extensive | Yes – Normal |
| **CHEMICAL RESISTANCE** | Excellent | Good | Excellent | Excellent | Good |
| **DRYING TEST** | Excellent | Excellent | Excellent | Excellent | Excellent |
| **THERMAL SHOCK RESISTANCE** | Excellent | Good | Excellent | Excellent | Good |
| **BREAK RESISTANCE** | Excellent | Good | Excellent | Excellent | Good |
| **SCRATCH RESISTANCE** | Excellent | Good | Excellent | Excellent | Good |
| **STAIN RESISTANCE** | Excellent | Good | Excellent | Excellent | Good |
| **HEAT RESISTANCE** | -40˚ to +90˚C ‡ | -40˚ to +90˚C ‡ | -40˚ to +140˚C ‡ | -40˚ to +140˚C ‡ | -40˚ to +130˚C ‡ |
| **NUMBER OF SIZES** | 4 | 2 | 5 | 22 | 15 |
| **NUMBER OF SHAPES** | 1 | 1 | 4 | 9 | 7 |
| **NUMBER OF COLORS** | 7 | 4 | 1 | 12 | 7 |

*Stacking lugs allow free air circulation and perfect stacking.
**Prorated warranty against manufacturer's defects.
‡Not recommended for heated cart.
ΔContact your Cambro representative for pricing.
If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application.

## POLYESTER TRAYS

– **Versa Tray Plus**
– **Versa Trays**
– **Century™ Textured Wood Trays**
– **Versa Century Fun**

High performance polyester trays are made of rugged reinforced mat with long fibers and additional fiberglass to provide extremely high shock-resistance. Colored isophthalic polyester resin offers high chemical and UV-resistance.

(1) Personalized Versa Trays and Versa Trays with Décor have a Melamine Resin Layer on top increasing protection against stains, abrasions and scratches.

## VERSA LITE TRAYS

– **VL/GL Century Fun**
– **VL/GL Trays**
– **VL/GL Trays with Non-Slip Surface**

Standard performance polyester trays are made of fiberglass and standard polyester resin.


Canteens / Cafeterias / Self-serve


Catering / Banquet Service


Educational


Hospitals


Hotel / Room service


Military


Restaurants /Cafes / Brasseries / Pubs / Bars / Clubs

# TRAY PRODUCT GUIDE

| | POLYESTER TRAYS | FIBERGLASS TRAYS | | | | |
|---|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| **RECOMMENDED USE** | | | | | | |
| **TRAY DESCRIPTION** | **Versa Lite Trays with Non-Slip Rubber Surface VL/GL** Page 222 | **Decór Series Camtrays** Pages 223 | **Camtray®** Pages 224-227 | **EpicTread™ Trays** Page 228 | **Dietary Trays** Page 229 | **Camlite® Trays** Page 229 |
| **MATERIAL** | SMC-Standard Performance Fiberglass Reinforced Polyester + Non-Slip Rubber Surface | Fiberglass Layers + Polyester Resin | Fiberglass Layers + Polyester Resin | Fiberglass Layers + Non-Slip, Water Repellent Surface | Fiberglass Layers + Polyester Resin | Fiberglass Layers + Polyester Resin |
| **SURFACE** | Non-Slip Rubber | Smooth | Smooth | Non-Slip | Smooth | Smooth |
| **PERFORMANCE** | Excellent | Excellent | Excellent | Good | Excellent | Excellent |
| **PERSONALIZATION** | No | Yes Δ Heat resistance: 100˚C | Yes Δ Heat resistance: 100˚C | No | No | No |
| **YEARS WARRANTIED**** | 3 | 5 | 5 | 2 | 1 | 3 |
| **STACKING LUGS*** | Yes | Yes | Yes | Yes | Yes | Yes |
| **DISHWASHER SAFE** | Yes – Normal | Yes – Extensive | Yes – Extensive | Yes – Normal | Yes – Extensive | Yes – Extensive |
| **CHEMICAL RESISTANCE** | Good | Good | Good | Good | Good | Good |
| **DRYING TEST** | Excellent | Excellent | Excellent | Good | Excellent | Excellent |
| **THERMAL SHOCK RESISTANCE** | Good | Excellent | Excellent | Good | Excellent | Excellent |
| **BREAK RESISTANCE** | Good | Excellent | Excellent | Good | Good | Good |
| **SCRATCH RESISTANCE** | Good | Excellent | Excellent | Good | Good | Good |
| **STAIN RESISTANCE** | Good | Excellent | Excellent | Good | Excellent | Excellent |
| **HEAT RESISTANCE** | -40˚ to +100˚C ‡ | -10˚ to +100˚C ‡ | -10˚ to +100˚C ‡ | -10˚ to +90˚C ‡ | -10˚ to +100˚C ‡ | -10˚ to +100˚C ‡ |
| **NUMBER OF SIZES** | 7 | 3 | 40 | 6 | 6 | 6 |
| **NUMBER OF SHAPES** | 3 | 1 | 7 | 2 | 1 | 2 |
| **NUMBER OF COLORS** | 2 | 4 | 52 | 6 | 52 | 9 |

*Stacking lugs promote air circulation and perfect stacking.
**Prorated warranty against manufacturer's defects.
ΔContact your Cambro representative for pricing.
‡Not recommended for heated cart.

## VERSA LITE TRAYS

- **VL/GL Century Fun**
- **VL/GL Trays**
- **VL/GL Trays with Non-Slip Surface**
- **VL/GL Trays with Non-Slip Rubber Surface**

Standard performance polyester trays are made of fiberglass and standard polyester resin.

## FIBERGLASS TRAYS

- **Camtray**
- **Decór Series Camtrays**
- **EpicTread Trays**
- **Dietary Trays**
- **Camlite Trays**

Made of rugged fiberglass interior to provide a tough inner foundation and smooth surface, coupled with polyester resin to resist impact and stains.

Canteens / Cafeterias / Self-serve

Educational

Food courts / Snack shops / Quick serve

Hospitals

Catering / Banquet Service

Hotel / Room service

Military

Restaurants /Cafes / Brasseries / Pubs / Bars / Clubs

# TRAY PRODUCT GUIDE

| | CAMWEAR® TRAYS | | FIBERGLASS TRAYS | | POLYPROPYLENE |
|---|---|---|---|---|---|
| |  |  |  |  |  |
| **RECOMMENDED USE** | | | | | |
| **TRAY DESCRIPTION** | **Camwear Trays** Page 230 | **Camwear Trays with Non-Slip Surface** Page 230 | **Camtread® Trays** Page 232 | **Treadlite™ Trays** Page 233 | **Polytread® Trays** Page 233 |
| **MATERIAL** | Camwear | Camwear + Non-Slip Surface | Fiberglass Layers + Polyester Resin + Non-Slip Rubber Surface | Fiberglass Layers + Polyester Resin + Non-Slip Rubber Surface | Polypropylene + Non-Slip Rubber Surface |
| **SURFACE** | Textured | Non-Slip | Non-Slip Rubber | Non-Slip Rubber | Non-Slip Rubber |
| **PERFORMANCE** | Excellent | Excellent | Excellent | Good | Good |
| **PERSONALIZATION** | No | No | Yes Δ | No | No |
| **YEARS WARRANTIED**** | 3 | 3 | 5 | 1 | 1 |
| **STACKING LUGS*** | Yes | Yes | Yes | Yes | Yes |
| **DISHWASHER SAFE** | Yes – Extensive | Yes – Extensive | Yes – Extensive | Yes – Extensive | Yes – Minimal |
| **CHEMICAL RESISTANCE** | Good | Good | Good | Good | Good |
| **DRYING TEST** | Excellent | Excellent | Excellent | Good | Good |
| **THERMAL SHOCK RESISTANCE** | Excellent | Excellent | Excellent | Good | Good |
| **BREAK RESISTANCE** | Excellent | Excellent | Good | Good | Good |
| **SCRATCH RESISTANCE** | Very Good | Good | Excellent | Good | Good |
| **STAIN RESISTANCE** | Very Good | Good | Good | Good | Good |
| **HEAT RESISTANCE** | -40˚ to +99˚C ‡ | -40˚ to +82˚C ‡ | -10˚ to +80˚C ‡ | -10˚ to +80˚C ‡ | -10˚ to +80˚C ‡ |
| **NUMBER OF SIZES** | 2 | 2 | 16 | 2 | 6 |
| **NUMBER OF SHAPES** | 3 | 2 | 5 | 1 | 2 |
| **NUMBER OF COLORS** | 5 | 3 | 3 | 3 | 2 |

*Stacking lugs promote air circulation and perfect stacking.
**Prorated warranty against manufacturer's defects.
ΔContact your Cambro representative for pricing.
‡Not recommended for heated cart.

## CAMWEAR TRAYS

**– Camwear Trays**

Made of highly durable, virtually unbreakable Camwear.

**– Camwear Trays with Non-Slip Surface**

Made of highly durable, virtually unbreakable Camwear.
The non-slip, clear textured, surface is scratch resistant.

## FIBERGLASS TRAYS

**– Camtread Trays**
**– Treadlite Trays**

Made of rugged fiberglass interior to provide a tough inner foundation and smooth surface, coupled with polyester resin to resist impact and stains.

## POLYPROPYLENE TRAYS

**– Polytread Trays**

Polytread trays have non-slip rubber surface bonded directly into the tray.

Canteens / Cafeterias / Self-serve

Educational

Food courts / Snack shops / Quick serve

Hospitals

Catering / Banquet Service

Hotel / Room service

Military

Restaurants /Cafes / Brasseries / Pubs / Bars / Clubs

# TRAY PRODUCT GUIDE

| | WOOD TRAYS | | LAMINATED TRAYS | | | |
|---|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| **RECOMMENDED USE** | | | | | | |
| **TRAY DESCRIPTION** | **Wood Trays with Smooth Surface** Page 234 | **Wood Trays with Non-Slip Surface** Page 235 | **Corfu Laminated Trays with Non-Slip Rubber Surface** Page 235 | **Capri Laminated Trays with Smooth Surface** Pages 236-237 | **Mykonos Laminated Trays with Non-Slip Surface** Page 238 | **Madeira Laminated Trays with Textured Wood Surface** Page 239 |
| **MATERIAL** | Veneer Beechwood | Veneer Beechwood Mahogany + Non-Slip Surface | Laminate + Non-Slip Rubber Surface | Laminate | Laminate + Non-Slip Surface | Laminate |
| **SURFACE** | Smooth | Non-Slip | Non-Slip Rubber | Smooth | Non-Slip | Textured |
| **PERFORMANCE** | Good | Good | Excellent | Good | Good | Good |
| **PERSONALIZATION** | No | No | Yes† | Yes | Yes | No |
| **YEARS WARRANTIED**** | 3 | 3 | 3 | 3 | 3 | 3 |
| **STACKING LUGS*** | No | No | No | No | No | No |
| **DISHWASHER SAFE** | No | No | No | No | No | No |
| **CHEMICAL RESISTANCE** | Excellent | Good | Excellent | Excellent | Good | Excellent |
| **DRYING TEST** | Good | Good | Good | Good | Good | Good |
| **THERMAL SHOCK RESISTANCE** | Good | Good | Good | Good | Good | Good |
| **BREAK RESISTANCE** | Good | Good | Good | Good | Good | Good |
| **SCRATCH RESISTANCE** | Good | Good | Good | Good | Good | Good |
| **STAIN RESISTANCE** | Good | Good | Good | Excellent | Good*** | Excellent |
| **HEAT RESISTANCE** | -10˚ to +100˚C ‡ | -10˚ to +100˚C ‡ | -10˚ to +100˚C ‡ | -10˚ to +100˚C ‡ | -10˚ to +100˚C ‡ | -10˚ to +100˚C ‡ |
| **NUMBER OF SIZES** | 14 | 7 | 8 | 22 | 15 | 11 |
| **NUMBER OF SHAPES** | 4 | 3 | 2 | 5 | 3 | 4 |
| **NUMBER OF COLORS** | 1 | 1 | 1 | 13 | 6 | 5 |

*Stacking lugs allow free air circulation and perfect stacking.
**Prorated warranty against manufacturer's defects.
***Limited stain resistance for Birch (E75).
‡Not recommended for heated cart.
†Only back side of Corfu trays can be personalized.

**LAMINATED TRAYS**

**– Smooth Surface**
**– Clear Non-Slip Surface**

Made of several layers of genuine beechwood veneer / mahogany combined with synthetic resin molded under high pressure and temperature. The surface is sealed with a double layer of high pressure melamine to allow regular washing.

**LAMINATED TRAYS**

**– Corfu***
**– Capri**
**– Mykonos**
**– Madeira**

Made of compressed layers of melamine saturated paper combined with synthetic resin molded under high pressure and temperature. The surface is sealed with a double layer of high pressure melamine to allow regular washing.

* Laminated trays have a non-slip rubber surface bonded directly into the tray.

**Note:** All laminated trays must be dried before stacking.

Canteens / Cafeterias / Self-serve

Catering / Banquet Service


Hotel / Room service

Restaurants /Cafes / Brasseries / Pubs / Bars / Clubs

Cambro Beechwood Trays, Mahogany Wood Trays and Laminated Trays must be washed by hand with mild soap.

These trays cannot be washed at any time in a commercial dishwasher. They must be dried completely before stacking to avoid warping and void the warranty.

# TRAY PRODUCT GUIDE

| | POLYPROPYLENE | COMPARTMENT TRAYS | | | | DISPLAY TRAYS |
|---|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| **RECOMMENDED USE** | | | | | | |

| **TRAY DESCRIPTION** | **Fast Food Trays** Page 240 | **Camwear® Trays** Pages 241-244 | **ABS** Page 241 | **Heat Resistant Trays** Page 244 | **Co-Polymer Trays** Pages 245 | **Market Trays** Page 245 |
|---|---|---|---|---|---|---|
| **MATERIAL** | Polypropylene | Camwear | ABS | Heat Resistant Plastic | Co-Polymer | Fiberglass Layers + Polyester Resin |
| **SURFACE** | Textured | Textured | Textured | Textured | Textured | Smooth |
| **PERFORMANCE** | Good | Excellent | Excellent | Excellent | Excellent | Excellent |
| **PERSONALIZATION** | Yes Δ Heat Resistance: 80˚C | No | No | No | No | No |
| **YEARS WARRANTIED**** | 3 | 3 | 2 | 2 | 2 | 3 |
| **STACKING LUGS*** | Yes | Yes | Yes | Yes | Yes | Yes |
| **DISHWASHER SAFE** | Yes – Minimal | Yes – Extensive | Yes – Extensive | Yes – Extensive | Yes – Minimal | Yes – Extensive |
| **CHEMICAL RESISTANCE** | Excellent | Good | Excellent | Very Good | Excellent | Good |
| **DRYING TEST** | Good | Excellent | Excellent | Very Good | Excellent | Excellent |
| **THERMAL SHOCK RESISTANCE** | Good | Excellent | Good | Very Good | Good | Excellent |
| **BREAK RESISTANCE** | Good | Excellent | Good | Very Good | Good | Good |
| **SCRATCH RESISTANCE** | Good | Very Good | Very Good | Very Good | Very Good | Good |
| **STAIN RESISTANCE** | Good | Very Good | Very Good | Very Good | Very Good | Excellent |
| **HEAT RESISTANCE** | -10˚ to +80˚C ‡ | -40˚ to +99˚C ‡ | -10˚ to +82˚C ‡ | -40˚ to +149˚C | -10˚ to +80˚C ‡ | -10˚ to +100˚C ‡ |
| **NUMBER OF SIZES** | 4 | 8 | 1 | 1 | 4 | 19 |
| **NUMBER OF SHAPES** | 2 | 7 | 1 | 1 | 3 | 2 |
| **NUMBER OF COLORS** | 14 | 10*** | 6 | 1 | 7 | 5 |

*Stacking lugs promote air circulation and perfect stacking.
**Prorated warranty against manufacturer's defects.
***Not available for all tray styles.
ΔContact your Cambro representative for pricing.
‡Not recommended for heated cart.

## POLYPROPYLENE TRAYS

**– Fast Food Trays**

Fast food trays have a textured surface to hide scratches and provides an additional grip to prevent slipping.

## COMPARTMENT TRAYS

**– Camwear Trays**

Made of highly durable, virtually unbreakable Camwear.

**– ABS Trays**

Made of high impact resistance and heat and chemical resistance ABS.

**– Co-Polymer Trays**

Made of economical pliable and break-resistant co-polymer.

**– Heat resistant Trays**

Made of heat resistant material.

## DISPLAY TRAYS

**– Market Trays**

Made of high-impact resistant fiberglass that resists odors.

Deli / Buffet displays

Educational

Food courts / Snack shops / Quick serve

Home meal delivery

Military

Prisons / Corrections

# CENTURY™ TEXTURED WOOD TRAYS

## SPECIFICATIONS

| | |
|---|---|
| Material | SMC – high performance fiberglass |
| Surface Characteristic | Textured / Textured Non-Slip |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Extensive |
| Chemical Resistance | Excellent |
| Drying Test | Excellent |
| Shock Resistance | Excellent |
| Break Resistance | Excellent |
| Scratch Resistance | Excellent |
| Stain Resistance | Excellent |
| Heat Resistance | -40˚ to +90˚C‡ |

5 PRORATED

‡Not for use in heated carts.

If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application.


## RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service

**Only available from Cambro European Logistics (CEL), Germany.**

**Minimum quantity order from CEL:**



Light Oak (F86)

Brown Oak (F87)

Dark Oak (F88)

Light Olive (F89)

Brown Olive (F90)

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Century Textured Smooth Surface** | | |
| VTC2632T | 26,5 x 32,5 cm | 12 |
| VTC3343T | 33 x 43 | 12 |
| VTC3646T | 35,5 x 45,7 | 12 |
| VTC3253T | 32,5 x 53 | 12 |
| VTC3753T | 37 x 53 | 12 |



| CODE | SIZE | CASE PACK |
|---|---|---|
| **Century Textured Clear Non-Slip Surface** | | |
| VTC2632TNS | 26,5 x 32,5 cm | 12 |
| VTC3343TNS | 33 x 43 | 12 |
| VTC3646TNS | 35,5 x 45,7 | 12 |
| VTC3253TNS | 32,5 x 53 | 12 |
| VTC3753TNS | 37 x 53 | 12 |



| CODE | SIZE | CASE PACK |
|---|---|---|
| **Century Plus Textured Surface** | | |
| VTC2632T | 26,5 x 32,5 cm | 12 |
| VTC3343T | 33 x 43 | 12 |
| VTC3646T | 35,5 x 45,7 | 12 |
| VTC3253T | 32,5 x 53 | 12 |
| VTC3753T | 37 x 53 | 12 |

**Color:** Solid Black (S60).



### STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

**VTC2632T, VTC3343T, VTC3646T, VTC3253T, VTC3753T:** (F86), (F87), (F88), (F89), (F90).
For non-stock items, minimum order per size: 288 pieces.

**VTC2632T, VTC3343T, VTC3646T, VTC3253T:** (S60).
For non-stock items, minimum order per size: 300 pieces.

**VTC2632TNS, VTC3343TNS, VTC3646TNS:** (F86), (F89)

# CENTURY™ FUN TRAYS – CREATE A VIBRANT TABLE TOP WITH COLOURFUL TRAYS

| SPECIFICATIONS | Versa Tray | Versa Lite Tray |
|---|---|---|
| Material | SMC – high performance fiberglass | SMC – standard performance reinforced polyester fiberglass reinforced polyester |
| Surface Characteristic | Smooth | Smooth |
| Performance | Excellent | Excellent |
| Stacking Lugs | Yes | Yes |
| Dishwasher Safe | Yes – Extensive | Yes – Normal |
| Chemical Resistance | Excellent | Good |
| Drying Test | Excellent | Excellent |
| Shock Resistance | Excellent | Good |
| Break Resistance | Excellent | Good |
| Scratch Resistance | Excellent | Good |
| Stain Resistance | Excellent | Good |
| Heat Resistance* | -40˚ to +90˚C‡ | -40˚ to +90˚C‡ |
| | 5 PRORATED | 3 PRORATED |

‡Not for use in heated carts.
Personalization, see page 208.
*Personalization Heat Resistance: 90˚C.

**RECOMMENDED USE**

High Traffic / Frequent Use

– Hospitals
– Schools
– Universities
– Canteens / Cafeterias / Self-Serve
– Military

**Only available from Cambro European Logistics (CEL), Germany.**

**Minimum quantity order from CEL:** Stock item one case, Non-stock item 120 pieces. No broken carton.

## Personalization

Possibility to personalize to any PMS colors of your choice.

Minimum quantity: 120 pieces.

Please refer to personalization procedure and color availability in the Personalization section.

For assistance please contact your Cambro representative.



Reinforced polyester corners provide superior corner and edge protection against impact.

VT3646C

Century Fun Trays are made for intensive use. Scratch, stain, chemical and break-resistant, Century Fun trays are available on a pure white tray. Match the tray colour to your décor (dishes, furniture, walls, etc.).

Stacking lugs keep trays stacked securely in place and ensure proper air flow.

Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.



Raspberry on White Tray (F02)

Pearl Grey on White Tray (F04)

Light Oak (F86)

Brown Olive (F90)

| CODE | DIMENSIONS | CASE PACK |
|---|---|---|
| **Versa Trays** | | |
| VT1418 | 35,5 x 45,7 cm | 12 |
| VT3343C | 33 x 43 | 12 |
| VT3646C | 35,5 x 45,7 | 12 |
| **Versa Lite Trays** | | |
| VL1418 | 35,5 x 45,7 | 12 |
| VL3343C | 33 x 43 | 12 |
| VL3646C | 35,5 x 45,7 | 12 |

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**VL3646C:** (F02), (F04), (F86)

# POLYESTER VERSA TRAYS PLUS

## SPECIFICATIONS

| | |
|---|---|
| Material | SMC – high performance fiberglass reinforced polyester |
| Surface Characteristic | Smooth |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Extensive |
| Chemical Resistance | Excellent |
| Drying Test | Excellent |
| Shock Resistance | Excellent |
| Break Resistance | Excellent |
| Scratch Resistance | Excellent |
| Stain Resistance | Excellent |
| Heat Resistance | -40˚ to +140˚C‡ |

PRORATED

‡Not for use in heated carts.

### RECOMMENDED USE

High Traffic / Frequent Use

– Hospitals
– Schools
– Universities
– Canteens / Cafeterias / Self-Serve
– Military

**Only available from Cambro European Logistics (CEL), Germany.**

**Minimum quantity order from CEL:** Stock item one case, Non-stock item 240 pieces. No broken carton.

### STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

**VT3646C, GP1070, GP4002, GP4004:** (S60)

## Long Lasting



| CODE | SIZE |
|---|---|
| **Versa Trays – High Profile Shape** | |
| VT1418 | 35,5 x 45,7 cm |
| VT3343 | 33 x 43 |
| **Versa Trays – Low Profile Shape** | |
| VT2632 | 32,5 x 26,5 |
| VT3253 | 32,5 x 53 |
| VT3753 | 37 x 53 |
| **Versa Century™– Low Profile Design Shape** | |
| VT3646C | 35,5 x 45,7 |
| **Versa Trays – Flat Edge Shape** | |
| GP1070 | 32,5 x 26,5 |
| GP3980 | 37 x 53 |
| GP4002* | 32,5 x 53 |
| GP4004** | 32,5 x 53 |

**Case Pack:** 12 *Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers. **Textured top surface to reduce sliding of dishes.

**Tray Color:**

S60
Black

# POLYESTER VERSA TRAYS WITH SMOOTH SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | SMC – High Performance Fiberglass Reinforced Polyester |
| Surface Characteristic | Smooth |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Extensive |
| Chemical Resistance | Excellent |
| Drying Test | Excellent |
| Shock Resistance | Excellent |
| Break Resistance | Excellent |
| Scratch Resistance | Excellent |
| Stain Resistance | Excellent |
| Heat Resistance* | -40˚ to +140˚C ‡ |

PRORATED

‡Not for use in heated carts. Personalization, see page 208.
*Personalization Heat Resistance: 90˚C.

### RECOMMENDED USE

High Traffic / Frequent Use

– Hospitals
– Schools
– Universities
– Canteens / Cafeterias / Self-Serve
– Military

### STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

**VT1418:** (A83)
**VT2632:** (A72), (A83)
**VT3253, VT3343, VT3646C:** (A72)

**Minimum quantity order from CEL:** Stock item one case, Non-stock item 120 pieces. No broken carton.


High Profile Shape


Low Profile Shape


Low Profile Design Shape


Flat Edge Shape

**Only available from Cambro European Logistics (CEL), Germany.**

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Versa Trays – High Profile Shape** | | |
| VT1216 | 30,5 x 41,5 cm | 12 |
| VT1418 | 35,5 x 45,7 | 12 |
| VT1418TR – Trapezoid | 35,5 x 45,7 | 12 |
| VT1520 | 38 x 51,5 | 12 |
| VT1520TR – Trapezoid | 38 x 51,5 | 12 |
| VT3343 | 33 x 43 | 12 |

### Versa Trays – High Profile Shape




| CODE | SIZE | CASE PACK |
|---|---|---|
| **Versa Trays – Low Profile Shape** | | |
| VT2632 | 32,5 x 26,5 cm | 12 |
| VT3253 | 32,5 x 53 | 12 |
| VT3753 | 37 x 53 | 12 |
| VT3853 | 37,5 x 53 | 12 |

### Versa Trays – Low Profile Shape




| CODE | SIZE | CASE PACK |
|---|---|---|
| **Versa Century™ Trays – Low Profile Design Shape** | | |
| VT3646C | 35,5 x 45,7 cm | 12 |
| VT3343C | 33 x 43 | 12 |

### Versa Century Trays – Low Profile Design Shape





VT3646C

Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.

# POLYESTER VERSA TRAYS WITH SMOOTH SURFACE

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Versa Trays – Flat Edge Shape** | | |
| GP0540* | 46 x 34,4 cm | 12 |
| GP1070* | 32,5 x 26,5 | 12 |
| GP1080* | 37 x 26,5 | 12 |
| GP3074 | 45 x 32 | 12 |
| GP3788 | 39 x 51 | 12 |
| GP3980* | 53 x 37 | 12 |
| GP4002* | 53 x 32,5 | 12 |
| GP4004** | 53 x 32,5 | 12 |
| GP4701 | 42,5 x 32,5 | 12 |
| GP4709 | 46 x 32,5 | 12 |
| GP4856* | 34,5 x 23 | 12 |

*Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.
**Textured top surface to reduce sliding of dishes. Not available in (A72).

**Versa Trays – Flat Edge Shape**




**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**GP0540:** (A22), (A83), **GP1070, GP4709:** (A27), **GP3980, GP4210:** (A86)
**GP4002:** (A27), (A72), (A83), **GP4701:** (A33)

**Minimum quantity order from CEL:**
Stock item one case, Non-stock item 120 pieces. No broken carton.

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Versa Trays – Café Trays** | | |
| GP55653 | 40 x 27 cm | 12 |
| GP55702 | 26 x 20 | 12 |
| GP55703 | 29 x 21 | 12 |

**Versa Trays – Café Trays**





**Only available from Cambro European Logistics (CEL), Germany.**

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Versa Trays – Space Saver Trays** | | |
| GP4210 – Trapezoid | 48 x 34 cm | 12 |
| GP4410 – Trapezoid | 32,5 x 42,5 | 12 |
| GP4853 | 42,4 x 32,5 | 12 |


**Versa Trays – Space Saver Trays**





Hexagonal table
Lateral side:
70 cm GP4210


Square table
80 x 80 cm
GP4210


Round table
Diam. 135 cm
GP4853


Square Table
95 x 95 cm
GP4853

Polyester Versa Trays VT/GP are not recommended for use in heated meal delivery carts. Please contact Cambro Customer Service or Presswerk Köngen GmbH, with any questions related to proper usage or any special application. Cambro will provide you with clear instructions on correct usage of our trays to ensure you get the maximum life out of our products.

*Colors Pebbled Grey A19 and Charcoal A72 will show scratches if not handled properly.

**Tray Colors:**

A19
Pebbled Grey*

A21
Speckled Mocha

A22
Sahara

A25
Magic Yellow

A26
Magic Mint

A27
Light Grey

A33
Pearl White

A36
Speckled Blue

A72
Charcoal*

A83
Granite

A86
Terrazzo

# POLYESTER VERSA LITE TRAYS WITH SMOOTH SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | SMC – standard performance fiberglass reinforced polyester |
| Surface Characteristic | Smooth |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Normal |
| Chemical Resistance | Good |
| Drying Test | Excellent |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Good |
| Heat Resistance* | -40˚ to +130˚C‡ |

PRORATED

‡Not for use in heated carts.
Personalization, see page 208.
*Personalization Heat Resistance: 90˚C.

### RECOMMENDED USE

Moderate Traffic / Economic Priority

– Schools
– Universities
– Canteens / Cafeterias / Self-Serve
– Military
– Hotel Room Service

**Only available from Cambro European Logistics (CEL), Germany.**

### STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

**GL0540:** (A22), **GL1070:** (A27), **GL3980:** (A20)
**GL4002:** (A20), (A83), (A86)

**Minimum quantity order from CEL:**
Stock item one case, Non-stock item 120 pieces. No broken carton.


High Profile Shape


Low Profile Shape


Low Profile Design Shape


Flat Edge Shape


Low Profile Flat Edge Shape

### Versa Lite Trays – Flat Edge Shape

| CODE | SIZE |
|---|---|
| **Versa Lite Trays – Flat Edge Shape** | |
| GL0540† | 46 x 34,4 cm |
| GL1070† | 32,5 x 26,5 |
| GL1080† | 37 x 26,5 |
| GL3074 | 45 x 32 |
| GL3980† | 53 x 37 |
| GL4002† | 53 x 32,5 |
| GL4060 | 40 x 60 |
| GL4701 | 42,5 x 32,5 |

**Case Pack:** 12
†Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.



GL4002


GL4002

### Versa Lite Trays – Space Saver Trays

| CODE | SIZE |
|---|---|
| **Versa Lite Trays – Space Saver Trays** | |
| GL4210 – Trapezoid | 48 x 34 cm |

**Case Pack:** 12


Hexagonal table
Lateral side:
70 cm GL4210


Square table
80 x 80 cm
GL4210


GL4210

# POLYESTER VERSA LITE TRAYS WITH SMOOTH SURFACE

| CODE | SIZE |
|---|---|
| **Versa Lite Trays – High Profile Shape** | |
| VL1014 | 27 x 35 cm |
| VL1216 | 30,5 x 41,5 |
| VL3343 | 33 x 43 |
| VL1418 | 35,5 x 45,7 |
| VL1418TR – Trapezoid | 35,5 x 46 |
| VL1520 | 38 x 51,5 |
| VL1520TR – Trapezoid | 38 x 51,5 |

**Case Pack:** 12

### Versa Lite Trays – High Profile Shape




**Only available from Cambro European Logistics (CEL), Germany.**

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**VL1418:** (A20), (A27)
**VL3253:** (A20)
**VL3343:** (A20)
**VL3343C:** (A20)
**VL1014:** (A20)

**Minimum quantity order from CEL:**
Stock item one case, Non-stock item 120 pieces. No broken carton.

| CODE | SIZE |
|---|---|
| **Versa Lite Trays – Low Profile Flat Edge Shape** | |
| GL220P | 32,5 x 53 cm |
| GL210P | 37 x 53 |

**Case Pack:** 12

### Versa Lite Trays – Low Profile Flat Edge Shape




| CODE | SIZE |
|---|---|
| **Versa Lite Trays – Low Profile Shape** | |
| VL2632 | 32,5 x 26,5 cm |
| VL3253 | 32,5 x 53 |
| VL3753 | 37 x 53 |

**Case Pack:** 12

### Versa Lite Trays – Low Profile Shape




| CODE | SIZE |
|---|---|
| **Versa Lite Century™ Trays – Low Profile Design Shape** | |
| VL3646C | 35,5 x 45,7 cm |
| VL3343C | 33 x 43 |

**Case Pack:** 12




Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.

### Versa Lite Century Trays – Low Profile Design Shape




**Tray Colors:**




Speckled Smoke



Speckled Mocha



Sahara




Light Grey



Pearl White



Granite



Terrazzo

# POLYESTER VERSA LITE TRAYS WITH NON-SLIP RUBBER SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | SMC – standard performance fiberglass reinforced polyester + non-slip rubber |
| Surface Characteristic | Non-Slip Rubber |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Normal |
| Chemical Resistance | Good |
| Drying Test | Excellent |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Good |
| Heat Resistance | -40˚ to +100˚C‡ |


PRORATED

‡Not for use in heated carts.

### RECOMMENDED USE

Moderate Traffic / Economic Priority

- Banquet Service
- Restaurant / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries



High Profile Shape | Flat Edge Shape

**Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.**

**Minimum quantity order from CEL:**
Stock item one case, Non-stock item 120 pieces. No broken carton.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**GL4002RNS:** (A83)




| CODE | DIA / SIZE | CASE PACK |
|---|---|---|
| **Versa Lite Trays – High Profile Shape** | | |
| VL1418RNS | 35,5 x 45,7 cm | 12 |
| **Versa Lite Trays – Flat Edge Shape** | | |
| GL1070RNS* | 32,5 x 26,5 | 12 |
| GL4002RNS* | 53 x 32,5 | 12 |
| GL3980RNS* | 53 x 37 | 12 |
| **Versa Lite Tray – Cafe Trays** | | |
| VL2129RNS | 21 x 29 | 12 |
| VL3200RNS | ø 32 | 12 |
| VL3600RNS | ø 36 | 12 |

*Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

**Patterns and Tray Base Colors:**




Black




Grey on Granite Tray

# DÉCOR SERIES CAMTRAYS®

- Woodgrain textured surface creates the look feel of real wood.
- Durability of the classic Camtray.
- Ideal for upscale employee feeding, restaurant, cafeteria, schools, food courts and hospitals.
- Personalize a portion or an entire tray surface with a full color logo or design.
- Commercial dish washer safe.

**Colors:** Charcoal Grey (815), Light Olive (820), Dark Oak (825), Light Oak (830).

Personalization with a minimum order of 144 trays.

PRORATED






| CODE | DIMENSIONS | CASE PACK |
|---|---|---|
| 1216DC | 30,5 x 41,5 cm | 12 |
| 1418DC | 35,5 x 45,7 | 12 |
| 1520DC | 38 x 51 | 12 |

# DÉCOR SERIES EPICTREAD™ CAMTRAYS

- The Décor Series design and texture with our clear EpicTread non-slip surface.
- Perfect for busy cafeterias to reduce food and dish spills.
- An excellent solution for hospital foodservice to provide a beautiful patient tray presentation without a paper tray mat.
- Personalize a portion or an entire tray surface with a full color logo or design.
- Commercial dish washer safe.

**Colors:** Charcoal Grey (815), Light Olive (820), Dark Oak (825), Light Oak (830).

Personalization with a minimum order of 144 trays.

PRORATED



| CODE | DIMENSIONS | CASE PACK |
|---|---|---|
| 1216DCET | 30,5 x 41,5 cm | 12 |
| 1418DCET | 35,5 x 45,7 | 12 |
| 1520DCET | 38 x 51 | 12 |

# CAMTRAYS® FIBERGLASS TRAYS WITH SMOOTH SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | Fiberglass layers + polyester resin |
| Surface Characteristic | Smooth |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Extensive |
| Chemical Resistance | Good |
| Drying Test | Excellent |
| Shock Resistance | Excellent |
| Break Resistance | Excellent |
| Scratch Resistance | Excellent |
| Stain Resistance | Excellent |
| Heat Resistance | -10˚ to +100˚C‡ |

†Available in Group I colors and patterns and Group III patterns.

Available in Group I colors and patterns except Doily.

*Special order item not carried in stock – non-returnable.


PRORATED

‡Not for use in heated carts.
Personalization, see page 208.

### RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service



High Profile Shape Low Profile Shape

### STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

**1216:** (204)




| CODE | | SIZE | CASE PACK |
|---|---|---|---|
| **Rectangular – High Profile Shape** | | | |
| 810† | | 20,5 x 25 cm | 12 |
| 915† | | 22 x 38 | 12 |
| 926*† | | 22,5 x 65 x 2,5 | 12 |
| 1014† | Made in USA/China | 27 x 35 | 12 |
| 1015* | | 26 x 38 | 24 |
| 1116* | | 27,5 x 40,5 | 24 |
| 1216† | Made in USA/China | 30,5 x 41,5 | 12 |
| 1313† | | 33 x 33 | 12 |
| 1318*† | | 32 x 45 x 3 | 12 |
| 1418† | Made in USA/China | 35,5 x 45,7 | 12 |
| 1520† | Made in USA/China | 38 x 51,5 | 12 |
| 1622† | | 40,5 x 56 | 12 |
| 16225*† | | 42 x 57 | 12 |
| 1826† | | 45,5 x 65,5 | 6 |
| **Rectangular – Low Profile Shape** | | | |
| 46† | | 11 x 15 | 12 |
| 57*† | | 12,5 x 18 | 12 |
| 2025*† | | 53 x 65 | 6 |
| 3253 | Made in USA/China | 32 x 53 | 12 |



# CAMTRAYS® FIBERGLASS TRAYS WITH SMOOTH SURFACE

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Metric Rectangular – High Profile Shape** | | |
| 3242 | 31,9 x 41,9 cm | 12 |
| 3853* | 37,5 x 53 | 12 |
| **Metric Rectangular – Low Profile Shape** | | |
| 2632* | 26,5 x 32,5 | 12 |
| 3046* | 30 x 46 | 12 |
| 3343 | 33 x 43 | 12 |
| 3753* | 37 x 53 | 12 |
| **Camtray with Handles** | | |
| 1418H*❖ | 35,5 x 45,7 | 12 |
| 1520H*❖ | 38 x 51,5 | 12 |

**Metric Rectangular**



*Special order item not carried in stock – non-returnable.

❖Available in Group I colors only.

1418H and 1520H available in Group I colors only and covered by 2 Year prorated warranty against manufacturer's defects.

NSF listed for non-direct food contact only.

PRORATED

Personalization, see page 208.
1418H and 1520H available in four color printing process only. Please refer to Fiberglass Tray Personalization section for details.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**Camtray with Handles**







**Trapezoid**



| CODE | DIA / SIZE | CASE PACK |
|---|---|---|
| **Trapezoid – High Profile Shape** | | |
| 1418TR*† | 35,5 x 45,7 cm | 12 |
| 1422TR*† | 35,5 x 56 | 12 |
| **Trapezoid – Low Profile Shape** | | |
| 1520TR*† | 37 x 49,5 | 12 |
| **Oval – Low Profile Shape** | | |
| 2500* | 49 x 61 | 6 |
| 2700* | 56 x 68,5 | 6 |
| **Round – High Profile Shape** | | |
| 900* | ø 23 | 12 |
| 1000* | ø 25,5 | 12 |
| 1100 | ø 28 | 12 |
| 1200* | ø 30,5 | 12 |
| 1300* | ø 33 | 12 |
| 1400 | ø 35,5 | 12 |
| 1600 | ø 40,5 | 12 |
| **Round – Low Profile Shape** | | |
| 1550* | ø 40,5 | 12 |
| 1950* | ø 49,5 | 12 |





†Available in Group I colors and patterns and Group III patterns.

Available in Group I colors and patterns except Doily.

*Special order item not carried in stock – non-returnable.

PRORATED

**Oval and Round**



# CAMTRAY® GROUP I COLORS

Colors listed alphabetically. See numerical reference on following page.



Amazon Blue



Antique Parchment



Bay Leaf Brown



Black



Blush



Brazil Brown



Burgundy Wine



Cambro Red



Cameo Yellow



Cherry Red



Citrus Orange



Cottage White



Dark Peach




Desert Tan



Earthen Gold



Ever Red



Grape



Horizon Blue



Key Lime



Lemon Chiffon



Light Peach



Lime-ade



Mustard



Olive Green



Orange Pizazz



Pearl Grey



Raspberry Cream



Real Rust



Robin Egg Blue



Sherwood Green



Signal Red



Sky Blue



Slate Blue



Suede Brown




Taupe



Teal



Tuscan Gold



White

**Due to the catalog printing process, the colors & patterns shown may not be exact.**
**Contact Cambro or a Cambro representative for a color chip.**

# CAMTRAY® GROUP I PATTERNS

### Galaxy

526, 531
Antique Parchment
(526 Gold), (531 Silver)

### Swirl

270
Black & Gold NR

277
Grey NR

### Doily

241
Antique Parchment NR

### Abstract

214
Tan NR

215
Grey NR

NR Trays are non-returnable.



# CAMTRAY GROUP III – WOOD

### Wood

308
Burma Teak NR

304
Country Oak NR

301
Dark Basketweave NR

309
Java Teak NR

302
Light Basketweave NR

303
Light Butcher Block NR

307
Light Elm NR

204
Rattan NR

### Linen

329
Toffee NR

NR Trays are non-returnable.

# CAMTRAY GROUP I COLORS – NUMERICAL REFERENCE BY COLOR CODE

Antique Parchment (101),
Desert Tan (104), Horizon Blue (105),
Light Peach (106), Pearl Gray (107),
Black (110), Lime-ade (113),
Brazil Brown (116), Dark Peach (117),
Sherwood Green (119),
Amazon Blue (123), White (148),
Tuscan Gold (171), Sky Blue (177),
Taupe (199), Citrus Orange (220),
Ever Red (221) Orange Pizazz (222),
Slate Blue (401), Blush (409),
Raspberry Cream (410),
Teal (414), Olive Green (428),
Key Lime (429), Real Rust (501),
Mustard (504), Cherry Red (505),
Suede Brown (508), Signal Red (510),
Bayleaf Brown (513),
Earthen Gold (514),
Robin Egg Blue (518),
Cambro Red (521),
Burgundy Wine (522),
Lemon Chiffon (536),
Cameo Yellow (537),
Cottage White (538), Grape (551).

**Due to the catalog printing process, the colors & patterns shown may not be exact.**
**Contact Cambro or a Cambro representative for a color chip.**

# EPICTREAD™ TRAYS

## SPECIFICATIONS

| | |
|---|---|
| Material | Fiberglass Layers + Non-Slip, Water Repellent Surface |
| Surface Characteristic | Non-Slip Surface |
| Performance | Good |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Normal |
| Chemical Resistance | Good |
| Drying Test | Good |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Good |
| Heat Resistance | -10˚ to +90˚C‡ |

PRORATED

‡Not for use in heated carts.

Made in China

## RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries



1600ET



1520ET



Black (110)

Dark Brown (167)

Dark Green (206)

Dark Burgundy Wine (207)

Spanish Blue (503)

Cambro Red (521)



| CODE | DIA / SIZE | CASE PACK |
|---|---|---|
| **Rectangular** | | |
| 1014ET | 27 x 35 cm | 12 |
| 1216ET | 30,5 x 41,5 | 12 |
| 1418ET | 35,5 x 45,5 | 12 |
| 1520ET | 38 x 51,5 | 12 |
| **Round** | | |
| 1400ET | ø 39 | 12 |
| 1600ET | ø 43,7 | 12 |

# DIETARY TRAYS

## SPECIFICATIONS

| | |
|---|---|
| Material | Fiberglass layers + polyester resin |
| Surface Characteristic | Smooth |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Extensive |
| Chemical Resistance | Good |
| Drying Test | Excellent |
| Shock Resistance | Excellent |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Excellent |
| Heat Resistance | -10˚ to +100˚C‡ |

‡Not for use in heated carts.

### RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service


Available in Group I colors and patterns and Group III Patterns.

*Special order item not carried in stock – non-returnable.

PRORATED



Low Profile Shape




| CODE | SIZE | CASE PACK |
|---|---|---|
| **Dietary Trays – Low Profile Shape** | | |
| 1216D* | 30,5 x 41,5 cm | 12 |
| 1219D* | 30,5 x 48,3 | 12 |
| 1220D* | 30,5 x 51 | 12 |
| 1222D* | 30,5 x 56 | 12 |
| 1418D* | 35,5 x 45,7 | 12 |
| 1520D* | 38 x 51,3 | 12 |

# CAMLITE® TRAYS

## SPECIFICATIONS

| | |
|---|---|
| Material | Fiberglass layers + polyester resin |
| Surface Characteristic | Smooth |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Extensive |
| Chemical Resistance | Good |
| Drying Test | Excellent |
| Shock Resistance | Excellent |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Excellent |
| Heat Resistance | -10˚ to +100˚C‡ |

‡Not for use in heated carts.

### RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service


**Colors:** Rose Red (163), Yellow (145), Green (162), Blue (142), Tan (161), Steel White (676), Steel Red (675), Steel Blue (674), Black (110).

12 dozen minimum order required for any special color orders.

PRORATED



High Profile Shape



Low Profile Shape




| CODE | SIZE | CASE PACK |
|---|---|---|
| **Rectangular Camlite Trays – High Profile Shape** | | |
| 1014CL | 27 x 35 cm | 12 |
| 1216CL | 30,5 x 41,5 | 12 |
| 1418CL | 35,5 x 45,7 | 12 |
| 1520CL | 38 x 51,5 | 12 |
| 1826CL | 45,5 x 65,5 | 12 |
| **Rectangular Camlite Trays – Low Profile Shape** | | |
| 3253CL | 32,5 x 53 | 12 |

# CAMWEAR® TRAYS

## SPECIFICATIONS

| | |
|---|---|
| Material | Camwear |
| Surface Characteristic | Textured |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Extensive |
| Chemical Resistance | Good |
| Drying Test | Excellent |
| Shock Resistance | Excellent |
| Break Resistance | Excellent |
| Scratch Resistance | Very Good |
| Stain Resistance | Very Good |
| Heat Resistance | -40˚ to +99˚C‡ |

PRORATED

‡Not for use in heated carts.

## RECOMMENDED USE

Moderate Traffic / Economic Priority

- Schools
- Universities
- Canteens / Cafeterias / Self- Serve
- Military
- Quick Serve Restaurants
- Food Courts / Snack Shops

**1418CW, 1520CW, 1418TRCW Colors:** Blue (168), Beige (133).

**1520CWH Colors:** Black (110), Smoked Metal (485), Dark Cranberry (488).

NSF listed for non-direct food contact only.




| CODE | SIZE | CASE PACK |
|---|---|---|
| **Rectangular – High Profile Shape** | | |
| 1418CW | 35,5 x 45,7 cm | 12 |
| 1520CW | 38 x 51 | 12 |
| **Rectangular With Handles – High Profile Shape** | | |
| 1520CWH | 38 x 51 | 12 |
| **Trapezoid – High Profile Shape** | | |
| 1418TRCW | 35,5 x 45,7 | 12 |

# CAMWEAR TRAYS WITH NON-SLIP SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | Camwear |
| Surface Characteristic | Non-Slip |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Extensive |
| Chemical Resistance | Good |
| Drying Test | Excellent |
| Shock Resistance | Excellent |
| Break Resistance | Excellent |
| Scratch Resistance | Good |
| Stain Resistance | Good |
| Heat Resistance | -40˚ to +82˚C‡ |

PRORATED

‡Not for use in heated carts.

## RECOMMENDED USE

Moderate Traffic / Economic Priority

- Schools / Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Quick Serve Restaurants
- Food Courts / Snack Shops
- Restaurants / Cafes
- Brasseries
- Hotels / Room Service
- Hospitals

**Colors:** Black (110), Smoked Metal (485), Dark Cranberry (488).

NSF listed for non-direct food contact only.



Black (110)

Dark Cranberry (488)

Smoked Metal (485)

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Rectangular – High Profile Shape** | | |
| 1418CWNS | 35,5 x 45,7 cm | 12 |
| 1520CWNS | 38 x 51 | 12 |
| **Rectangular With Handles – High Profile Shape** | | |
| 1418CWNSH | 35,5 x 45,7 | 12 |
| 1520CWNSH | 38 x 51 | 12 |





# CAMTREAD® FIBERGLASS TRAYS WITH NON-SLIP RUBBER SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | Fiberglass layers + polyester resin + non-slip rubber surface molded from edge-to-edge |
| Surface Characteristic | Non–Slip Rubber |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Extensive |
| Chemical Resistance | Good |
| Drying Test | Excellent |
| Shock Resistance | Excellent |
| Break Resistance | Good |
| Scratch Resistance | Excellent |
| Stain Resistance | Good |
| Heat Resistance | -10˚ to +80˚C‡ |

Orders for non-standard Camtread Tray colors will be handled by special quotation only.

‡Not for use in heated carts.

*Special order item not carried in stock – non-returnable.

Not for use in heated carts.

Personalization see page 209 for size and detail.

PRORATED

### RECOMMENDED USE

High Traffic / Frequent Use

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

### STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

**1014CT, 1100CT, 1216CT, 1826CT, 2500CT, 2900CT, 3253CT, 1418CT:** (110)
**1800CT, 2700CT:** (110), (522)
**1400CT, 1600CT:** (110), (138), (522)



High Profile Shape




Low Profile Shape




Low Profile Shape Oval




**Tray Colors:**




Black Satin




Tavern Tan




Burgundy Wine

| CODE | DIA / SIZE | CASE PACK |
|---|---|---|
| **Round – High Profile Shape** | | |
| 900CT* | ø 23 cm | 12 |
| 1100CT | ø 28 | 12 |
| 1400CT | ø 35,5 | 12 |
| 1600CT | ø 40,5 | 12 |
| 1800CT | ø 45 | 6 |
| **Round – Low Profile Shape** | | |
| 1550CT* | ø 40,5 | 12 |
| 1950CT* | ø 49,5 | 12 |
| **Oval – Low Profile Shape** | | |
| 2500CT | 49 x 59 | 6 |
| 2700CT | 56 x 68,5 | 6 |
| 2900CT | 73,5 x 60 | 6 |
| **Rectangular – High Profile Shape** | | |
| 1014CT* | 27 x 35 | 12 |
| 1216CT | 30,5 x 41,5 | 12 |
| 1418CT | 35,5 x 45,7 | 12 |
| 1520CT* | 38 x 51,5 | 12 |
| 1622CT* | 40,5 x 56 | 12 |
| 1826CT | 45 x 65 | 6 |
| **Rectangular – Low Profile Shape** | | |
| 3253CT | 32,5 x 53 | 12 |



# TREADLITE™ TRAYS

## SPECIFICATIONS

| | |
|---|---|
| Material | Fiberglass layers + polyester resin + Non-slip rubber surface |
| Surface Characteristic | Non-Slip rubber surface |
| Performance | Good |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Extensive |
| Chemical Resistance | Good |
| Drying Test | Good |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Good |
| Heat Resistance | -10˚ to +80˚C‡ |

PRORATED

‡Not for use in heated carts.


### RECOMMENDED USE

Moderate Traffic / Economic Priority

– Brasseries
– Restaurants / Cafes
– Bars / Clubs / Pubs




**Tray Colors:**



Black Satin



Tavern Tan



Burgundy Wine

| CODE | DIA | CASE PACK |
|---|---|---|
| **Round – High Profile Shape** | | |
| 1400TL | ø 35,5 cm | 12 |
| 1600TL | ø 40,5 | 12 |

# POLYTREAD® TRAYS

## SPECIFICATIONS

| | |
|---|---|
| Material | Polypropylene + Non-Slip rubber surface |
| Surface Characteristic | Non-Slip rubber surface |
| Performance | Good |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Minimal |
| Chemical Resistance | Good |
| Drying Test | Good |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Good |
| Heat Resistance | -10˚ to +80˚C‡ |

PRORATED

‡Not for use in heated carts.

### RECOMMENDED USE

Moderate Traffic / Economic Priority

– Brasseries
– Restaurants / Cafes
– Bars / Clubs / Pubs


High Profile Shape







**Tray Colors:**



Black



Brown

| CODE | DIA / SIZE | CASE PACK |
|---|---|---|
| **Round – High Profile Shape** | | |
| PT1100 | ø 28 cm | 12 |
| PT1400 | ø 35,5 | 12 |
| PT1600 | ø 40,5 | 12 |
| **Rectangular – High Profile Shape** | | |
| PT1014 | 27 x 34,5 | 24 |
| PT1216 | 30 x 41,5 | 24 |
| PT1418 | 36 x 46 | 12 |

# BEECHWOOD TRAYS WITH SMOOTH SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | Veneer Beechwood |
| Surface Characteristic | Smooth |
| Performance | Good |
| Stacking Lugs | No |
| Dishwasher Safe | No* |
| Chemical Resistance | Good |
| Drying Test | Good |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Good |
| Heat Resistance | -10˚ to +100˚C‡ |

PRORATED

‡Not for use in heated carts

***Washing Instruction**

### RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

– Banquet Service
– Restaurants / Cafes
– Catering

**Only available from Cambro European Logistics (CEL), Germany.**





**Tray Color:**




Beechwood

| CODE | DIA / SIZE | CASE PACK |
|---|---|---|
| **Rectangular – 60 Series** | | |
| PH556010 | 45 x 32 cm | 12 |
| PH556020 | 58 x 38 | 12 |
| PH556030 | 63 x 40 | 12 |
| PH556040 | 70 x 45 | 12 |
| PH556050 | 75 x 48 | 12 |
| **Rectangular – 65 Series** | | |
| PH556510 | 27 x 20 | 12 |
| PH556520 | 33 x 23 | 12 |
| **Oval** | | |
| PH557010 | 23 x 16 | 24 |
| PH557020 | 26 x 20 | 24 |
| PH557030 | 29 x 21 | 24 |
| PH557040 | 33 x 24 | 24 |
| **Round Beer Tray** | | |
| PH558510 | ø 32 | 12 |
| PH558520 | ø 36 | 12 |
| PH558530 | ø 42 | 12 |

# BEECHWOOD TRAYS WITH NON-SLIP SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | Veneer Beechwood |
| Surface Characteristic | Non-Slip Surface |
| Performance | Good |
| Stacking Lugs | No |
| Dishwasher Safe | No* |
| Chemical Resistance | Good |
| Drying Test | Good |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Good |
| Heat Resistance | -10˚ to +100˚C‡ |

PRORATED

‡Not for use in heated carts.

***Washing Instruction**

### RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

– Banquet Service
– Restaurants / Cafes
– Bars / Clubs / Pubs
– Catering
– Brasseries

**Only available from Cambro European Logistics (CEL), Germany.**

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**PH556056:** (000)

**Minimum quantity order from CEL:** Stock item one case, Non-stock item 120 pieces. No broken carton.



**Tray Color:**




Beechwood

| CODE | DIA / SIZE | CASE PACK |
|---|---|---|
| **Rectangular – 60 Series** | | |
| PH556016 | 45 x 32 cm | 12 |
| PH556026 | 58 x 38 | 12 |
| PH556036 | 63 x 40 | 12 |
| PH556046 | 70 x 45 | 12 |
| PH556056 | 75 x 48 | 12 |
| **Rectangular – 65 Series** | | |
| PH556516 | 27 x 20 | 12 |
| PH556526 | 33 x 23 | 12 |
| **Oval** | | |
| PH557016 | 23 x 16 | 24 |
| PH557026 | 26 x 20 | 24 |
| PH557036 | 29 x 21 | 24 |
| PH557046 | 33 x 24 | 24 |
| **Round Beer Tray** | | |
| PH558516 | ø 32 | 12 |
| PH558526 | ø 36 | 12 |
| PH558536 | ø 42 | 12 |

# MAHOGANY WOOD TRAYS WITH NON-SLIP SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | Mahogany Veneer |
| Surface Characteristic | Non-Slip Surface |
| Performance | Good |
| Stacking Lugs | No |
| Dishwasher Safe | No* |
| Chemical Resistance | Good |
| Drying Test | Good |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Good |
| Heat Resistance | -10˚ to +100˚C‡ |

‡Not for use in heated carts.

***Washing Instruction**

### RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

– Banquet Service
– Restaurants / Cafes
– Bars / Clubs / Pubs
– Catering
– Brasseries

**Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.**






Mahogany (W02)

| CODE | DIA / SIZE | CASE PACK |
|---|---|---|
| **Rectangular** | | |
| MW3245 | 32 x 45 cm | 12 |
| MW3858 | 37,5 x 57,5 | 12 |
| MW3646 | 36 x 46 | 12 |
| **Oval** | | |
| MW2129 | 21 x 29 | 12 |
| **Round Beer Tray** | | |
| MW3200 | ø 32 | 12 |
| MW3600 | ø 36 | 12 |
| MW4200 | ø 42 | 12 |

# CORFU – LAMINATED TRAYS WITH NON-SLIP RUBBER SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | Laminate + non-slip rubber surface |
| Surface Characteristic | Non-Slip rubber surface |
| Performance | Excellent |
| Stacking Lugs | No |
| Dishwasher Safe | No* |
| Chemical Resistance | Excellent |
| Drying Test | Good |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Good |
| Heat Resistance | -10˚ to +100˚C‡ |

PRORATED

‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

Personalization, see page 209.

**Minimum quantity order from CEL:** Stock item one case, Non-stock item 120 pieces. No broken carton.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CO3800, CO4300, CO3646:** (D01)

***Washing Instruction**

### RECOMMENDED USE

Normal Use / Emphasis on style with limited washing

– Canteens / Cafeterias / Self-Serve
– Banquet Service
– Restaurants / Cafes
– Bars / Clubs / Pubs
– Catering

**Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.**

**Tray Color:**




Black on Grey



| CODE | DIA / SIZE | CASE PACK |
|---|---|---|
| **Rectangular** | | |
| CO2632 | 26,5 x 32,5 cm | 12 |
| CO3253 | 32,5 x 53 | 12 |
| CO3343 | 33 x 43 | 12 |
| CO3646 | 36 x 46 | 12 |
| CO3753 | 37 x 53 | 12 |
| **Round** | | |
| CO3200 | ø 32 | 12 |
| CO3800 | ø 38 | 12 |
| CO4300 | ø 43 | 12 |

# CAPRI – LAMINATED TRAYS WITH SMOOTH SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | Laminate |
| Surface Characteristic | Smooth |
| Performance | Good |
| Stacking Lugs | No |
| Dishwasher Safe | No* |
| Chemical Resistance | Excellent |
| Drying Test | Good |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Excellent |
| Heat Resistance | -10˚ to +100˚C‡ |

PRORATED

‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

Personalization, see page 209.

***Washing Instruction**

FSC™ A000522

## RECOMMENDED USE

Moderate Traffic / Economic Priority

- Canteens / Cafeterias / Self-Serve
- Hotel Room Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

**Minimum quantity order from CEL:**
Stock item one case, Non-stock item 120 pieces. No broken carton.

**Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.**

### STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

**CA3646:** (E73), (E76), (E78), (E82)
**CA3343:** (E76), (E79), (E82)
**CA3253:** (E76), (E82)
**CA3753:** (E76)
**CA2738:** (E89)
**CA3446:** (E73), (E75)

**Capri – Rectangular**



**Capri – Round**




**Tray Pattern:**
Thank You (E01) available in CA1300 only.

| CODE | DIMENSIONS | CASE PACK |
|---|---|---|
| **Rectangular** | | |
| CA2028 | 20 x 28 cm | 24 |
| CA2632 | 26,5 x 32,5 | 24 |
| CA2738 | 27 x 38 | 24 |
| CA2836 | 28 x 36 | 24 |
| CA3244 | 32 x 44 | 24 |
| CA3253 | 32,5 x 53 | 24 |
| CA3343 | 33 x 43 | 24 |
| CA3446 | 34 x 46 | 24 |
| CA3646 | 36 x 46 | 24 |
| CA3748 | 37 x 48 | 24 |
| CA3753 | 37 x 53 | 24 |
| CA3952 | 39 x 52 | 24 |
| CA4361 | 43 x 61 | 12 |
| **Round** | | |
| CA1300 | ø 13 | 24 |
| CA3200 | ø 32 | 24 |
| CA3800 | ø 38 | 24 |
| CA4300 | ø 43 | 24 |
| **Trapezoid** | | |
| CA3247TR | 32 x 47 | 24 |
| **Oval** | | |
| CA1623 | 16 x 23 | 24 |
| CA2026 | 20 x 26,5 | 24 |
| CA2129 | 21 x 29 | 24 |
| **Rectangular with Handles** | | |
| CA4064H* | 40 x 64 | 12 |

*Only available in Walnut (E76), Venge (E84) and Brushed Steel (E85).

# CAPRI – LAMINATED TRAYS WITH SMOOTH SURFACE







Mahogany
(E73)



Birch
(E75)



Walnut
(E76)



Teak
(E77)




White
(E78)




Black
(E79)



Grey
(E81)



Charcoal
Granite (E82)



Venge
(E84)




Brushed
Steel (E85)



Light
Oak (E86)




Brown
Oak (E87)



Dark
Oak (E88)



Light
Olive (E89)



Brown
Olive (E90)

# MYKONOS – LAMINATED TRAYS WITH NON-SLIP SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | Laminate + Non-Slip Surface |
| Surface Characteristics | Non-Slip Surface |
| Performance | Good |
| Stacking Lugs | No |
| Dishwasher Safe | No** |
| Chemical Resistance | Good |
| Drying Test | Good |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Good* |
| Heat Resistance | -10˚ to +100˚C‡ |




PRORATED

Personalization, see page 209.

‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

*Limited stain resistance for Birch (E75).

****Washing Instruction**

## RECOMMENDED USE

Moderate Use / Emphasis on Style with Limited Washing

- Banquet Services
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering

**Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.**

**Minimum quantity order from CEL:** Stock item one case, Non-stock item 120 pieces. No broken carton.

### STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

**MY3253, MY4361:** (E76)
**MY3343:** (E75), (E76), (E82)
**MY3646:** (E73), (E76), (E79)









FSC
www.fsc.org
FSC™ A000522

### Tray Colors:


E73
Mahogany


E75
*Birch


E76
Walnut


E77
Teak


E79
Black


E82
Charcoal Granite

| CODE | DIA / SIZE | CASE PACK |
|---|---|---|
| **Rectangular** | | |
| MY2632 | 26,5 x 32,5 cm | 24 |
| MY2738 | 27 x 38 | 24 |
| MY3244 | 32 x 44 | 24 |
| MY3253 | 32,5 x 53 | 24 |
| MY3343 | 33 x 43 | 24 |
| MY3446 | 34 x 46 | 24 |
| MY3646 | 36 x 46 | 24 |
| MY3753 | 37 x 53 | 24 |
| MY3952 | 39 x 52 | 24 |
| MY4361 | 43 x 61 | 12 |
| **Oval** | | |
| MY2026 | 20 x 26,5 | 24 |
| MY2129 | 21 x 29 | 24 |
| **Round** | | |
| MY3200 | ø 32 | 24 |
| MY3800 | ø 38 | 24 |
| MY4300 | ø 43 | 24 |

# MADEIRA – LAMINATED TRAYS WITH TEXTURED WOOD SURFACE

## SPECIFICATIONS

| | |
|---|---|
| Material | Laminate |
| Surface Characteristics | Textured – Top and Bottom |
| Performance | Good |
| Stacking Lugs | No |
| Dishwasher Safe | No* |
| Chemical Resistance | Excellent |
| Drying Test | Good |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Excellent |
| Heat Resistance | -10˚ to +100˚C‡ |

PRORATED

Personalization, see page 209.

‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

***Washing Instruction**

### RECOMMENDED USE

Moderate Traffic / Economic Priority

- Canteens / Cafeterias / Self-Serve
- Hotel Room Service
- Restaurants / Cafes
- Bars / Clubs / Pubs

**Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.**

**Minimum quantity order from CEL:**
Stock item one case, Non-stock item 120 pieces. No broken carton.

### STOCK PRODUCTS & PATTERNS AVAILABLE IN OUR EUROPEAN WAREHOUSE

**MA2028, MA2435, MA3343, MA3646, MA3753:**
(E86), (E87), (E88), (E89), (E90)



| CODE | DIA / SIZE | CASE PACK |
|---|---|---|
| **Rectangular** | | |
| MA2028 | 20 x 28 cm | 24 |
| MA2435 | 24 x 35 | 24 |
| MA3343 | 33 x 43 | 24 |
| MA3646 | 36 x 46 | 24 |
| MA3753 | 37 x 53 | 24 |
| MA4361 | 43 x 61 | 12 |
| **Rectangular with handle** | | |
| MA3142H | 31 x 42 | 24 |
| **Trapezoid** | | |
| MA3652TR | 36 x 52 | 24 |
| **Round** | | |
| MA3200 | ø 32 | 24 |
| MA3800 | ø 38 | 24 |
| MA4300 | ø 43 | 24 |




**Tray Colors:**



Light Oak



Brown Oak



Dark Oak



Light Olive



Brown Olive

# FAST FOOD TRAYS

## SPECIFICATIONS

| | |
|---|---|
| Material | Polypropylene |
| Surface Characteristic | Textured |
| Performance | Good |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes-Minimal** |
| Chemical Resistance | Excellent |
| Drying Test | Good |
| Shock Resistance | Good |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Good |
| Heat Resistance | -10˚ to +80˚C‡ |

PRORATED

‡Not for use in heated carts.

**Wash once per day for 60 seconds at a maximum temperature of 80˚C.

### RECOMMENDED USE

Moderate Traffic / Economic Priority

– Quick Serve Restaurants
– Food Courts / Snack Shops



High Profile Shape



High Profile Shape with handles

### STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSES

**1216FF:** (110), (119), (163), (167), (168), (186)
**1418FF:** (107), (110), (119), (163), (167), (168), (186)
**1217FFH:** (110), (166), (167), (416)
**1014FF:** (107), (110), (163), (167), (416)





1418FF



1217FFH

### Available Colors:



104 Desert Tan



106 Light Peach



107 Pearl Gray



108 Primrose Yellow



110 Black



119 Sherwood Green



163 Red



166 Orange



167 Brown



168 Blue



186 Navy Blue



409 Blush



414 Teal



416 Cranberry

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Rectangular – High Profile Shape** | | |
| 1014FF | 26,5 x 34,5 cm | 24 |
| 1216FF | 30 x 41 | 24 |
| 1418FF | 35,5 x 45,7 | 12 |
| **Rectangular – High Profile Shape with Handles** | | |
| 1217FFH* | 30 x 43 | 24 |

***Available in the following colors:** Black (110), Sherwood Green (119), Orange (166), Brown (167), Cranberry (416). All Fast Food trays sizes manufactured in the United States can be personalized. All Fast Food trays sizes manufactured in Europe and China cannot be personalized.



# COMPARTMENT TRAYS

## SPECIFICATIONS

| Code | 10146CW | BCT1014 | PS1014 |
|---|---|---|---|
| Material | Camwear® | ABS | Co-Polymer |
| Surface Characteristic | Textured | Textured | Textured |
| Performance | Excellent | Excellent | Excellent |
| Stacking Lugs | Yes | Yes | Yes |
| Dishwasher Safe | Yes – Extensive | Yes – Extensive | Yes – Minimal |
| Chemical Resistance | Good | Excellent | Excellent |
| Drying Test | Excellent | Excellent | Excellent |
| Shock Resistance | Excellent | Good | Good |
| Break Resistance | Excellent | Good | Excellent |
| Scratch Resistance | Very Good | Very Good | Very Good |
| Stain Resistance | Very Good | Very Good | Very Good |
| Heat Resistance | -40˚ to +99˚C‡ | -10˚ to +82˚C‡ | -10˚ to +80˚C‡ |

‡Not for use in heated carts.




PS1014

150CW, 100CW, 50CW, 45CW, 35CW, 10CW and SRB5CW reusable bowls fit in this tray and can be used to serve cereal, soup & salads.




BCT1014



PS1014 on OETR314 Open End Tray Rack.

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Camwear** | | |
| 10146CW | 25,4 x 36,5 cm | 24 |
| **ABS - BPA FREE** | | |
| BCT1014 | 25,4 x 36,5 | 24 |
| **Co-Polymer - BPA FREE** | | |
| PS1014 | 25,4 x 36,5 | 24 |




BCT1014, PS1014 & 10146CW

### RECOMMENDED USE

Moderate Traffic / Economic Priority

– School
– Universities
– Military

ABS and Co-Polymer trays are not NSF listed.

Camwear Only

### Camwear

NSF 3 PRORATED


119 Sherwood Green


133 Beige


145 Yellow


186 Navy Blue


416 Cranberry


110 Black

### ABS

2 PRORATED


119 Sherwood Green


163 Red


161 Tan


414 Teal


186 Navy Blue


416 Cranberry

### Co-Polymer

2 PRORATED


437 Grass Green


145 Yellow


161 Tan


186 Navy Blue


414 Teal


416 Cranberry

# COMPARTMENT TRAYS

## SPECIFICATIONS

| | | |
|---|---|---|
| Material | Camwear® | Co-Polymer |
| Surface Characteristic | Textured | Textured |
| Performance | Excellent | Excellent |
| Stacking Lugs | Yes | Yes |
| Dishwasher Safe | Yes – Extensive | Yes – Minimal |
| Chemical Resistance | Good | Excellent |
| Drying Test | Excellent | Excellent |
| Shock Resistance | Excellent | Good |
| Break Resistance | Excellent | Excellent |
| Scratch Resistance | Very Good | Very Good |
| Stain Resistance | Very Good | Very Good |
| Heat Resistance | -40˚ to +99˚C‡ | -10˚ to +80˚C‡ |

‡Not for use in heated carts.

### RECOMMENDED USE

Moderate Traffic / Economic Priority

– School
– Universities
– Military

100CW, SRB13CW and 50CW bowls fit in round compartment. 10CW and 150CW bowls fit in square compartment. See Dinnerware and Swirl Bowl sections.

ABS and Co-Polymer trays are not NSF listed.

Camwear Only



915CP





1596CW






915CW & 915CP




1596CW & 1596CP



915CW and 1596CW inside two PR314 Camracks.

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Camwear** | | |
| 1596CW | 22,9 x 38 cm | 24 |
| 915CW | 22,2 x 38 | 24 |
| **Co-Polymer - BPA FREE** | | |
| 1596CP | 22,9 x 38 | 24 |
| 915CP | 22,2 x 38 | 24 |

### Camwear

NSF 3 PRORATED


119 Sherwood Green


404 Red


133 Beige


414 Teal


168 Blue


416 Cranberry


186 Navy Blue


110 Black


431 Translucent Blue

### Co-Polymer

2 PRORATED


416 Cranberry


186 Navy Blue

# MEAL DELIVERY TRAYS

- Three deep-dish food compartments for large portions.
- Snap-on cover fits securely.
- Textured surface minimizes scratching.

**Camwear Colors:**
Beige (133), Teal (414).
**Lid Color:** Clear (135).

**Co-Polymer Colors:**
Teal (414), Brown (167), Tan (161).
**Lid Color:** White (148).

Co-Polymer is not NSF Listed.

Not for use in heated carts.





**Camwear®**

NSF 3 PRORATED

133 Beige

414 Teal


**Co-Polymer**

2 PRORATED


161 Tan

167 Brown

414 Teal




9113CW/9113CP




9114CW/9114CP

| CODE | DESCRIPTION | DIMENSIONS W x L x D |
|---|---|---|
| **Camwear** | | |
| 9113CW | 3 Compartments | 22,8 x 27,9 x 6,8 cm |
| 9114CW | 4 Compartments | 22,8 x 27,8 x 6,7 |
| 911CWC | Lid fits both trays | 22,9 x 28 x 1,4 |
| **Co-Polymer - BPA FREE** | | |
| 9113CP | 3 Compartments | 22,5 x 27,2 x 6,6 |
| 9114CP | 4 Compartments | 22,6 x 27,2 x 6,6 |
| 911CPC | Lid fits both trays | 22,6 x 27,4 x 1,4 |

**Case Pack:** 24

# SEPARATOR® COMPARTMENT TRAYS

- Six compartment tray designed specifically for in-cell feeding programs.
- Serve both hot and cold food from the same tray.
- Tray with cover separates each compartment to retain food temperature and reduce spills.
- Locking ridges on top of cover and bottom of tray ensure more secure stacking.

**Camwear Color:** Beige (133).
**Lid Color:** Clear (135).

**Co-Polymer Colors:**
Teal (414), Brown (167), Tan (161).
**Lid Color:** Translucent (190).

Co-Polymer is not NSF Listed.

Not recommended for heated cart.



**Camwear**

NSF 3 PRORATED

133 Beige


**Co-Polymer**

2 PRORATED

161 Tan

167 Brown

414 Teal




10146DCW/10146DCP

| CODE | DESCRIPTION | DIMENSIONS W x L x D |
|---|---|---|
| **Camwear** | | |
| 10146DCW | 6 Compartments | 25,4 x 36,1 x 3,3 cm |
| 10146DCWC | Lid fits 10146DCW | 26 x 36,2 x 3,5 |
| **Co-Polymer - BPA FREE** | | |
| 10146DCP | 6 Compartments | 25,4 x 36 x 2,9 |
| 10146DCPC | Lid fits 10146DCP | 25,6 x 35,6 x 3,6 |

**Case Pack:** 24

# TRAY ON TRAY MEAL DELIVERY SYSTEM

## Base Tray

- Combine hot and cold food portions into a reusable, single service unit.
- Works as a tray or for in-cell feeding with the insert tray.
- Base tray has 5 compartments with 1 compartment for resting the insert tray.

**Camwear Color:** Beige (133).

**Co-Polymer Colors:**
Brown (167), Tan (161).

Co-Polymer is not NSF Listed.


Not for use in heated carts.



1411CW



1411CW base tray with 853FH insert tray




1411CW/1411CP

### Camwear®

NSF 3 PRORATED

133
Beige

### Co-Polymer

2 PRORATED

161
Tan

167
Brown

| CODE | DESCRIPTION | DIMENSIONS W x L x D |
|---|---|---|
| **Camwear** | | |
| 1411CW | Compartments | 26,8 x 36,5 x 3,3 cm |
| **Co-Polymer - BPA FREE** | | |
| 1411CP | Compartments | 26,8 x 36,5 x 3,3 |

**Case Pack:** 24

## Insert Tray

- Eight trays efficiently fit on a standard sheet pan or in an 45,5 x 65,5 cm wire rack.

**Camwear Color:** Beige (133).
**Lid Color:** Clear (135).

**Co-Polymer Colors:**
Brown (167), Tan (161).
**Lid Color:** Translucent (190).

**Heat Resistant Plastic**
**Tray and Lid Color:** Amber (150).

Co-Polymer is not NSF Listed.

Not for use in heated carts.



### Camwear

NSF 3 PRORATED

133
Beige

### Co-Polymer

2 PRORATED

161
Tan

167
Brown

### Heat Resistant Plastic

NSF 3 PRORATED

150
Amber




853FCW/853FCP/853FH

| CODE | DESCRIPTION | DIMENSIONS W x L x D |
|---|---|---|
| **Camwear** | | |
| 853FCW | Compartments | 16 x 22,1 x 4,8 cm |
| 853FCWC | Lid for 853FCW | 17,1 x 22,4 x 0,6 |
| **Co-Polymer** | | |
| 853FCP | Compartments | 16 x 22,1 x 4,8 |
| 853FCPC | Lid for 853FCP | 17,1 x 22,4 x 0,6 |
| **Heat Resistant Plastic** | | |
| 853FH | Compartments | 16 x 22,1 x 4,8 |
| 853FHC | Lid for 853FH | 17,1 x 22,4 x 0,6 |

**Case Pack:** 24

# COMPARTMENT SERVING TRAYS

- For cafeteria-style feeding in high security environments.
- Compartment configurations designed to meet all menu requirements.
- Trapezoid Compartment Trays space saving for self serve correctional facility feeding.

**Camwear 6-Compartment Colors:** Navy (186), Cranberry (416), Yellow (145), Sherwood Green (119), Beige (133), Black (110).
**5-Compartment Color:** Beige (133).
**Co-Polymer Color:** Tan (161).

14105CP is not NSF Listed.

Trapezoid Compartment Trays are covered by the following U.S. Patent D 508,634.

**Camwear®**

NSF 3 PRORATED

**Co-Polymer**

2 PRORATED

NT9CP Co-Polymer Cup: For details contact your Cambro representative.



10146CW




10145CW




10146CW




14105CW / 14105CP

| CODE | DESCRIPTION | DIMENSIONS W x L x D | CASE PACK |
|---|---|---|---|
| **Camwear** | | | |
| 10146CW | 6 compartments | 25,4 x 36,8 x 2,4 | 24 |
| 14105CW | 5 compartments | 27,2 x 35,2 x 2,9 | 24 |
| 10145CW | 5 compartments | 25,4 x 36,8 x 2,4 | 24 |
| **Co-Polymer - BPA FREE** | | | |
| 14105CP | 5 compartments | 27,2 x 35,2 x 2,9 | 24 |

# MARKET TRAYS AND PANS

## SPECIFICATIONS

| | |
|---|---|
| Material | Fiberglass layers + polyester resin |
| Surface Characteristic | Smooth |
| Performance | Excellent |
| Stacking Lugs | Yes |
| Dishwasher Safe | Yes – Extensive |
| Chemical Resistance | Good |
| Drying Test | Excellent |
| Shock Resistance | Excellent |
| Break Resistance | Good |
| Scratch Resistance | Good |
| Stain Resistance | Excellent |
| Heat Resistance | -10˚ to +100˚C‡ |

‡Not for use in heated carts.

## RECOMMENDED USE

Moderate Traffic / Economic Priority

– Deli / Buffet Displays

**Colors:** Yellow (145)**, Blue (142), Green (140), White (148), Black (110).

*Special order item not carried in stock – non-returnable.

**NSF listed for non-direct food contact only.

NSF 3 PRORATED




| CODE | DIMENSIONS W x L x D | CASE PACK |
|---|---|---|
| **Market Trays** | | |
| 630MT* | 16,4 x 76,2 x 1,9 cm | 12 |
| 826MT* | 21,6 x 64,1 x 1,9 | 12 |
| 830MT* | 21,4 x 76,2 x 1,9 | 12 |
| 913MT* | 22 x 31,6 x 2,1 | 12 |
| 918MT* | 22 x 45,7 x 2,1 | 12 |
| 926MT* | 22,5 x 64,9 x 2,5 | 12 |
| 1015MT* | 25,7 x 38,1 x 1,9 | 24 |
| 1030MT* | 26,5 x 76,2 x 1,9 | 12 |
| 1218MT* | 29,2 x 45,1 x 2,5 | 12 |
| 1224MT* | 31,6 x 61 x 1,9 | 12 |
| 1230MT* | 31,6 x 76,2 x 1,9 | 12 |
| 1318MT* | 32,1 x 45,1 x 2,7 | 12 |
| 1826MT* | 45,2 x 65,2 x 2,7 | 6 |
| 2025MT* | 52,7 x 64,9 x 2,1 | 6 |
| **Market Pans** | | |
| 6302MT* | 16,7 x 76,2 x 5,1 | 12 |
| 8262MT* | 21,5 x 64,1 x 5,1 | 12 |
| 8302MT* | 21,4 x 76,2 x 5,1 | 12 |
| 92615MT* | 22,5 x 64,8 x 3,8 | 12 |
| 10302MT* | 26,5 x 76,2 x 5,1 | 12 |

# CAMDUCTION® COMPLETE HEAT SYSTEM – HOT MEAL DELIVERY SYSTEM

Camduction innovative hot meal delivery system is fast and efficient. Camduction is perfect for any facility with a hot tray line system. One charger can accommodate up to 300 meals per service.

Camduction Charger covered by U.S. Patent 8,263,906 B2. Camduction Base covered by U.S. Patent D630,897 S.

Camduction Charger comes with 1 year warranty.

1

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSES**

**MDSCDB9EU24V:** (487), (497)



Quickly and efficiently heats up to 20 Camduction bases at one time. Initial start-up takes approximately 4 - 6 minuets.

Supports up to 5 trays per minute, improving operational efficiency.

Holds hot foods safe at 60°C or higher for up to 60 minutes. Based on voltage supply.

Energy efficient unit turns off after 45 minutes of inactivity.

Camduction charger is made of high-grade, durable stainless steel that remains cool to the touch.

Easy to operate: amber slot LED indicates bases are heating. Green light indicates ready.

Independent functionality of each compartment reduces the risk of service interruption.

Specify cord and plug for country of usage.

## Camduction Charger and Base



The Camduction Base provides reliable hot temperature retention.

| CODE | MDSCDC9X5EU24V |
|---|---|
| DESCRIPTION | Camduction base charger, three phase |
| CAPACITY | 20 Bases |
| OVERALL DIMENSIONS W x D x H | 76,2 x 47,9 x 87,9 cm |
| VOLTAGE / PHASE | PE AC 380-480V, three phase |
| AMPS / HERTZ | 16, 50/60 |
| PLUG TYPE | Available in multiple plug types |
| ELECTRICAL CORD | 2 m |
| INITIAL HEAT UP TIME | 4 - 6 minuets |
| ALL INDICATOR LIGHTS | LED |
| UNIT WEIGHT | 52,6 kg |
| CASE PACK | 1 |


**Color:** Stainless Steel (000).

| CODE | MDSCDB9EU24V |
|---|---|
| DESCRIPTION | Camduction base holds 22,86 cm plate |
| OUTSIDE DIAMETER | 24,31 cm |
| OUTSIDE HEIGHT | 2,26 cm |
| FULL-SIZE CAMRACK® | PR59314 |
| CASE PACK | 12 |

# CAMDUCTION® COMPLETE HEAT SYSTEM – HOT MEAL DELIVERY SYSTEM

- Cool rims are safe to touch.
- Bases are durable and dishwasher safe.
- Resistant to chips, cracks, and breaks.
- Bases and Domes are available in navy blue and cranberry.
- Energy Efficient Unit goes in to heat retention mode. Keeps bases hot and saves energy.

## The Results of the Camduction Complete Heat System




Results based on heated plate between 90°-100°C and hot food at approximately 85°C.

**NOTE:** Operator results may vary based on menu items and starting temperatures.

## The Camduction Base System

A heated Camduction Base, combined with a properly heated 22,8 cm Cambro Ceramic Plate, covered with a Cambro Shoreline Insulated Dome will hold hot food at safe temperatures 65°C or higher for up to 60 minutes.



2 year pro-rated warranty on Bases.




Cranberry




Navy Blue




Safe to the touch even when fully charged.

# TEMPERATURE RETENTION SYSTEMS

Cambro offers an array of products that support a variety of temperature retention systems. As each facility has its own separate needs and challenges, different serving solutions are needed.

**MDSCDB9, HK39B, MDSD9 and MDSL9 Colors:** Meadow (447), Wheat (457), Speckled Gray (480), Cranberry (487), Navy Blue (497), Black (110), Smoked Metal (485)*.

**MDSPC9 Color:** Black (110).

**MDSP9 Color:** Dark Gray (477).

**MDSPL Color:** (000).

*Only available for Harbor Dome and Camduction Base.

MDSPL not NSF listed.


MDSCDB9 is covered by U.S. Patent D 630, 8975 S and 8,263,906 B2.

MDSCDB9 PRORATED

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSES**

**MDSCDB924VSI:** (487), (497)

## Camduction®





A. Insulated Dome

B. 22,86 cm Ceramic Plate

C. Camduction Base

## Insulated Base





A. Insulated Dome

B. 22,86 cm Ceramic Plate

C. Heat Keeper Insulated Base

## Thermal Pellet





A. Insulated Dome

B. 22,86 cm Ceramic Plate

C. Hot Thermal Pellet

D. Underliner

## Cold Pellet




A. Insulated Dome

B. 22,86 cm Ceramic Plate

C. Cold Pellet

D. Underliner

## Camduction Complete Heat System

The most efficient heat retention solution, holds hot food at safe temperatures 65˚C or higher for up to 60 minutes.

- Camduction Bases are durable and dishwasher safe.
- Resistant to chips, cracks and breaks.
- Revolutionary technology eliminates errors or issues with spikes in voltage.



**MDSCDB924VSI**

Camduction base holds 22,86 cm plate

**OUTSIDE DIAMETER:** 24,31 cm

**OUTSIDE HEIGHT:** 2,26 cm

**FULL-SIZE CAMRACK®:** PR59314

**Case Pack:** 12

## Heat Keeper Insulating Base System

The cost-effective solution for heat retention, holds temperature for 20 minutes or more.

- Resists stains, odors and scratches.



**HK39B**

Insulating base holds 22,86 cm plate

**OUTSIDE DIAMETER:** 24,48 cm

**OUTSIDE HEIGHT:** 4,07 cm

**FULL-SIZE CAMRACK:** PR59314

**Case Pack:** 12

# MEAL DELIVERY WARE SYSTEM – THE HARBOR COLLECTION

- Attractive design provides a pleasant dining experience.
- Supports temperature maintenance.
- Available in six popular colors to complement any decor.
- Mugs and bowls fit existing line of Cambro disposable CamLids® for Shoreline Collection.
- Made of polypropylene, won't chip or break.
- High temperature dishwasher safe.
- Dome fits 22,86 cm plate.
- Works with all Cambro Temperature Retention Systems, Camduction® Complete Heat System, Camtherm® Thermal Pellet System, Heat Keeper Insulating Base System and Camchiller® Pellet System.

Cambro insulated ware is not recommended for use in a microwave oven as this will increase the likelihood of staining and cracking, neither of which is covered under the manufacturers warranty.

Insulated Harbor bowl is covered by U.S. Patent D795,017 S.

PRORATED















| CODE | MDSHD9 | MDSHB5 | MDSHB9 | MDSHM8 |
|---|---|---|---|---|
| DESCRIPTION | Insulated dome covers 22,86 cm plate | Insulated small bowl | Insulated large bowl | Insulated mug |
| LID CODE | — | CLSM8B5, CLRSM8B5 | CLSB9, CLRSB9 | CLSSM8B5, CLSM8B5, CLRSM8B5 |
| APPROX. CAPACITY | — | 150 mL | 270 mL | 240 mL |
| OUTSIDE DIAMETER | 25,94 cm | 8,89 cm | 11,11 cm | 11,43 cm |
| HEIGHT | 8,17 cm | 6,1 cm | 6,1 cm | 10,16 cm |
| FULL-SIZE CAMRACK® | PR59314 | 16C414 | 9S318 | 16C414 |
| CASE PACK | 12 | 48 | 48 | 48 |

**Harbor Meal Delivery Ware Colors:**



# MEAL DELIVERY WARE SYSTEM — THE SHORELINE COLLECTION

- Classic design, high performance, and unequalled safety at a budget-friendly price.
- Works with all Cambro Temperature Retention Systems, Camduction® Complete Heat System, Camtherm® Thermal Pellet System, Heat Keeper Insulating Base System and Camchiller® Pellet System.
- Mugs and bowls fit Cambro disposable CamLids®.
- Domes and delivery ware are made of durable polypropylene.

Cambro insulated ware is not recommended for use in a microwave oven as this will increase the likelihood of staining and cracking, neither of which is covered under the manufacturers warranty.

NSF · 3 PRORATED · BPA FREE

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSES**

**MDSB9, MDSLD9, MDSB16, MDSD9, MDSM8, MDSB5:** (487), (497)

## Insulated Meal Delivery Ware








| CODE | MDSD9 | MDSLD9 | MDSM8 | MDSB5 | MDSB9 | MDSB16 |
|---|---|---|---|---|---|---|
| DESCRIPTION | Insulated dome covers 22,86 cm plate | Low profile insulated dome covers 22,86 cm plate | Insulated mug | Insulated sm. Bowl | Insulated lg. Bowl | Insulated entree bowl |
| LID CODE | — | — | CLSSM8B5, CLSM8B5, CLRSM8B5 | CLSSM8B5, CLSM8B5, CLRSM8B5 | CLSB9, CLRSB9 | CLRSB16 |
| APPROX. CAPACITY | — | — | 240 mL | 150 mL | 270 mL | 500 mL |
| OUTSIDE DIAMETER | 25,94 cm | 25,94 cm | 8,89 cm* | 8,89 cm | 11,11 cm | 13,65 cm |
| HEIGHT | 8,17 cm | 6,99 cm | 10,16 cm | 6,1 cm | 6,1 cm | 6,1 cm |
| FULL-SIZE CAMRACK® | PR59314 | PR59314 | 16C414 | 16C414 | 9S318 | 9S318 |
| CASE PACK | 12 | 12 | 48 | 48 | 48 | 48 |

*MDSM8 Diameter 11,43 cm with Handle.

**Shoreline Meal Delivery Ware Colors:**



Black



Meadow



**Wheat**



Speckled Gray



Cranberry



Navy Blue



# TEMPERATURE RETENTION SYSTEMS

## Camtherm® Thermal Pellet System

The perfect choice for maximum heat retention, holds temperature for 60 minutes or more.

- Holds heat at its core to keep hot foods at safe temperatures.
- Stays 11˚C cooler on the edge than metal pellets to protect staff and patients from burns.
- Is a high-density plastic material that won't dent like metal pellets.



**MDSP9**
Thermal pellet holds 22,86 cm plate
**OUTSIDE DIAMETER:** 24 cm
**OUTSIDE HEIGHT:** 4,45 cm
**FULL-SIZE CAMRACK®:** PR59314
**Case Pack:** 12



**MDSL9**
Pellet underliner holds 24,13 cm pellet
**OUTSIDE DIAMETER:** 24,29 cm
**OUTSIDE HEIGHT:** 4,6 cm
**FULL-SIZE CAMRACK:** PR59314
**Case Pack:** 12



**MDSPL**
Camtherm thermal pellet lifter
**OUTSIDE DIAMETER: 8 cm**
**OUTSIDE HEIGHT:** 7,6 cm
**Case Pack:** 1

## Camchiller® Pellet System

Keeps cold food below or at 4˚C for up to 45 minutes when used with a chilled plate and insulated dome.

- Shatter-resistant at freezing temperature.
- Stackable for easy transport and storage.
- Can be used with or without an underliner.
- High-temperature dishwasher safe.



**MDSPC9**
Camchiller pellet holds 22,86 cm plate
**OUTSIDE DIAMETER:** 24,31 cm
**OUTSIDE HEIGHT:** 3,42 cm
**FULL-SIZE CAMRACK:** PR59314
**Case Pack:** 12



**MDSL9**
Pellet underliner holds 24,13 cm pellet
**OUTSIDE DIAMETER:** 24,29 cm
**OUTSIDE HEIGHT:** 4,6 cm
**FULL-SIZE CAMRACK:** PR59314
**Case Pack:** 12

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**
**MDSP9:** (477)
**MDSL9:** (487), (497)

## Domes, Plate Cover and Plate for all Cambro Temperature Retention Systems

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**
**MDSD9, MDSLD9:** (487), (497)
**MDSPLT9:** (148)







| CODE | MDSD9 | MDSLD9 | MDSHD9 | 909CW | MDSPLT9 |
|---|---|---|---|---|---|
| DESCRIPTION | Insulated dome covers 22,86 cm plate | Low profile insulated dome covers 22,86 cm plate | Insulated dome cover for 22,86 cm plate | Camwear Camcover | Ceramic plate |
| OUTSIDE DIAMETER | 25,94 cm | 25,94 cm | 25,94 cm | 26,2 cm | 22,86 cm |
| OUTSIDE HEIGHT | 8,17 cm | 6,99 cm | 8,17 cm | 6,99 cm | 2,54 cm |
| FULL-SIZE CAMRACK | PR59314 | PR59314 | PR59314 | PR59314 | PR314 |
| CASE PACK | 12 | 12 | 12 | 12 | 24 |

**MDSD9, MDSLD9 and MDSHD9 Colors:** Meadow (447), Wheat (457), Speckled Gray (480), Cranberry (487), Navy Blue (497), Black (110), Smoked Metal (485)*.
**909CW Colors:** Clear (152), Amber (153), Beige (133), Silver (486). **MDSPLT9 Color:** White (148). *Smoked Meal (485) only available for Harbor Dome.
MDSPLT9 Sold in full cases only.

# REUSABLE CAMLIDS® FOR MEAL DELIVERY SYSTEMS

- Save up to 75% in lid costs each year.
- Reduce your waste-stream significantly each year when you switch from disposables to reusables.
- Dishwasher safe.
- Made of durable polypropylene.
- Fits both Shoreline and Harbor Collection mugs and bowls.
- Contact your Cambro Sales Representative for a Customized Savings Calculator!

**Reusable CamLid Color:** White (148).

**Camrack Wash and Store Rack Color:** Kelly Green (452).

**Camrack Base Full Size Color:** Soft Grey (151).

**Full Rack Cover Color:** Grey (180).

CLRWSR36 is covered under U.S. patent D 617,069.

Full Rack Cover not NSF certified.

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROP EAN WAREHOUSE**

**CLRWSR36:** (452)
**BR578:** (110), (163), (167), (168), (184), (186), (414), (416), (119), (151)
**DRC2020:** (180)
**E3:** (151)
**CRPHDG2878:** (000)

**Visit www.cambro.com/savemoney for a Customized Savings Calculator!**


EcoSafe






## Camrack® Wash and Store Rack

- Designed for safe and secure washing and storing of Reusable CamLids, CLRSB9 and CLRSM8B5 only.
- Each Camrack Wash and Store Rack holds 36 Reusable CamLids.
- 2 Wash and store Racks fit in a Full Size Base Rack.







| CODE | DESCRIPTION | DIMENSIONS | CASE PACK |
|---|---|---|---|
| **Reusable CamLids** | | **H x Dia.** | |
| CLRSM8B5 | Fits 240 mL mug and 150 mL bowl | 0,71 x 9,05 cm | 240 |
| CLRSB9 | Fits 270 mL bowl | 0,71 x 11,32 | 240 |
| CLRSB16 | Fits 500 mL bowl | 0,71 x 13,97 | 240 |
| **Accessories for CLRSM8B5 and CLRSB9** | | **L x W x H** | |
| CLRWSR36 | Camrack wash and store rack to wash 36 reusable lids | 20,96 x 45,4 x 13,97 | 4 |
| BR578 | Camrack full size base rack with 2 extenders | 50 x 50 x 18,4 | 4 |
| DRC2020 | Full rack cover | 50 x 50 x 2,4 | 1 |
| **Accessories for CLRSB16** | | **L x W x H** | |
| PR500 | 9 x 9 peg rack with 1 extender | 50,17 x 50,17 x 14,29 | 5 |
| E3 | Full size open extender | 50,17 x 50,17 x 2 | 12 |
| CRPHDG2878 | Full size square hold down grid | 46,67 x 46,67 | 6 |

Reusable CamLids sold in cases only. No broken cartons.

# CAMSHELVING® HYGIENIC DRYING RACKS

- Keep tray line and warewashing areas organized and prevent wet stacking by storing newly washed products upright for faster drying before storing.
- Non-corrosive, break resistant and easy to assemble.
- Mobile racks allow for easy floor clean up and maneuverability.
- Drying cradles are removable and are high temperature dishwasher safe.
- Combine individual drying cradles to build custom drying racks on 600 mm deep Camshelving units.
- Lifetime warranty against rust and corrosion on posts and traverses.
- Drying Cradles are made of high impact ABS material.

***Camshelving Premium Series Color:** Speckled White (490).
****Drying Cradle Color:** Soft Gray (151).

**Casters:**
4 Premium Casters: (2 swivel with total locking brake, 2 swivel with no brake).



## Vertical Drying and Storage Rack


- Securely holds various sizes of trays, cutting boards, baking sheet pans, lids and plates 20,5 to 34,3 cm.
- Drying Cradles are installed directly onto shelf traverses.
- Fits 600 mm shelves.

7-Slot Drying Cradle is covered by U.S. Patent D 663,912 S.

NSF COMPONENT

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CSDR7, CSDR73:** (151)
**MPMU61117DRPKG, MPMU61317DRPKG:** (490)



CSDR7
7-Slot Drying Cradle
**Width Per Slot:** 3,3 cm

| CODE | DESCRIPTION | DIMENSIONS D x L x H | HOLDING CAPACITY | CASE PACK |
|---|---|---|---|---|
| **Camshelving Premium*** | | | | |
| MPMU61117DRPKG | Vertical drying rack | 600 x 1180 x 1790 mm | 84 Trays | 1 |
| MPMU61317DRPKG | Vertical drying rack | 600 x 1380 x 1790 | 105 | 1 |
| **Drying Cradles**** | | | | |
| CSDR7 | 7-Slot drying cradle | 597 x 260 x 95 | — | 1 |
| CSDR73 | 7-Slot drying cradle | 597 x 260 x 95 | — | 3 |

Drying Cradles fit on Camshelving Premium Series, mobile or stationary 600 mm deep shelves.
**Package Includes:** Pre-assembled mobile post kits, 6 traverses for each model, 12 or 15 drying cradles and premium swivel casters with total locking brake. Assembly required.



MPMU61117DRPKG
Camshelving Premium

# CAMSHELVING® HYGIENIC DRYING RACKS

## Angled Drying and Storage Rack

- Securely holds up to 128 meal delivery Pellets/Bases or a variety of food pan sizes, pots and kitchen wares.
- Drying Cradles are installed directly onto shelf traverses.
- Fits 600 mm shelves.


***Camshelving Premium Series Color:** Speckled White (490).
****Drying Cradle Color:** Soft Gray (151).

8-Slot Drying Cradle is covered by U.S. Patent D739,989 S.

COMPONENT

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CSDR8, CSDR84:** (151)
**MPMU61217PDPKG:** (490)



CSDR8
8-Slot Drying Cradle
**Width Per Slot:** 6 cm

| CODE | DESCRIPTION | DIMENSIONS D x L x H | HOLDING CAPACITY | CASE PACK |
|---|---|---|---|---|
| **Camshelving Premium*** | | | | |
| MPMU61217PDPKG | Angled drying rack | 600 x 1280 x 1790 mm | 128 pellets and bases or 16 GN 1/1 food pans | 1 |
| **Drying Cradles**** | | | | |
| CSDR8 | 8-Slot drying cradle | 592 x 263 x 160 | — | 1 |
| CSDR84 | 8-Slot drying cradle | 592 x 263 x 160 | — | 4 |

Individual Drying Cradles fit on Camshelving Premium Series 600 mm deep shelves only, mobile or stationary.
**Package Includes:** Units ship complete with 2 mobile post kits, 8 traverses, 16 angled drying cradles and premium swivel casters with total locking brake. Assembly required.



MPMU61217PDPKG
Camshelving Premium

## Dome Drying and Storage Rack

- Securely holds 100 meal delivery domes.
- Drying Cradles are installed directly onto shelf traverses.
- Fits 600 mm shelves.

***Camshelving Premium Series Color:** Speckled White (490).
****Drying Cradle Color:** Soft Gray (151).

10-Slot Drying Cradle is covered by U.S. Patent D 736,488 S.

COMPONENT

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**CSDDC24, CSDDC245:** (151)
**MPMU6917DDPKG:** (490)



CSDDC24
10-Slot Drying Cradle
**Width Per Slot:** 7,8 cm

| CODE | DESCRIPTION | DIMENSIONS D x L x H | HOLDING CAPACITY | CASE PACK |
|---|---|---|---|---|
| **Camshelving Premium*** | | | | |
| MPMU6917DDPKG | Dome drying rack | 600 x 980 x 1790 mm | 100 Domes | 1 |
| **Drying Cradles**** | | | | |
| CSDDC24 | 10-Slot drying cradle | 597 x 415 x 86 | — | 1 |
| CSDDC245 | 10-Slot drying cradle | 597 x 415 x 86 | — | 5 |

Individual Drying Cradles fit on Camshelving Premium Series 600 mm deep shelves only, mobile or stationary.
**Package Includes:** Pre-assembled mobile post kits, 10 traverses, 10 drying cradles and premium swivel casters with total locking brake. Assembly required.



MPMU6917DDPKG
Camshelving Premium

# TABLOTHERM CAM GOBOX® MEAL DELIVERY SYSTEM

The Tablotherm Cam GoBox is the cost-effective solution for delivering single-served meals. This lightweight insulated tray separates hot and cold foods, keeping meals at safe temperatures for up to 60 minutes. Extra compartments can be used for beverages and snacks for a convenient and complete meal delivery.

Lids 122701118, 122700021 and 122700023 are BPA Free.



# TABLOTHERM CAM GOBOX® MEAL DELIVERY SYSTEM



**ITENEPP**

EPP Tablotherm without dishes

**EXTERIOR DIM.** L x W x H:
37 x 53 x 11,8 cm

**UNIT WEIGHT:** 0,55 kg

**Case Pack:** 1 **Color:** Grey (107).



**ITENEPP1118**

EPP Tablotherm with dishes - 2 rectangular dishes 11 x 18 cm, 2 bowls 14 cm, reusable covers

**EXTERIOR DIM.** L x W x H:
37 x 53 x 11,8 cm

**UNIT WEIGHT:** 2,53 kg

**Case Pack:** 1 **Color:** Grey (107).



**ITENEPP21**

EPP Tablotherm with dishes - 1 plate 21 cm, 2 bowls 14 cm, reusable covers

**EXTERIOR DIM.** L x W x H:
37 x 53 x 11,8 cm

**UNIT WEIGHT:** 2,27 kg

**Case Pack:** 1 **Color:** Grey (107).



**ITENEPP23**

EPP Tablotherm with dishes - 1 two-compartment plate 23 cm, 2 bowls 14 cm, reusable covers

**EXTERIOR DIM.** L x W x H:
37 x 53 x 11,8 cm

**UNIT WEIGHT:** 2,32 kg

**Case Pack:** 1 **Color:** Grey (107).



**ITENEPP1118H**

EPP Tablotherm with dishes - 2 rectangular dishes 11 x 18 cm, 2 Shoreline bowls MDSB16 (13,6 cm) (500 mL), 2 reusable covers CLRSB16

**EXTERIOR DIM.** L x W x H:
37 x 53 x 11,8 cm

**UNIT WEIGHT:** 1,82 kg

**Case Pack:** 1 **Color:** Grey (107).



**ITENEPP21H**

EPP Tablotherm with dishes - 1 plate 21 cm, 2 Shoreline bowls MDSB16 (13,6 cm) (500 mL), 2 reusable covers CLRSB16

**EXTERIOR DIM.** L x W x H:
37 x 53 x 11,8 cm

**UNIT WEIGHT:** 1,57 kg

**Case Pack:** 1 **Color:** Grey (107).



**ITENEPP23H**

EPP Tablotherm with dishes - 1 two-compartment plate 23 cm, 2 Shoreline bowls MDSB16 (13,6 cm) (500 mL), 2 reusable covers CLRSB16

**EXTERIOR DIM.** L x W x H:
37 x 53 x 11,8 cm

**UNIT WEIGHT:** 1,62 kg

**Case Pack:** 1 **Color:** Grey (107).

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**All TABLOTHERM CAM GOBOXES:** (107)
**122401118, 122601118, 122600021, 122600023: (000)**
**MDSB16: (487), (497)**

## Ceramicware











| CODE | 122401118 | 122701118 | 122400021 | 122700021 | 122400023 | 122700023 | 122500014 | 122700014 | MDSB16 |
|---|---|---|---|---|---|---|---|---|---|
| DESCRIPTION | Porcelain rectangular dish | Rectangular dish cover for 122400018 | Porcelain plate | Plate cover for 122400021 | 2-compartment porcelain plate | Plate cover for 122400023 | Porcelain bowl 14 cm | Bowl cover | Insulated Shoreline bowl - 500 mL |
| EXTERIOR DIM. (CM) | 11 x 18 | 11 x 18 | Ø 21 | Ø 21,5 | Ø 23 | Ø 23,5 | Ø 14 x 0,7 | Ø 14,5 | Ø 13,6 x 6 |
| UNIT WEIGHT (KG) | 0,45 | 0,06 | 0,58 | 0,18 | 0,6 | 0,2 | 0,44 | 0,04 | 0,13 |

**Case Pack:** 1 **Color:** (000).

# TABLOTHERM MEAL DELIVERY SYSTEM

## The ideal single-serve meal delivery system for in-home service

- Transport and serve hot and cold food in one complete unit.
- Maintain safe food temperatures for over 1 hour.*
- Lightweight design makes transportation easy and convenient.
- Two sizes accommodate a variety of meal options.
- Dishwasher safe.



Tablotherms stack for easy transportation and storage.



Molded-in dimples secure the sealed lids on dishware to prevent spills and enhances temperature retention.

Break-resistant china dishware.

Compact design makes transport easy.

Safely hold hot and cold meals in one unit.



Meal set-up is convenient with Tablotherm trays and dishes.

| | | | | |
|---|---|---|---|---|
| **ITPD3253 model with Heated Pellet** | | | | |
| 85˚C | 80˚C | 77˚C | 74˚C | 71˚C |
| **ITPD3253 model without Heated Pellet** | | | | |
| 85˚C | 72˚C | 68˚C | 64˚C | — |
| **ITPD3753T model with Heated Pellet** | | | | |
| 89˚C | 75˚C | 70˚C | 65˚C | 62˚C |
| **ITPD3753T model without Heated Pellet** | | | | |
| 87˚C | 67˚C | | 60˚C | — |
| Starting Temperature | 20 min. | | 40 min. | 1 hr. |

*With heated pellet. Not for use in heated carts.

# TABLOTHERM INSULATED TRAYS

**Minimum Food & Plate Temperature before Plating:** 85˚ - 90˚C

**Only available from Cambro European Logistics (CEL), Germany.**

**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**IT3753T, ITPD3753T, 112 430 000, 122 400 050, 122 450 050, 122 500 050, 122 600 050, 122 650 050, 122 700 050, 122 201 050, 122 200 050, 122 260 050:** (000)
**MDSB16, MDSB9:** (487), (497)
**165PW:** (A42)
**165PW:** (A42)



ITPD3753T - Euronorm size



Light gray polypropylene lid with integrated rubber seal. Lids cannot be used in microwave oven.

| CODE | DESCRIPTION | DIMENSIONS W x L x H |
|---|---|---|
| **Tablotherm – Insulated Tray with Porcelain Dishes, seal covers and pellet** | | |
| ITPD3753T | **Euronorm insulated tray including:** 1 ea. two-compartment plate (122 400 050), 1 ea. reusable cover (122 600 050), 1 ea. Pellet (165PW), 3 ea. multi-purpose bowls: 2 ea. 400 mL (122 500 050), 1 ea. 500 mL (122 450 050) and 3 ea. reusable covers: 2 ea. (122 700 050) and 1 ea. (122 650 050) | 37 x 53 x 10,5 cm |
| **Tablotherm – Insulated Tray without porcelain dishes, seal covers and pellet** | | |
| IT3753T | Euronorm insulated tray – empty | 37 x 53 x 10,5 |
| **Porcelain dishes** | | |
| 122 400 050 | Two compartment plate. Outside ø 254 mm capacity 750 mL (white) | — |
| 122 450 050 | Multi-purpose bowl. Outside ø 142,2 mm capacity 500 mL (white) | — |
| 122 500 050 | Multi-purpose bowl. Outside ø 120 mm capacity 400 mL (white) | — |
| **Reusable polypropylene covers, light gray with integrated rubber seal** | | |
| 122 600 050 | For two compartment plate | — |
| 122 650 050 | For multi-purpose bowl – 500 mL | — |
| 122 700 050 | For multi-purpose bowl – 400 mL | — |
| **Pellet System** | | |
| 165PW | SMC pellet ø 16,5 cm | — |
| **Menu card** | | |
| 112 430 000 | Yellow menu cards 100 x 70 mm | — |
| **Latches** | | |
| 122 201 050 | Latches with menu card holder (IT3753T, ITPD3753T) | — |
| 122 200 050 | Latches without menu card holder (IT3753T, ITPD3753T) | — |
| 122 260 050 | Latches and screw kit: 1 ea. latch, 4 ea. screws (IT3753T, ITPD3753T) | — |
| **Tablotherm with Insulated Dishware** | | |
| ITPD3753TH | 1 ea. two-compartment plate (122 400 050), 1 ea. reusable cover (122 600 050), 1 ea. Pellet (165PW), 3 ea. multi-purpose bowls: 2 ea. 270 mL (MDSB9), 1 ea. 500 mL (MDSB16) and 3 ea. reusable covers: 2 ea. (CLRSB9T) and 1 ea. (CLRSB16T) | 37 x 53 x 10,5 |
| **Insulated Dishware for ITPD3753TH** | | |
| MDSB9 | Insulated large bowl. Outside ø 111,1 mm – 270 mL | — |
| MDSB16 | Insulated entree bowl. Outside ø 136,5 mm – 500 mL | — |
| CLRSB9T | Reusable CamLid®– 270 mL | — |
| CLRSB16T | Reusable CamLid – 500 mL | — |

**ITPD3753T, IT3753T, ITPD3753TH Color:** Gray and Blue. **ITPD3253, IT3253 Color:** Two Tone Gray. **165PW Color:** (A42).
**MDSB16, MDSB9 Color:** Speckled Gray (480). **CLRSB16T, CLRSB9T Color:** Speckled White (490). **165PW Case Pack:** 1 Each.
For a complete guide to maximizing heat retention, contact your Cambro representative.

# ANTIMICROBIAL CAMGUARD® VERSA TRAYS

- High performance polyester tray for ultra-intensive use.
- Built-in antibacterial protection eliminates bacteria between tray washings and will not wash off or wear away for the life of the tray.
- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Temperature range resistance from -40˚ to 140˚C. ‡
- Dishwasher safe – Wash as often and as frequently as needed.

‡ Not for use in heated carts.

PRORATED

**Minimum quantity order from CEL:**
Non-stock item 240 pieces.
No broken carton.

**Only available from Cambro European Logistics (CEL), Germany.**



High Profile Shape



Low Profile Design Shape



Flat Edge Shape





GP4002AB

camguard
ANTIMICROBIAL TRAYS

Trays have built-in antimicrobial properties to protect against mildew growth and bacterial odors. This protection will not wash or wear off.

**Unprotected Surface versus Camguard Protected Surface 24 Hour Test.**



Unprotected | Protected with Camguard

| CODE | DIMENSIONS |
|---|---|
| **Versa Trays – High Profile Shape** | |
| VT1418AB | 35,5 x 45,7 cm |
| VT3343AB | 33 x 43 |
| **Versa Century™ Trays – Low Profile Design Shape** | |
| VT3646CAB | 35,5 x 45,7 |
| VT3343CAB | 32,9 x 42,9 |
| **Versa Trays – Flat Edge Shape** | |
| GP1070AB* | 26,5 x 32,5 |
| GP1080AB* | 26,5 x 37 |
| GP3980AB* | 37 x 53 |
| GP4002AB* | 32,5 x 53 |


**Case Pack:** 12
*Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.



Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.



Reinforced polyester corners provide superior corner and edge protection against impact.



Stacking lugs keep trays stacked securely in place and ensure proper air flow.

**Tray Color:**




Granite

# POLYESTER DECORATED VERSA TRAYS WITH SMOOTH OR NON-SLIP SURFACE

- Reduce waste, save money and provide a stable tray surface for meal delivery.
- Switching from paper tray mats will generate annual savings of over 50%.
- Your Green Initiatives will get rapid results with the elimination of up to 10 tons of trash each year.
- High performance polyester tray for ultra-intensive use.
- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Dishwasher safe – Wash as often and as frequently as needed.

‡ Not for use in heated carts.

*Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application

**Personalization:** Contact your Cambro representative for pricing.



**Minimum quantity order from CEL:**
Stock item one case, Non-stock item 120 pieces. No broken carton.



Flat Edge Shape

**Only available from Cambro European Logistics (CEL), Germany.**

EcoSafe



Non-Slip Trays grip firmly providing safer meal delivery service.

| CODE | SIZE | CASE PACK |
|---|---|---|
| **Smooth surface – Flat Edge Shape** | | |
| GP0540* | 46 x 34,4 cm | 12 |
| GP3980* | 53 x 37 | 12 |
| GP4002* | 53 x 32,5 | 12 |
| GP4004 | 53 x 32,5 | 12 |

Temperature range resistance from -40˚ to 90˚C.‡

5 PRORATED


| CODE | SIZE | CASE PACK |
|---|---|---|
| **Non-slip surface – Flat Edge Shape** | | |
| GP3980NS* | 53 x 37 cm | 12 |
| GP4002NS* | 53 x 32,5 | 12 |
| GP0540NS* | 46 x 34,4 | 12 |
| GP1080NS* | 37 x 26,5 | 12 |

**Only available in colors:** B22, B93, B99, B100.
Temperature range resistance from -40˚ to 80˚C.‡

2 PRORATED



**Patterns and Tray Base Colors:**



B101 Brushed Steel on Light Grey Tray



B27 Light Grey on Light Grey Tray



B95 Pebbled White on Light Grey Tray



B93 Titan on Granite Tray



B100 Pebbled Black on Terrazzo Tray



B22 Sahara on Sahara Tray



B99 Pebbled Black on Light Grey Tray



B96 Pebbled White on Terrazzo Tray

# POLYESTER NON-SLIP VERSA LITE TRAYS

- Non-Slip surface provides a better grip for safer meal delivery.
- Reduce your environmental waste-stream each year when you switch from paper tray mats to Non-Slip Versa Lite Trays.
- Standard performance polyester tray for intensive use.
- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Temperature range resistance from -40˚ to 80˚C.‡
- Dishwasher safe – Wash up to 3 times per day.

**Colors:** Sahara on Sahara Tray (B22), Titan on Speckled Smoke Tray (B14), Sahara on Pearl White Tray (B11), Pebbled Black on Light Grey Tray (B99).

**Personalization:** Contact your Cambro representative for pricing.

‡ Not for use in heated carts.




**STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

**GL4002NS:** (B22)

**Minimum quantity order from CEL:** Stock item one case, Non-stock item 120 pieces. No broken carton.

**Only available from Cambro European Logistics (CEL), Germany.**


High Profile Shape


Low Profile Design Shape


Flat Edge Shape



EcoSafe


Versa Lite Century Trays have low edges and ergonomic corners that enhance comfort.


Stacking lugs keep trays stacked securely in place and ensure proper air flow.


Reinforced polyester corners provide superior corner and edge protection against impact.

| CODE | DIMENSIONS |
|---|---|
| **Versa Lite Trays – High Profile Shape** | |
| VL1418NS | 35,5 x 45,7 cm |
| VL3343NS | 33 x 43 |
| **Versa Lite Century™ Trays – Low Profile Design Shape** | |
| VL3646CNS | 35,5 x 45,7 |
| VL3343CNS | 33 x 43 |
| **Versa Lite Trays – Flat Edge Shape** | |
| GL3980NS* | 37 x 53 |
| GL4002NS* | 32,5 x 53 |

**Case Pack:** 12

*Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.


Non-Slip Trays grip firmly providing safer meal delivery service.

**Tray Colors:**



Sahara on Sahara Tray



Pebbled Black on Light Grey Tray

# NON-SLIP VERSA CAMTRAYS®

- Non-Slip Trays reduce waste, save money and provide a stable tray surface for meal delivery.
- Switching from paper tray mats will generate annual savings of over 50%.
- Green Initiatives will get rapid results with the elimination of tons of trash each year.
- Non-Slip Camtrays provide a better grip for safer meal delivery.
- Dishwasher safe in low and high temperatures.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- Temperature range resistance from -40˚ to 80˚C.‡

**Camtray and Dietary Tray Colors:**
Black with Pebbled Black (382),
Pearl Gray with Titan (381),
Ivory with Sahara (380).

**Personalization:** Contact your Cambro representative for pricing.

‡ Not recommended for heated carts.

NSF Listed for non-direct food contact only.

PRORATED



Non-Slip trays grip table top items firmly.



High Profile Shape Flat Edge Shape

EcoSafe



| CODE | DESCRIPTION | DIMENSIONS |
|---|---|---|
| 1418VC | Non-Slip Versa Camtray | 35,5 x 45,7 cm |
| 1520VC | Non-Slip Versa Camtray | 38 x 51 |

**Case Pack:** 12



Black with Pebbled Black (382)

Pearl Gray with Titan (381)

Ivory with Sahara (380)

# NON-SLIP VERSA CAMTRAYS FOR ROOM SERVICE

- Ergonomic handles allow for safe and elegant meal delivery.
- Trays fit within existing meal delivery carts that accommodate 35,5 x 45,7 or 38 x 51 cm trays.
- Non-Slip surface eliminates the need for tray mats saving time and money.
- Dishwasher safe at high and low temperatures.
- Stacking lugs allow for quick drying.
- Temperature range resistance from -40˚ to 80˚C.‡
- 38 x 51 cm tray is ideal for room service.

**Room Service Tray Colors:**
Black with Pebbled Black (382),
Pearl Gray with Titan (381),
Ivory with Sahara (380).

**Personalization:** Contact your Cambro representative for pricing.

‡ Not recommended for heated carts.

Non-Slip Versa Camtrays for Room Service is covered by U.S. Patent D 683,191 S.

NSF Listed for non-direct food contact only.

PRORATED



| CODE | DESCRIPTION | DIMENSIONS |
|---|---|---|
| 1418VCH | Non-Slip Versa Camtray with handles | 35,5 x 45,7 cm |
| 1520VCRST | Non-Slip Versa Camtray with handles | 38 x 51 |

**Case Pack:** 12

EcoSafe

# CAMWEAR® NON-SLIP TRAY

- Ideal for healthcare patient meal delivery and in high-traffic cafeterias.
- Scratch-resistant, made of durable Camwear.
- Non-Slip eliminates the need for tray mats, saving time and money.
- Enhances stability, providing safer transport and service.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- Commercial dishwasher safe at high and low temperatures.
- Trays with handles are also available without non-slip surface.

**Colors:** Black (110), Dark Cranberry (488), Smoked Metal (485).

*Not recommended for use in heated carts.

NSF Listed for non-direct food contact only.

PRORATED



1520CWNS



Black (110)

Dark Cranberry (488)

Smoked Metal (485)

| CODE | DESCRIPTION | DIMENSIONS |
|---|---|---|
| **Non-Slip Surface** | | |
| 1418CWNS | Camwear non-slip tray | 35,5 x 45,7 cm |
| 1520CWNS | Camwear non-slip tray | 38 x 51 |
| 1418CWNSH* | Camwear non-slip tray with handles | 35,5 x 45,7 |
| 1520CWNSH* | Camwear non-slip tray with handles | 38 x 51 |
| **Smooth Surface** | | |
| 1520CWH | Camwear tray with Handles | 38 x 51 |

**Case Pack:** 12



1520CWNSH

# CAMTRAYS® WITH HANDLES

- Enhance your tray presentation with these easy-to-grip, ergonomic, contoured handles.
- Stain, Scratch and odor resistant.
- Made of durable lightweight and high-impact fiberglass.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- Dishwasher safe at high and low temperatures.

Available in Group I colors.

Special order item not carried in stock, non-returnable. One case order minimum.

NSF listed for non-direct food contact only.

Personalization through digital printing process only. Please refer to Camtray Personalization section for details.

PRORATED



1520H

| CODE | DESCRIPTION | DIMENSIONS |
|---|---|---|
| 1418H | Camtray with handles | 35,5 x 45,7 cm |
| 1520H | Camtray with handles | 38 x 51 |

**Case Pack:** 12

# MEAL DELIVERY CARTS FOR TRAY SERVICE

Transport meal trays from the kitchen to acute care patients, long-term acute care patients, nursing home residents, or correctional facility inmates during in-room service.

Enhance patient satisfaction with high-quality room service-style meals served quietly and efficiently.



- Thick insulation protects hot or cold meals, while venting increases air circulation to maintain food quality.
- Tough, one-piece double-wall polyethylene carts are durable and easy to clean, resisting rust, dents, chipping, or breakage.



- Ergonomic molded-in handle design provides comfort maneuvering.
- Molded-in rails ensure quiet meal delivery while bottom bumper protects the cart, walls, and furniture during transport.
- Features secure doors with a magnetic latch to hold door in place during service. Doors swing to 270 degrees. MDC1520T20 doors swing to 190 degrees when the end table is utilized.



- Features non-marking, quiet casters for easy maneuverability and to optimize patient rest. MDC1411T60 comes standard with plated casters.



- Lightweight doors allow for fast and quiet access to trays during service.

# 10-TRAY DUAL ACCESS AND SINGLE DOOR ROOM SERVICE CART — LOW PROFILE




Single door 10-Tray Meal Delivery Cart is covered by U.S. Patent D 723,237 S.





| CODE | MDC1520S10D | MDC1520S10 | MDC1520S10HD |
|---|---|---|---|
| TRAY SIZE | 38 x 51 / 37 x 53 cm | 38 x 51,5 cm / 37 x 53 cm | 38 x 51,5 cm / 37 x 53 cm |
| TRAYS PER RAIL / RAIL SPACING | 2 / 13,3 cm | 2 / 13,3 cm | 2 / 13,3 cm |
| TRAYS PER COMPARTMENT | 10 | 10 | 10 |
| EXTERNAL DIMENSIONS W x D x H | 77,5 x 97,5 x 109 cm | 77,5 x 97,5 x 109 cm | 77,5 x 97,5 x 110,5 cm |
| INTERNAL DIMENSIONS W x D x H | 53,6 x 78,7 x 66,6 cm | 53,7 x 78,7 x 66,7 cm | 53,7 x 78,7 x 66,7 cm |
| CASTER TYPE | Nylon, 12,7 cm 2 rigid, 2 swivel with brake | Nylon, standard casters 12,7 x 3,2 cm | 15,2 Heavy Duty casters, 2 front rigid, 2 rear swivel with brake |
| UNIT WEIGHT | 42 kg | 35,4 kg | 46,3 kg |

**Case Pack:** 1 **Colors:** Granite Gray (191) and Granite Sand (194).

## Airpot and Condiment Station

- Holds three airpots for safe transport and service.
- Compartments are designed for stir sticks, napkins and a variety of condiments.
- Stain and odor resistant.
- Made of durable ABS material.
- Fits Cambro's 10-tray room service carts.

BSACS patent applied for.

| CODE | DIMENSIONS W x D x H | CASE PACK |
|---|---|---|
| BSACS | 59 x 39 x 15,2 cm | 1 |

**Color:** Black (110). Airpots not included.



# 20-TRAY MEAL DELIVERY CART – LOW PROFILE



Marine rail is designed for use during service, not transport.





| CODE | MDC1520S20 | MDC1418S20 |
|---|---|---|
| TRAY SIZE | 38 x 51,5 cm | 36 x 46 cm |
| TRAYS PER CART / PER COMPARTMENT | 20 / 10 | 20 / 10 |
| RAILS PER COMPARTMENT | 5 | 5 |
| TRAYS PER RAIL / RAIL SPACING | 2 / 14 cm | 2 / 14 cm |
| NUMBER OF COMPARTMENTS AND VENTS | 2 | 2 |
| NUMBER OF MENU CLIPS | 2 | 2 |
| MENU CLIPS - LOCATION | 1 per door | 1 per door |
| HANDLES - TYPE AND LOCATION | Molded in, each end | Molded in, each end |
| CASTER TYPE | 15,24 cm nylon, 2 swivel with brake / 2 Rigid | Nylon, 12,7 cm, 2 swivel w/brake, 2 rigid, offset |
| LATCHES | Lockable paddle latches, 1 per door, 2 total | 2 internal nylon friction |
| EXTERNAL DIMENSIONS W x L x H | 92,1 x 122,6 x 144,3 cm | 82,6 x 123,2 x 111,8 cm |
| INTERNAL DIMENSIONS W x D x H | 52,4 x 78,1 x 69,9 cm | 46,7 x 71,1 x 73,7 cm |
| REQUIRED DOOR WIDTH | 72,39 cm | 83,82 cm |
| UNIT WEIGHT | 58,06 kg | 64,18 kg |
| CASE PACK | 1 | 1 |
| COLORS (All carts with cream color doors) | Granite Gray (191), Granite Sand (194) | Slate Blue (401), Granite Gray (191), Granite Green (192), Granite Sand (194) |

# TALL 20-TRAY MEAL DELIVERY CART WITH OPTIONAL END TABLE

Optimize space while allowing for a large capacity to serve meals with in-room service. Operators can conveniently use the end table to set up the tray and meal for the next patient as they manage the delivery process. The end table simply folds down and fits the side of the cart, allowing for easy accessibility.




| CODE | MDC1520T20 |
|---|---|
| TRAY SIZE | 38 x 51 cm |
| TRAYS PER CART / PER COMPARTMENT | 20 / 10 |
| RAILS PER COMPARTMENT | 10 |
| TRAYS PER RAIL / RAIL SPACING | 12,7 cm |
| HANDLES – TYPE AND LOCATION | Molded in, each end |
| CASTER TYPES | 15,24 cm nylon, 2 swivel with brake / 2 Rigid |
| LATCHES | Lockable paddle latches, 1 per door, 2 total |
| EXTERNAL DIMENSIONS L x W x H | 102,36 x 72,39 x 163,2 cm |
| INTERNAL DIMENSIONS L x W x H | 38,86 x 53,6 x 128,91 cm |
| REQUIRED DOOR WIDTH | 72,39 cm |
| UNIT WEIGHT KGS | 64,86 kg |
| CASE KG ($M^3$) | 82,27 kg (1,41) not including pallet |

**Case Pack:** 1 **Colors:** Granite Gray (191), Granite Sand (194). All carts with cream color doors.

## Optional Accessory



**MDCET**

Optional End Table

**Overall Exterior Dimensions** L x W x H: 57,79 x 41,91 x 6,6 cm

**Color:** Granite Gray (191)

# 16 AND 30 TRAY MEAL DELIVERY CARTS – TALL PROFILE




**Marine rail is designed for use during service, not transport.**









## Tall Profile

| SPECIFICATIONS | MDC1520T30 | MDC1520T16** | MDC1418T30 | MDC1418T16** |
|---|---|---|---|---|
| TRAY SIZE | 38 x 51,5 cm | 38 x 51,5 cm | 36 x 46 cm | 36 x 46 cm |
| TRAYS PER CART | 30 | 16 | 30 | 16 |
| TRAYS PER COMPARTMENT | 10 | 16 | 10 | 16 |
| RAILS PER COMPARTMENT | 10 | 8 | 10 | 8 |
| TRAYS PER RAIL | 1 | 2 | 1 | 2 |
| RAIL SPACING | 12,7 cm | 13,3 cm | 12,7 cm | 13,3 cm |
| NUMBER OF DOORS | 3 | 1 | 3 | 1 |
| NUMBER OF COMPARTMENTS | 3 | 1 | 3 | 1 |
| NUMBER OF MENU CLIPS | 5 | 1 | 5 | 1 |
| MENU CLIPS - LOCATION | Each door, each end | Door | Each door, each end | Door |
| HANDLES - TYPE AND LOCATION | Heavy-duty nylon, mounted 1 per end | Molded-in, 1 per end MDCET16 optional accessory | Heavy-duty nylon, mounted 1 per end. | Molded-in, 1 per end MDCET16 optional accessory |
| CASTER TYPE | Nylon, 15,2 cm, 2 rigid, 4 swivel w/brake, offset | Nylon, 15,2 cm, 2 rigid, 2 swivel w/brake | Nylon, 15,2 cm, 2 rigid, 4 swivel w/brake, offset | Nylon, 15,2 cm, 2 rigid, 2 swivel w/brake |
| LATCHES | Friction catch, transit latch* | Lockable paddle latch | Friction catch, transit latch* | Large paddle latch |
| EXTERNAL DIMENSIONS W x L x H | 74,3 x 152,4 x 161,6 cm | 69,1 x 95,5 x 147,3 cm | 74,3 x 152,4 x 161,6 cm | 63,91 x 90,48 x 147,32 cm |
| INTERNAL DIMENSIONS W x D x H | 39 x 53,34 x 127 cm | 52,4 x 78,1 x 110,8 cm | 37 x 55 x 127 cm | 47,30 x 72,39 x 113,34 cm |
| REQUIRED DOOR WIDTH | 77 cm | 78 cm | 77 cm | 79 cm |
| UNIT WEIGHT | 95,25 kg | 48,53 kg | 97,07 kg | 45,13 kg |

**Case Pack:** 1 **Colors:** Slate Blue (401), Granite Grey (191), Granite Green (192), Granite Sand (194). (All carts with cream door.)
*Stainless steel transit latch at top of each door. MDC1418T16 are covered by U.S. Patent D 398,727.
For lighter-duty applications, 30-tray carts may be ordered without the steel transit latches by using product code MDC1520T30NL or MDC1418T30NL.
**MDC1520T16, MDC1418T16 comes in Granite Gray (191) and Granite Sand (194) only.

# 60-TRAY MEAL DELIVERY CART FOR CORRECTIONAL TRAY SERVICE

- For use in correctional facilities.
- Holds 60 each 1411CW or 1411CP Cambro Base Trays with 853 Insert Trays or 60 each 10146DCW or 10146DCP Separator Compartment Trays.
- Security features include security screws on handles, stop locks on door knuckles, security bolts for transit latches and caster carriage bolts with lock nuts.





1411CP base tray with 853FH insert tray

| CODE | MDC1411T60 |
|---|---|
| TRAY SIZE | 35,6 x 27,9 cm base tray 1411CW and 1411CP |
| TRAYS PER CART / PER COMPARTMENT | 60 / 20 |
| RAILS PER COMPARTMENT | 10 |
| TRAYS PER RAIL / RAIL SPACING | 2 / 12,7 cm |
| NUMBER OF COMPARTMENTS | 3 |
| HANDLES - TYPE AND LOCATION | Heavy-duty aluminum with security screws, black finish, 1 per end |
| CASTER TYPE | 15,2 cm heavy-duty casters, 5,1 cm wide tread, 2 swivel with brake, 2 rigid |
| LATCHES | Internal friction catch, 2 per door, transit latch* |
| EXTERNAL DIMENSIONS W x L x H | 74,3 x 152,4 x 161,6 cm |
| INTERNAL DIMENSIONS W x D x H | 36,8 x 54,6 x 127 cm |
| REQUIRED DOOR WIDTH | 76,2 cm |
| UNIT WEIGHT | 97,98 kg |


**Case Pack:** 1 **Colors:** Granite Gray (191), Granite Sand (194), Slate Blue (401).
*Stainless steel transit latch at top of each door.

# MEAL DELIVERY CARTS FEATURES AND CASTER CONFIGURATIONS


## Standard Caster Configurations:

These caster configurations are designed to provide stability and maneuverability over uneven surfaces.


For optional caster configurations, contact your Cambro representative.




**MDC1520S20, MDC1418S20, MDC1520T20, MDC1411T60**




**MDC1520S10, MDC1520S10D, MDC1520T16, MDC1418T16, MDC1520T20**




**MDC1520T30, MDC1418T30**

## Handles

**MDC1520S20, MDC1418S20**



Molded in handles on each end for smooth transporting.

**MDC1520T16, MDC1418T16**



Molded in handles for easy transporting.

**MDC1520T20, MDC1520T30, MDC1418T30, MDC1411T60****



Heavy duty nylon handles are securely mounted and nested into each end.
**MDC1411T60 has tamper resistant heavy duty aluminum tubing handles.

## Lead in Casters




Casters are offset to ease movement over uneven surfaces. This is standard on MDC1520S10, MDC1520S10D, MDC1520S20, MDC1418S20, MDC1520T20, MDC1520T30, MDC1418T30 and MDC1411T60.

# CAMBRO® EQUIPMENT COLOR CHART


Gray (180)


Coffee Beige (157)



Hot Red (158)


Cold Blue (159)


Speckled Gray (480)


Dark Taupe (417)


Brick Red (402)



Navy Blue (186)


Granite Gray (191)


Granite Sand (194)


Cambro provides a wide selection of colors to help you coordinate with your decor and color code items to simplify use.

Color selections vary by product. Please see individual products for specific colors offered.


Slate Blue (401)


Charcoal Gray (615)


Dark Brown (131)


Granite Green (192)


Black (110)


Kentucky Green (519)


## CAMBRO® APP

# Download the Cambro App!

Access helpful Cambro tools and resources on the go with the Cambro App.
Customize a tray, find the right lid for your containers, play the trivia challenge to win free products and more!

Download on the App Store

ANDROID APP ON Google play




### Cambro® Warranty

Cambro offers a 5-year pro-rated warranty against damage or manufacturer's defects found in excess to normal wear and tear on our Camtrays®, Camtread® trays and Dinnerware. Commercial Electrical Equipment models hold a 1-year warranty. Non-Skid Versa Camtrays, Tongs, Camwear® Food Storage Pans, all high heat material products, Squares, Rounds and Lids have a 2-year pro-rated warranty. All Camshelving® Series have a 1-year warranty on workmanship and a lifetime limited warranty against rust and corrosion, excluding mobile posts. For all other Cambro products, Cambro warrants to the original buyer a 3-year pro-rated warranty unless otherwise noted. If product proves defective during this time, Cambro grants a pro-rated credit of the original price toward replacement product. The warranty applies on all Cambro products only when used under normal foodservice industry conditions.

Note: Temperature ranges noted throughout this catalog are based on specific test criteria and provide a general guideline. Individual use may vary due to differences in loading temperatures or ambient temperature.

Product Accessories: Contents and accessories shown in photos are not included, except where noted.

### Photo credits:

Cambro products help foodservice operators throughout the world. To represent our global presence, images of Cambro products in use have been taken on locations throughout southern California, USA; in Cancun, Mexico; on the island of Rugen, Germany; and in the city of Huizhou, China.
In particular, special thanks to the staffs of the Ambience Hotel, Rugen; Jin Hua Palace Hotel, Huizhou; Southern California Gas Company, Downey; Orange Coast College, Santa Ana and California Hospital, Los Angeles for their assistance in our photo shoots.

CAMBRO TRUSTED DURABILITY


**CAMBRO U.S.A.**
**TEL:** 1(714) 848-1555
**FAX:** 1(714) 843-2630
international@cambro.com

**CAMBRO EUROPE**
**TEL:** (49) 7022 90 100 0
**FAX:** (49) 7022 90100 19
cambroeurope@cambro.com

**CAMBRO UK**
**TEL:** 0800 587 0057 Toll Free
**FAX:** 0845 280 3411
cambrouk@cambro.com

**CAMBRO IRELAND**
**TEL:** 1800 509 046 Toll Free
**FAX:** 01 633 55 76
cambroireland@cambro.com


ISO 9001:2008 CERTIFIED

Cambro is a proud recipient of the U.S. President's E-Award for Excellence in Exporting.

© Copyright Cambro Manufacturing Company. Printed in the U.S.A.